

Jeep '72—tougher guts, brighter looks!



Jeep

The ultimate
in off-road
performance.



Jeep Commando

New guts
with a sporty
new look.



Jeep Truck

The only pickup
truck built with 4-wheel drive
from the ground up.



Jeep Wagoneer

One of the most luxurious
4-wheel drive station wagons
in the world.



432 Champagne White



Jeep

1972 EXTERIOR COLORS

"Diamond-Glo"
Super Enamel
Multi-Coated
Baked Finish



494 Skyway Blue



492 Jetset Blue, Metallic



491 Julep Green, Metallic



431 Avocado Mist, Metallic



493 Yuca Tan, Metallic



490 Butterscotch Gold



495 Canary Yellow




226 President Red



21 Raven Black

JEEP FLEET COLORS



504 Forest Green



135 Omaha Orange




81 Transport Yellow



394 Marlin Blue, Metallic



221 Federal Gray



1972 VEHICLE SPECIFICATIONS*

	JEEP WAGONEER	JEEP TRUCK						JEEP		JEEP COMMANDO		
	1414	J-2500	J-2600	J-4500	J-4600	J-4700	J-4800	CJ-5	CJ-6	ROADSTER	PICKUP	STATION WAGON
Wheelbase	110.0"	120.0"		132.0"				84.0"	104.0"	104.0"		
GVW, Standard (lbs)	5600	5000	6000	5000	6000	7000	8000	3750	3900	3900		
GVW, Maximum (lbs)	5600	5000	6000	5000	6000	7000	8000	4500	4750	4700		
Cargo Bed Length	81.6"	84.3" (Pickup)		96.3" (Pickup)				39.8"	59.8"	64.0"	62.3"	64.0"
Standard Tires	7.75 x 15 4-ply	8.25 x 15 4-ply	7.00 x 16 8-ply	8.25 x 15 4-ply	7.00 x 16 8-ply	7.50 x 16 8-ply	7.50 x 16 10-ply	7.35 x 15 4-ply		7.35 x 15 4-ply		
Tread—Front	57.0"	63.5"	63.5"	63.9"				51.5"		51.5"		
Tread—Rear	57.0"	63.8"	63.8"	64.4"				50.0"		50.0"		
Ground Clearance (minimum)	7.8"	7.9"	8.9"	7.9"	8.9"			8.0"	8.0"	7.5"		
Turning Diameter—curb to curb	44.4'	49.5'		52.0'				32.9'	37.6'	37.8'		
Fuel Tank Capacity (gals.)	22.0	20.0		20.0				16.5	16.5	16.5		
Transmission—standard	3-speed, col.shift	3-speed, floor shift					H.D. 4-speed, floor shift	3-speed, floor shift		3-speed, floor shift		
Transmission—optional	Turbo Hydra-Matic, column shift							H.D. 4-speed, floor shift (CJ-5)		Turbo Hydra-Matic, column shift		
	Heavy Duty 4-speed, floor shift							—		H.D. 4-speed, floor shift		

ENGINES (All engines run on regular, low-lead or no-lead fuel. With no-lead, use alternate tank fills of regular.)

ENGINE	232-6	258-6	304 V-8	360 V-8
Number of Cylinders	6-Cylinder	6-Cylinder	8-Cylinder	8-Cylinder
Type of Valve Arrangement	OHV in line	OHV in line	90° OHV	90° OHV
Piston Displacement (cu in.)	232	258	304	360
Compression Ratio	8.0:1	8.0:1	8.4:1	8.5:1
Bore and Stroke	3.75" x 3.50"	3.75" x 3.90"	3.75" x 3.44"	4.08" x 3.44"
Net Horsepower @ RPM	100 @ 3600	110 @ 3500	150 @ 4200	175 @ 4000
Net Torque @ RPM	185 @ 1800	195 @ 2000	285 @ 2500	285 @ 2400
Standard	CJ-5/CJ-6 and Commando	Wagoneer and 5000 & 6000 GVW Truck	—	7000 & 8000 GVW Truck
Optional	—	CJ-5/CJ-6 and Commando	All Models except 7000 & 8000 GVW Truck	Wagoneer and 5000 & 6000 GVW Truck

*Vehicle Specifications shown are with Standard Equipment.

All specifications subject to change without notice.