

RAM TOUGH

'80 DODGE VANS





About this catalog

We have tried to make this catalog as complete as possible. And we hope you will find it useful. However, since the time of printing, some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalog is offered at extra cost. Your dealer has details and you should ask him for current information before ordering.



Ram Tough Dodge Street Vans for 1980: A Great Way to Express Yourself.

The Dodge Street Van is the most personalized way to go this side of a customizing shop. The van's standard features alone form a very impressive list. Dual vertically stacked quad rectangular headlamps with halogen high beam lamp and argent-painted grille with grille medallion... bright front and rear bumpers... bright windshield molding and taillamp bezels... bright exterior five-inch by seven-inch rearview mirrors. 70 series steel-belted radial outline white letter tires... white-painted steel-spoke or five-slot chrome disc or aluminum radial-ribbed road wheels are required equipment at extra cost. Paint scheme shown here is not available as a factory installation but may be obtained through local customizing shops.

Inside, the list goes on...

High-back cloth-and-vinyl Command bucket seats with inboard folding armrests for driver and front passenger or these extra-cost deluxe cloth-and-vinyl high-back Command bucket seats shown here... color-keyed driver compartment carpeting... stylish color-keyed instrument panel and vinyl front door trim panels, both with woodtone applique. Add to all this the room, ride and comfort Dodge Vans have always offered, and you begin to see why Dodge has long been a leader in vanning just for the fun of it.

And Picture This: A Street Van do-it-yourself customizing kit!

You can make your Street Van something really special with the customizing kit you get as part of the great Street Van Package. It includes full-size templates for interior finishing. Ideas for color schemes with graphics. Tips for installing stereo, and even insulation ideas. The Dodge Street Van Package for 1980.





Dodge Vans mean business...starting with choice.

You name it...Dodge has a van sized right for you, equipped and powered the way you want it. Three tough engine haulers including the B100, B200 and B300 models. Three tough engine choices including the 3.7-liter (225 CID) Slant Six standard on B100 and B200 models, the 5.2-liter (318 CID) V-8 optional on B100 and B200 and standard on B300 models, and the 5.9-liter (360 CID) V-8 optional on B200 and B300.* You have a choice of two wheelbases (109.6 inches and 127.6 inches) as well as a wide variety of payload capacities.[†] And if you want to put America's roomiest[‡] van to work for you, specify the Maxivan, B200 or B300. No matter what type of van you choose you get famous Dodge dependability, toughness and roominess.

*See Engine Availabilities on back cover.

†See Payload Chart on page 7.

‡Based on cubic capacity calculated by S.A.E. Standard HS J1100a.

And you can take comfort in our interiors.

When you slip into something comfortable like these optional cloth-and-vinyl high-back Command bucket seats, you can relax in the knowledge that Dodge has a host of standard and optional convenience features. Such things as easy-to-reach instrument controls, easy-to-read gauges, a wider brake pedal when equipped with the LoadFlite automatic transmission. Even a new illuminated vanity mirror mounted in the passenger-side sun visor, and driver's compartment headliner-mounted reading lamp option.




If you're serious about enjoying your work, look here.

As long as you have to work for a living, why not enjoy it? Dodge does its part with a host of new worthwhile options. We have deluxe vinyl low-back bucket seats or cloth-and-vinyl Command high-back swivel and reclining bucket seats. New AM/FM stereo with Search-Tune. New AM/FM stereo with cassette tape player and Dolby* noise reduction system. New high beam halogen headlamp system included with dual vertically stacked headlamps only. New aluminum radial-ribbed road wheels...new bright hitch-type rear bumper...new power windows in front doors...well, you get the idea.

*Dolby is a trademark of Dolby Laboratories.



ENGINEERING


Ram Tough Dodge
value runs deep.

Dodge Van door hinges are bolted on rather than welded to allow up-and-down, in-and-out adjustments for a really tight fit.

Big 22-gallon fuel tank is standard . . . an optional 36-gallon tank replaces the standard tank for increased driving range per tankful of gas.

Anti-Spin differential provides additional traction on snow, ice, mud or sand. Available on any van, it diverts most of the available driving power to the rear wheel with the better traction.



Attractive, functional instrument panel.

Features large glove box, and handy fuse box located beneath glove box door. Instrumentation includes ammeter, temperature gauge, fuel gauge, oil pressure indicator light and speedometer/odometer.




Sharp turning, agile maneuvering result from Dodge Van's short turning diameter.

Engines and Transmissions

Prefer V-8 power? Select the optional 5.2-liter (318 CID) V-8 (standard on all B300 models), with quality features such as drop-forged steel connecting rods with aluminum bearings and steel-strut pistons with chrome-plated top compression rings. For even more V-8 power, choose the optional 5.9-liter (360 CID) V-8, offered only on B200 and B300 Dodge Van models.

The standard transmission on the B100 and B200 Dodge Vans is a fuel-efficient four-speed manual overdrive that shifts like a normal manual transmission in city driving, and provides an economical 0.73:1 overdrive ratio fourth gear for highway cruising. **The three-speed LoadFlite automatic** is optional with these models. The B300 models are offered only with the



Front disc brakes for smooth stopping are designed to resist fade. Standard on all models.

three-speed LoadFlite automatic, standard.

Every Dodge Van features an **electronic ignition system** that eliminates ignition points and condenser from the distributor and adds to spark plug life. It helps to provide more voltage to the spark plugs during cold starting.

New radial tires called "P-metric" provide an increase in fuel economy due to reduced rolling resistance when compared with bias-belted tires. Glass-belted radials are standard on B100 and B200 models.

DODGE VAN Dimensions, Cargo Capacity and Payloads

Model	Wheelbase (in.)	Overall Length (in.)	Overall Width (max.)	Overall Height (max.)	Cargo Area Width (at center line of wheelbase)	Standard Door Openings		Dual Side Door		Dual Rear Door		Payload Allowance (lbs.)
						Cargo Area Height (max.)	Cargo Area Capacity ¹	Cargo Area Height	Cargo Area Width	Cargo Area Height	Cargo Area Width	
B100	109.6	178.9 ²	79.8 ²	79.6 ²	72.20 ²	53.22 ²	201.5	47.18 ²	49.26 ²	47.18 ²	49.26 ²	1,355 1,985
B200	109.6	178.9 ²	79.8 ²	79.6 ²	72.20 ²	53.22 ²	201.5	47.18 ²	49.26 ²	47.18 ²	49.26 ²	2,700
B100	127.6	196.9 ²	79.8 ²	80.9 ²	72.20 ²	53.22 ²	240.5	47.18 ²	49.26 ²	47.18 ²	49.26 ²	1,235 1,915
B200	127.6	196.9 ²	79.8 ²	80.9 ²	72.20 ²	53.22 ²	240.5	47.18 ²	49.26 ²	47.18 ²	49.26 ²	2,635 2,910
B300	127.6	196.9 ²	79.8 ²	80.9 ²	72.20 ²	53.22 ²	240.5	47.18 ²	49.26 ²	47.18 ²	49.26 ²	3,085 4,595
B200 Maxivan	127.6	222.9 ²	79.8 ²	80.6 ²	72.20 ²	53.22 ²	296.9	47.18 ²	49.26 ²	47.18 ²	49.26 ²	2,680
B300 Maxivan	127.6	222.9 ²	79.8 ²	80.6 ²	72.20 ²	53.22 ²	296.9	47.18 ²	49.26 ²	47.18 ²	49.26 ²	2,820 4,725

¹ Cubic capacity calculated by S.A.E. standard HSJ1100a.

² Must be reduced by weight of vehicle occupants and optional equipment.

Galvanized steel is an important part of Dodge Van construction.

Dodge uses galvanized steel in many critical body areas to help protect against corrosion. For example, galvanized steel is used in the inner surfaces of the standard hinged double side doors and optional sliding side door, and in the optional single rear and standard double rear

cargo doors. Front fenders and other front-end sheet metal stampings are also made of galvanized steel. What's more, to help the sheet metal resist corrosion the van body is prepared for the primer coat by a six-stage spray phosphate treatment. High-gloss acrylic enamel paint completes the durable quality exterior. As we said before, Dodge value runs deep.





Do it yourself, or have your van customized as this one was by one of the many companies that are in the business. Either way, you'll do better if you start with a B100 or B200 Dodge Street Van. Order the optional high-back swivel and reclining Command buckets available with the optional Street Van Package, shown in Tahoe cloth with vinyl side facings. Or order air conditioning for

the front and rear cargo compartment. Color-keyed instrument panel and vinyl front door trim panels, both with woodtone applique, and color-keyed carpeting in the driver's compartment are also available as part of the Street Van Package. You can have it your way in a Dodge Van.



Double SIDE DOORS are standard. They provide a 49.26-inch wide opening and are available with optional windows, fixed or vented.



SLIDING SIDE DOOR for unloading in tight quarters is available as an option, with or without an optional window.




Double REAR DOORS are standard and provide a 49.26-inch wide opening. Door windows are available.



Dodge's EXCLUSIVE SINGLE REAR DOOR option features a big fixed rear window. A rear vented window is also optional with this door.

PROFIT

Dodge Vans give
you room to work.




This is what Dodge Maxivan's 296.9 cubic feet of cargo space looks like when you put it to work for you. Dodge Van is wide enough to handle racks, bins and shelves, available through Dodge dealers, with aisle room to spare.

And with the engine compartment located well forward, there's

room for long cargo loads. Thoughtfulness for the working man abounds wherever you look. Grooved floors are rugged to slide heavy cargo over. You can stack cargo on the wheel wells because they're flat on top. Above it all, a handy cargo compartment light.




WIDE HOOD OPENING provides easy engine access for routine servicing. Coolant reserve system is standard.



FUSE BOX is located beneath the glove box door on top of the instrument panel, for quick easy service.



ENGINE COVER is tough, durable color-keyed fiberglass, designed to lift off easily for engine maintenance.



OPTIONAL MAINTENANCE-FREE BATTERY, 70-amp hr/430-amp Cold-Crank, does not require the addition of water for its normal service life of 38 to 40 months.

OPTIONS

Uncommon luxury and convenience.

AM/FM Stereo with Cassette Tape Player

A solid-state AM/FM stereo radio and cassette tape player with Dolby® noise reduction system. The Dolby system minimizes "hiss" on Dolby-encoded cassette cartridges and improves the dynamic range of Dolby-encoded FM broadcasts.

Dolby is a trademark of Dolby Laboratories.

Aluminum Radial Ribbed Road Wheels

Four distinctive 15-inch by 7-inch cast aluminum road wheels feature an ultramodern radial-rib design. In addition to smart styling, they weigh approximately 4 pounds less per wheel compared to the conventional 15-inch by 6.5-inch steel wheel. Smart.

Air Conditioning

Dodge's air conditioning unit provides cooling and heating in one system. Available with both Slant Six and V-8 engines.

NOTE: Ask your dealer for details regarding restrictions applicable to the later installation of air conditioning.

AM/FM Stereo with Search-Tune

This solid-state AM/FM stereo radio features precision bi-directional Search-Tune, direct station selection, digital station frequency display and 10-station memory.

Bright Hitch-Type Rear Bumper

Handsome, high-styled hitch-type towing bumper offers bright finish and wide center step. Fabricated of high-strength, low-alloy steel, it can be used for towing applications up to 2,000 pounds of trailer weight.

White Eight-Spoke Road Wheels

This road wheel features white painted steel spokes and chrome center hubs and studs.

Power Windows

Enjoy the convenience of electrically powered front door windows. Individual switches are mounted on each front door, with dual controls on the driver's door.

Illuminated Vanity Mirror

Mounted in the passenger-side sun visor, the vanity mirror is illuminated by user-controlled lights mounted on each side of the mirror. A "flip-up" cover protects the mirror when not in use.

Reading Lamp

A reading lamp is center-mounted in the headliner above the front seatbacks. A dome lamp and two separate reading lamps in each unit permit individual lighting adjustment for driver or passenger.

Tilt Steering Column

Seven different steering wheel positions for your driving comfort. Also makes entry and exit easier. Available only with optional power steering and automatic transmission.

Vented Window in Single Rear Door

The vented window option for use with the optional single rear cargo door increases vehicle ventilation.


Engineering excellence backed by Chrysler

The high quality of Chrysler's engineering and manufacturing processes is backed by a 12-month/20,000 km limited warranty* covering the repair or replacement of defective parts. That is the kind of protection you would expect from the corporation that has led in many areas such as advanced electronics and corrosion protection. Corrosion protection, through the extensive use of galvanized steel and the seven-step dip-and-spray process, has kept Chrysler a leader in the industry.

*Whichever comes first, consult your dealer for complete details.



AM/FM Cassette



Power Windows



Aluminum Road Wheel



Lighted Vanity Mirror



Air Conditioning



Reading Lamp



Search-Tune Radio



Tilt Steering



Bright Hitch Bumper



Vented Rear Window



White Eight-Spoke Road Wheels



Chrysler

KARY VAN

Bigger payloads.
Fewer stops. More profit.



The Dodge CB300 127.6-inch wheelbase Kary Van is available with a 10-foot long body. It is also available in the 145.6-inch wheelbase CB300 with 12-foot body (shown above) and the CB400 163.6-inch wheelbase with the 15-foot body length. Dodge Kary Van can provide you with a unique combination of Dodge Van handling and dependability, coupled with extra carrying capacity. All this plus the style and comfort you expect from Dodge.



Choose the optional roll-up rear door for work in close quarters. It opens from inside or out.

Standard full-opening double rear doors swing back against the body sides for added convenience in congested areas.

FEATURES

Dodge Van
offers quality right
down to the smallest detail

DODGE VAN SELECTED STANDARD EQUIPMENT

- Air Cleaner—Dry type
- Alternator—48-amp 12 volt
- Antifreeze—Minus 20°F protection
- Armrests—Driver and front passenger
- Ashtray—Driver's compartment
- Battery—48-amp-hr/305-amp Cold Crank
- Brakes—Power front disc: B100 (all except 109.6-inch and 127.6-inch wheelbase with 4,700-pound GVW), B200, B300—rear drum: B100, B200, B300
- Bumpers—Front and rear, painted
- Cargo Doors—Double hinged type, right side and rear; no glass (forward right door includes metal check arms)
- Door Locks—All doors
- Electronic Ignition System
- Floor Mat—Driver's side only, black
- Fuel Tank—22 gallon
- Glove Box and Door
- Grille—Argent finish
- Headlamps—7-inch round
- Headliner—Hardboard in driver's compartment, color-keyed
- Horn—Single electric
- Horn Pad—Color-keyed
- Hubcaps—Bright finish
- Instrumentation
- Ammeter
- Fuel gauge
- Odometer
- Oil pressure indicator light
- Speedometer
- Temperature gauge
- Jack—Bumper type: B100, B200 models—axle type: B300 models
- Lights—Backup with integral tail and stop lamps, license plate; combined front parking lamps, turn signals and side marker lamps—amber, (two); combined rear side marker lights and reflectors—red, (two); driver and cargo compartment dome
- Mirrors—Exterior, dual 5-inch by 7-inch heads, painted
- Oil Filter—Throwaway type
- Seat—Driver, low-back bucket with vinyl trim, including seat belt and retractor (color-keyed)
- Shock Absorbers
- 1-inch front and rear: B100, B200 Vans, B300 models
- 1 1/2-inch heavy-duty front and rear: B200 Maxivans
- Sun Visor—Driver-side only
- Tire Carrier—Spare
- Traffic Hazard Warning Switch
- Windshield Washers—Wiper arm mounted, electric
- Windshield Wipers—Two-speed non-intermittent wet arm

DODGE VAN ADDITIONAL OPTIONAL EQUIPMENT

- Alternators—63-amp or 117-amp
- Automatic Transmission Oil-to-Air Auxiliary Cooler
- Batteries
- 59-amp-hour/375-amp Cold Crank (Maintenance-Free)
- 70-amp-hour/430-amp Cold Crank (Maintenance-Free)
- 85-amp-hour/500-amp Cold Crank Long-Life
- Auxiliary—85-amp-hour/500-amp Cold Crank Long-Life: B300 models only
- Bright Finish Grille
- Bright Front and Rear Bumpers
- Bright Front and Rear Bumper Guards with Black Rubber Inserts
- Bright Front and Rear Bumper Guards and Bumper Guards with Nerf Strips
- Bright Hitch-Type Rear Bumper
- Cargo Compartment Headliner
- Cigar Lighter
- Digital Clock
- Edge-Protectors—Front doors
- Door Check Arms—Metal
- Bucket seat floor risers (color-keyed)
- Cigar lighter
- Color-keyed carpeting in driver's compartment (full width)
- Color-keyed horn pad with woodtone applique
- Color-keyed instrument panel with woodtone applique
- Color-keyed front door trim panels with woodtone applique
- Deluxe vinyl trim low-back driver's seat (color-keyed)
- Garnish trim (color-keyed) over 'A' pillar, front door headers and around windshield
- Unibelt restraint system (color-keyed)

CONVENIENCE PACKAGE

- Cigar lighter
- Glove box lock
- In-cab-actuated hood lock release

ROYAL EXTERIOR PACKAGE

- Argent-painted grille and grille medallion
- Bright front and rear bumpers
- Bright taillamp bezels
- Bright windshield molding
- Dodge Van "Royal 100 or 200 or 300" front door nameplates
- Dual 5-inch by 7-inch exterior bright mirrors
- Dual vertically stacked quad rectangular headlamps with halogen high beam lamp
- Upper Side and Rear Exterior Molding Package

ROYAL INTERIOR PACKAGE

- Bucket seat floor risers (color-keyed)
- Cigar lighter
- Color-keyed carpeting in driver's compartment (full width)
- Color-keyed horn pad with woodtone applique
- Color-keyed instrument panel with woodtone applique
- Color-keyed front door trim panels with woodtone applique
- Deluxe vinyl trim low-back driver's seat (color-keyed)
- Garnish trim (color-keyed) over 'A' pillar, front door headers and around windshield
- Unibelt restraint system (color-keyed)



Only Ram Tough Kary Van gives you all these hardworking advantages:

- A maximum available payload rating of 5,310 pounds (including driver); maximum GVW of 11,500 pounds . . . to accommodate big cargoes.
- Plus your choice of three available special bodies, 10, 12, or 15 feet long. With cargo capacities from 360 to 700 cubic feet . . . tough, all-welded construction, tight body sealing, galvanized steel in wheelhousings and other high-corrosion areas; a rugged corrugated steel floor and a crowned two-piece roof that helps prevent vibration.
- The front section of a maneuverable Dodge Van . . . with a stylish, comfortable driver compartment.
- Dual rear wheels are standard on 145.6-inch wheelbase CB300 and CB400 for extra hauling capacity.
- Double full-opening rear doors are standard . . . aluminum roll-up rear door, optional.

1980 Dodge Kary Van Specifications

Model	CB300	CB300	CB400
Wheelbase (in.)	127.6	145.6	163.6
GVW (lbs)—std/ opt	7,500/8,300	10,000	11,500
Body Length (ft)	10	12	15
Body Width (in.)	79.75	95.75	95.75
Axle Capacity (lbs)—Front	3,800	4,000	4,000
Rear	5,500	7,500	8,000
Spring Rating (lbs) @ grad.	1,775/1,850	1,800/2,000	2,000
Front coil—std/ opt	2,770/3,100	3,750	4,000
Rear leaf—std/ opt			
Shock Absorber Diameter (in.)—Front & Rear Heavy-Duty	1 1/2	1 1/2	1 1/2
Steering System	Power	Power	Power
Wheel Dia (in.)	15	15	15
Brakes Size (in.)—Front Disc	12.80x1.19	12.80x1.19	12.80x1.19
Rear Drum	12x2.5	12x3.0	13x3.5
Brake Booster	11.5 single diaphragm	9.0 dual diaphragm	Hydro-Boost
Tires	(4) 8.75-16.5E	(6) 8.00-16.5D	(6) 8.00-16.5E
Electrical—Alternator	63-amp	63-amp	63-amp
Battery			
Fuel Tank (gals)	22 std—45 opt	22 std—45 opt	22 std—45 opt
Engine	5.9L (360 CID)	5.9L (360 CID)	5.9L (360-3 CID)
Transmission	3-speed automatic	3-speed automatic	3-speed automatic

SELECT YOUR DODGE VAN HERE.

Listed below are your basic choices: available wheelbases, seating, exterior paint colors, drive-line components and options. After you've read the catalog thoroughly, check off what you want. Your Dodge Truck dealer can then assist you in completing your selection.

Wheelbase

109.6" 127.6" 127.6" Maxivan

Seating Arrangements

- High-back deluxe cloth-and-vinyl reclining Command bucket seats
- With swivel base
- High-back cloth-and-vinyl Command bucket seats
- With swivel base
- Deluxe vinyl low-back bucket seats
- Vinyl low-back bucket seats
- Deluxe vinyl low-back bucket seat (driver's only)
- Vinyl low-back bucket seat (driver's only) standard

Paint Procedure

- Upper & lower (50/50 two-tone)
- Midsection in secondary color, rest of the body in main color

Transmission

- Standard four-speed manual overdrive (B100 and B200 models)
- Optional three-speed automatic (standard on B300 models)

Decor Packages

- Royal Interior Package
- Royal Exterior Package
- Street Van Package

Engine

- 3.7-liter (225 CID) Slant-Six
- 5.2-liter (318 CID) V-8
- 5.9-liter (360 CID) V-8

Popular Options

- Air conditioning*
- Automatic speed control
- Bright front and rear bumpers with guards and nerf strips
- CB radio
- Chrome five-slot disc road wheels (four)
- Digital clock
- Dual vertically stacked quad rectangular headlamps with halogen high beam lamps
- Electric door locks
- Rear window defroster
- Sky Lite sun roof
- Tilt steering column
- Trailer-Towing Packages
- White painted steel spoke road wheels (four)

*Ask your dealer for details regarding restrictions applicable to the later installation of air conditioning.

Standard Safety Features

- Backup lights
- Brake system warning light
- Dual braking system with separate brake fluid reservoirs in the master cylinder
- Electric windshield washers and wipers
- Energy-absorbing steering column
- Fade-resistant front disc brakes
- Glare-reduction measures for windshield wipers, instrument panel and steering wheel
- Ignition and steering column lock
- Outside rearview mirrors
- Padded instrument panel and sun visor
- Recessed inside door release handles
- Resilient window crank knobs
- Safety-Rim 15-inch wheels
- Seat belts or Unibelt restraint system
- Side marker lights and reflectors
- Traffic hazard warning flasher system
- Turn signals

BUY OR LEASE A DODGE VAN

Chrysler Corporation reserves the right to make changes at any time without notice or obligation in prices, colors, materials, equipment or specifications and to change or discontinue models. Check your Dodge dealer for complete information.

Form No. 81-407-0037

8/79 (850 M)

1980 Dodge Van Specifications

MODEL	B100(')			B200		
	VAN			VAN & MAXIVAN		
GVW (lbs)	4,700	5,350	5,400	6,050	6,100	6,400
Axle Capacity (lbs)						
Front	3,300	3,300	3,300	3,300	3,300	3,300
Rear	2,700	3,550	3,550	3,550	3,550	3,550
Spring Rating (lbs)						
Front (standard tuned front springs)	—	—	—	—	—	—
Rear—std	1,375	1,610	1,610	1,810	1,810	1,980
—opt	1,610 H.D.	1,810 H.D.	1,810 H.D.	1,980 H.D.	1,980 H.D.	—
Brakes (in.)						
Front Disc	11.75x1.25	11.75x1.25	11.75x1.25	11.75x1.25	11.75x1.25	11.75x1.25
Rear Drum	10x2.5	10x2.5	10x2.5	10x2.5	10x2.5	10x2.5
Booster (vacuum)	—	10.5 single	10.5 single	10.5 single	10.5 single	10.5 single
Shock Absorber Diameter (in.)						
Front—std	1.0	1.0	1.0	1.0	1.0	1.0
—opt	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16
Rear—std	1.0	1.0	1.0	1.0	1.0	1.0
—opt	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16
Tire Size (glass-belted radial)	P195/75R15B	P205/75R15B	P205/75R15B	P225/75R15B	P225/75R15B	P235/75R15B
Wheel Rim Size (in.)	15x5.50	15x5.50	15x5.50	15x6.50	15x6.50	15x6.50
Engine—std		3.7-liter (225 CID) Slant Six			3.7-liter (225 CID) Slant Six	
—opt		5.2-liter (318 CID) V-8			5.2-liter (318 CID) V-8	
Transmission—std		4-speed manual overdrive			4-spd. manual overdrive	
—opt		3-spd. automatic			3-spd. automatic	
Steering—std		manual			manual	
—opt		power			power	

(¹) B100 Van is not available in California.

(²) 1 1/16-inch heavy-duty front and rear shock absorbers are standard on B200 Maxivans.

MODEL	B300			MAXIVAN	
	VAN & MAXIVAN			MAXIVAN	
GVW (lbs)	7,000	7,500	8,550(²)	8,510	9,000
Axle Capacity (lbs)					
Front	3,800	3,800	4,000	4,000	4,000
Rear	5,500	5,500	6,200	6,200	6,200
Spring Rating (lbs)					
Front (standard tuned front springs)	—	—	—	—	—
Rear—std	2,360	2,360	3,100	3,100	3,100
—opt	2,770 H.D.	2,770 H.D.	—	—	—
Brakes (in.)					
Front Disc	12.82x1.19	12.82x1.19	12.82x1.19	12.82x1.19	12.82x1.19
Rear Drum	12x2.5	12x2.5	12x3.0	12x3.0	12x3.0
Booster	11.5 single	11.5 single	11.5 single	11.5 single	11.5 single
Shock Absorber Diameter (in.)					
Front—std	1.0	1.0	1 1/16	1 1/16	1 1/16
—opt	1 1/16	1 1/16	—	—	—
Rear—std	1.0	1.0	1.0	1.0	1.0
—opt	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16
Tire Size (polyester bias-belted)	8.00-16.5D	8.00-16.5E	8.75-16.5E	8.75-16.5E	8.75-16.5F(⁴)
Wheel Rim Size (in.)	16.5x6.00	16.5x6.00	16.5x6.75	16.5x6.75	16.5x6.75
Engine—std		5.2-liter (318 CID) V-8			
—opt		5.9-liter (360 CID) V-8			
Transmission—std		3-spd. automatic			
—opt		—			
Steering—std		power			
—opt		—			

(³) Not available B300 Maxivan.

(⁴) Steel-belted radial tires.

Exterior Colors:



Impact Blue

White

Cashmere

Sunburst Orange

Impact Yellow

Ginger

Black

Impact Red

Bright Silver Metallic

Frost Blue Metallic

Medium Blue Metallic

Teal Frost Metallic

Teal Green Sunfire

Dark Brown Sunfire

Medium Red Sunfire

DODGE VANS ARE RAM TOUGH

RAM TOUGH



Dodge Trucks

A PRODUCT OF CHRYSLER CORPORATION

MOPAR parts are engineered by Chrysler Corporation for use in your new Dodge Truck. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

BUY OR LEASE A DODGE VAN

Chrysler Corporation reserves the right to make changes at any time without notice or obligation in prices, colors, materials, equipment or specifications and to change or discontinue models. Check your Dodge dealer for complete information.

Form No. 81-407-0037

8/79 (850 M)