





PRESENTING THE LION-HEARTED CAR THAT'S EVERY INCH A NEW ADVENTURE

CHRYSLER '59







CHRYSLER SWIVEL SEAT pivots a full 40 degrees for easy, graceful entry and exit. A slight touch on control at seat-base unlocks spring-loaded seat. It's an exclusive Chrysler '59 feature, available on all models except Town & Country Wagons.




CHRYSLER GOLDEN LION V-8 engine is all new for '59. Deep block construction means greater smoothness. Three versions are: 383 cubic inches, 305 horsepower on Windsor; 383 cubic inches, 325 horsepower on Saratoga; 413 cubic inches, 350 horsepower on New Yorker. Gives most power, most torque per pound in its class!



CHRYSLER TRUE-LEVEL TORSION-AIRE SUSPENSION combines time-tested torsion bar springing in the front and pneumatic-plus-leaf springs in the rear to retain even-keel going regardless of road or load. This brilliant comfort innovation is available on all Chrysler '59 models. Be sure you test drive it soon!



CHRYSLER TOTAL CONTACT BRAKES provide a husky 251 square inches of braking area in New Yorkers and Saratogas (230 on Windsor). Uniform lining contact means greater stopping power, longer lining life, safer "straight-line" stops. Power brakes, standard on New Yorker and Saratoga.



CHRYSLER AUTO-PILOT is available on any Chrysler '59, provides a new thrill at the wheel. Set Auto-Pilot to the speed you desire. Gentle back-pressure on the gas pedal warns when you reach that speed. Push the Auto-Pilot button and you then cruise without touching the pedal. Touch the brake and Auto-Pilot disengages. Safer, more relaxing—and can save up to 15% on fuel bills!

CHRYSLER '59

SPECIFICATIONS

BODY STYLES—Windsor and New Yorker: 4-Door Sedan, 4-Door Hardtop, 2-Door Hardtop, Convertible, Town & Country Wagon, Saratoga: 4-Door Hardtop and Sedan, 2-Door Hardtop.

ENGINE—Golden Lion V-8, 90-degree lateral OHV. Bore-Stroke: Windsor and Saratoga—4.03 x 3.75, 383 cubic inch displacement; New Yorker—4.18 x 3.75, 413 cubic inches. Compression ratio: 10.1 to 1. Horsepower: 305 (Windsor), 325 (Saratoga), 350 (New Yorker). Dual Exhaust: New Yorker and Saratoga—not available for Windsor.

TRANSMISSION—Manual shift with 3-speeds forward, standard on Windsor. Push Button TorqueFlite, fully automatic torque converter with 3-speed gear set, standard on Saratoga and New Yorker, available at extra cost on all Windsor models.

SUSPENSION—Time-tested Torsion-Aire suspension, standard. Ball joint pivots (front) with Oriflow shock absorbers. True-Level Torsion-Aire suspension, employing pneumatic-plus-leaf springs in the rear, available on all models of Chrysler standard line.

FUEL SYSTEM—Carburetors: dual downdraft on Windsor, four-barrel downdraft on Saratoga and New Yorker. Automatic intake manifold heat control, automatic choke, dual filtration units. Fuel capacity—23 gallons, 22 gallons for Town & Country Wagons.

ELECTRICAL SYSTEM—Battery: 12 volt, 78 plate with 70 amp-hr. Generator: 35 amp. Waterproof ignition. Electric windshield wipers and directional signals. Handbrake warning lights, back-up lights, standard on New Yorker and Saratoga, available on Windsor. Dual headlights, standard.

COOLING SYSTEM—Thermostatic by-pass control. Pressure vent radiator cap. Coolant capacity, 16 qts. on Saratoga, Windsor, and New Yorker. Add one quart to heater-equipped models.

BRAKES—Total-Contact with Cyclebonded lining. Drum diameters: 12" on Saratoga, New Yorker and Town & Country Wagons, 11" on Windsors. Power brakes standard on Saratoga, New Yorker; available at extra cost on all Windsor models.

STEERING—Manual, worm and 3-tooth roller, standard on Windsor. Constant-Control Power Steering with quick 3½ turns lock-to-lock, standard on Saratoga and New Yorker, available on Windsor.

DRIVE—Hotchkiss drive through rear springs. Hypoid rear axle with 2.93 to 1 ratio with TorqueFlite.

WHEELS AND TIRES—Safety Rim Wheels. Standard tire sizes: Windsor—8.00 x 14, Saratoga—8.50 x 14, New Yorker—9.00 x 14. Custom Super-Soft-Cushion Rayon Tubeless tires available as follows: Windsor—9.20 x 14, Saratoga 9.80 x 14, New Yorker—10.40 x 14. White sidewall. Nylon and Captive Air tires also available. Chrome Stainless Wheel Covers standard on Saratoga, New Yorker and 3-seat Windsor Town & Country Wagon, available on other Windsors.


DIMENSIONS—Wheelbase: Windsor, 122", Saratoga and New Yorker, 126". Overall length: Windsor—216.6", Saratoga—220.6", New Yorker—220.9". Width: Windsor—79.2", Saratoga—79.3", New Yorker—79.5". Tread: Windsor and Saratoga—60.9 (front), 59.8 (rear), New Yorker—61.2 (front), 60.0 (rear).

All prices, specifications, equipment and colors subject to change without notice and without any obligation on cars already produced.


CHRYSLER DIVISION • DETROIT

CS-421

LITHO IN U.S.A.



A distinguished setting to delight and excite you. Shown here is the Windsor 4-Door Hardtop lined with tough-fibred "Times Square" metallic thread cloth with pleated vinyl inserts. The soft green motif is only one of 14 color-fabric choices available.



Fourteen combinations are available in the Saratoga, including this rich ruby red all-vinyl interior. In addition, you'll want to inspect an all-new jacquard material called "Mayfair". It's as soft as it is durable and has been especially created for the Saratoga.



The front seat of this New Yorker 4-Door Hardtop is handsomely finished in blue "Babylon" jacquard with matching all-vinyl bolsters. It's one of 22 rich-looking, long-lasting fabric combinations you may choose in the magnificent New Yorker.

Never in Chrysler history has such a wide choice of colors and fabrics been made available to satisfy your individual requirements. Nor have so many comfort and convenience features been prepared to make your driving an exciting new experience. Instruments and gages are easy to reach... easy to read. Forward vision encompasses a full 115 degrees... through a huge 1586 square inches of tempered laminated safety glass in the windshield. Little wonder, then, that you sit so proudly postured for action behind the wheel of a long, low, lion-hearted Chrysler '59!

shown in striking Silverpine


PRESENTING THE LION-HEARTED CAR THAT'S EVERY INCH A NEW ADVENTURE

CHRYSLER '59






The front seat of this New Yorker 4-Door Hardtop is handsomely finished in blue "Babylon" Jacquard with matching all-vinyl bolster. It's one of 22 rich-looking, long-lasting fabric combinations you may choose in the magnificent New Yorker.



Fourteen combinations are available in the Saratoga, including this rich ruby red all-vinyl interior. In addition, you'll want to inspect an all-new Jacquard material called "Mayfair". It's as soft as it is durable and has been especially created for the Saratoga.



A distinguished setting to delight and excite you. Shown here is the Windsor 4-Door Hardtop fitted with tough-fibred "Times Square" metallic thread cloth with pleated vinyl inserts. The soft green motif is only one of 14 color-fabric choices available.


Never in Chrysler history has such a wide choice of colors and fabrics been made available to satisfy your individual requirements. Nor have so many comfort and convenience features been prepared to make your driving an exciting new experience. Instruments and gages are easy to reach...easy to read. Forward vision encompasses a full 115 degrees...through a huge 1586 square inches of tempered laminated safety glass in the windshield. Little wonder, then, that you sit so proudly postured for action behind the wheel of a long, low, lion-hearted Chrysler '59!

shown in striking Silverpine



CHRYSLER '59

PRESENTING THE LION-HEARTED CAR THAT'S EVERY INCH A NEW ADVENTURE



LITHO IN U.S.A.

CHRYSLER DIVISION • DETROIT

on all models of Chrysler standard line.

TRANSMISSION—Manual shift with 3-speeds for-ward, standard on Windsor, Push Button Torqueflite, fully automatic torque converter with 3-speed gear set, standard on Saratoga and New Yorker, available at extra cost on all Windsor models.

SUSPENSION—Time-tested Torsion-Aire suspension, standard, Ball joint pivots (front) with Onflow shock absorbers, True-Level Torsion-Aire suspension, employ- ing pneumatic-plus-leaf springs in the rear, available on all models of Chrysler standard line.

ENGINE—Golden Lion V-8, 90-degree lateral OHV, Bore-Stroke: Windsor and Saratoga—4.03 x 3.75, 383 cubic inch displacement; New Yorker—4.18 x 3.75, 413 cubic inches. Compression ratio: 10.1 to 1. Horse- power: 305 (Windsor), 325 (Saratoga), 350 (New Yorker). Dual Exhaust: New Yorker and Saratoga—not available for Windsor.

BODY STYLES—Windsor and New Yorker: 4-Door Sedan, 2-Door Hardtop. Town & Country Wagon, Saratoga: 4-Door Hardtop, Convertible. Sedan, 4-Door Hardtop, 2-Door Hardtop, Convertible.

FUEL SYSTEM—Carburetors: dual downdraft on Windsor, four-barrel downdraft on Saratoga and New Yorker. Automatic intake manifold heat control, auto- matic choke, dual filtration units. Fuel capacity—23 gallons, 22 gallons for Town & Country Wagons.

ELECTRICAL SYSTEM—Battery: 12 volt, 78 plate with 70 amp-hr. Generator: 35 amp. Waterpump standard on New Yorker and Saratoga, available on Windsor. Dual headlights, standard.

COOLING SYSTEM—Thermostatic by-pass control, Pressure vent radiator cap, Coolant capacity, 16 qts. on Saratoga, Windsor, and New Yorker. Add one quart to extra cost on all Windsor models.


BRAKES—Total-Contact with Cyclobonded lining, Drum diameters: 12" on Saratoga, New Yorker and Town & Country Wagons, 11" on Windsors. Power brakes standard on Saratoga, New Yorker, available at extra cost on all Windsor models.

DIMENSIONS—Wheelbase: Windsor, 122", Saratoga and New Yorker, 126". Overall length: Windsor—216.6", Saratoga—220.6", New Yorker—220.9". Width: Windsor—79.2", Saratoga—79.3", New Yorker—79.5". Tread: Windsor and Saratoga—60.9 (front), 59.8 (rear), New Yorker—61.2 (front), 60.0 (rear).


WHEELS AND TIRES—Safety Rim Wheels, Standard tire sizes: Windsor—8.00 x 14, Saratoga—8.50 x 14, New Yorker—9.00 x 14. Custom Super-Soft-Cushion Rayon Tubelless tires available as follows: Windsor—9.20 x 14, Saratoga 9.80 x 14, New Yorker—10.40 x 14. White sidewall, Nylon and Caprive Air tires also available. Chrome Stainless Wheel Covers standard on Saratoga, New Yorker and 3-seat Windsor Town & Country Wagon, available on other Windsors.

DRIVE—Hockless drive through rear springs, Hypoid DRIVE—Hockless drive through rear springs, Hypoid with quick 3½ turns lock-to-lock, standard on Saratoga and on Windsor. Constant-Control Power Steering and on Windsor. Constant-Control Power Steering and on Windsor. Constant-Control Power Steering and on Windsor.


STEERING—Manual worm and 3-tooth roller, stand- ard on Windsor, Constant-Control Power Steering and on Windsor. Constant-Control Power Steering and on Windsor.




CHRYSLER '59 SPECIFICATIONS



CHRYSLER GOLDEN LION V-8 engine is all new for '59. Deep block construction means greater smoothness. Three versions are: 383 cubic inches, 305 horsepower on Windsor; 383 cubic inches, 325 horsepower on Saratoga; 413 cubic inches, 350 horsepower on New Yorker. Gives most power, most torque per pound in its class!



CHRYSLER TRUE-LEVEL TORSION-AIRE SUSPENSION combines time-tested torsion bar springing in the front and pneumatic-plus-leaf springs in the rear to retain even-keel going regardless of road or load. This brilliant comfort inno- vation is available on all Chrysler '59 models. Be sure you test drive it soon!



CHRYSLER TOTAL CONTACT BRAKES provide a husky 251 square inches of braking area in New Yorkers and Saratogas (230 on Windsor). Uniform lining contact means greater stopping power, longer lining life, safer "straight-line" stops. Power brakes, standard on New Yorker and Saratoga.




CHRYSLER AUTO-PILOT is available on any Chrysler '59, provides a new thrill at the wheel. Set Auto-Pilot to the speed you desire. Gentle back-pressure on the gas pedal warns when you reach that speed. Push the Auto-Pilot button and you then cruise without touching the pedal. Touch the brake and Auto-Pilot disengages. Safer, more relaxing—and can save up to 15% on fuel bills!

CHRYSLER SWIVEL SEAT pivots a full 40 degrees for easy, graceful entry and exit. A slight touch on control at seat-base unlocks spring-loaded seat. It's an exclusive Chrysler '59 fea- ture, available on all models except Town & Country Wagons.






CHRYSLER '59 New Yorker 4-Door Hardtop in Formal Black




CHRYSLER '59 Saratoga 2-Door Hardtop in Ivory White and Formal Black




CHRYSLER '59 Windsor 4-Door Hardtop in Radiant Red and Ivory White




CHRYSLER '59 New Yorker Convertible in Sandstone



CHRYSLER '59 New Yorker 2-Door Hardtop in Spun Yellow




CHRYSLER '59 New Yorker 4-Door Sedan in Empress Blue




CHRYSLER '59 New Yorker Town & Country Wagon in Gray Rose Metallic and Ivory White




CHRYSLER '59 Saratoga 4-Door Sedan in Deep Ruby Metallic




CHRYSLER '59 Saratoga 4-Door Hardtop in Storm Gray Metallic and Ivory White



CHRYSLER '59 Windsor 4-Door Sedan in Cameo Tan Metallic and Ivory White



CHRYSLER '59 Windsor 2-Door Hardtop in Ballad Green



CHRYSLER '59 Windsor Town & Country 3-Seater Wagon in Turquoise Gray Metallic

NEW YORKER

SARATOGA

WINDSOR