

OFFICIAL SPECIFICATIONS 1902-1963

RAMBLER

*and its
predecessors*

RAMBLER	1902-1913 1950-1963
JEFFERY	1914-1916
NASH	1917-1957
AJAX	1925
LA FAYETTE	1921-1924 1934-1939
METROPOLITAN	1954-1958

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Shipping Weight	No. Pass.	Retail Price	Serial Numbers
1901		*								
1902	Rambler	C	Runabout	1	4-1/2x6	8.1	1200	2	\$ 750.00	1- 1500
1902	Rambler	D**	Stanhope	1	4-1/2x6	8.1	1250	2	825.00	1- 1500
1903	Rambler	E	Runabout	1	5 x 6	8.1	1400	2	750.00	1501- 2850
1903	Rambler	F	Stanhope	1	5 x 6	8.1	1400	2	800.00	2850- 5192
1904	Rambler	G	Roadster	1	5 x 6	7	1500	2	750.00	2850- 5192
1904	Rambler	H	R-Touring	1	5 x 6	7	1500	5	850.00	2850- 5192
1904	Rambler	Dely #1	Panel	1	5 x 6	7	1500	2	850.00	2850- 5192
1904	Rambler	J	Roadster	2	5 x 6	16	1800	2	1,100.00	2850- 5192
1904	Rambler	J-2	Roadster	2	5 x 6	16	1800	2	1,100.00	2850- 5192
1904	Rambler	K	Touring	2	5 x 6	16	1800	5	1,200.00	2850- 5192
1904	Rambler	K-2	Touring	2	5 x 6	16	1800	5	1,200.00	2850- 5192
1904	Rambler	L	Touring	2	5 x 6	16	1800	5	1,350.00	2850- 5192
1904	Rambler	L-2	Touring	2	5 x 6	16	1800	5	1,350.00	2850- 5192
1905	Rambler	Surrey I	Touring	2	5 x 6	18	2000	5	1,200.00	5193- 9000
1905	Rambler	Surrey II	Touring	2	5 x 6	20	2000	5	1,650.00	5193- 9000
1905	Rambler	Lim.	Limousine	2	5 x 6	20	3000	5	3,000.00	5193- 9000
1906	Rambler	Surrey III	Touring	2	5 x 6	18	2200	5	1,350.00	5193- 9000
1906	Rambler	Surrey IV	Touring	2	5 x 6	18	2200	5	1,350.00	5193- 9000
1906	Rambler	14	Touring	4	4-1/2 x 4-1/2	20	2400	5	1,750.00	9001-15300
1906	Rambler	15***	Touring	4	5 x 5-1/2	40	2600	5	2,500.00	5193- 9000
1906	Rambler	16	Limousine	4	5 x 5-1/2	40	3000	5	3,000.00	9001-15300
1906	Rambler	19	Touring	2	5 x 6	18	2200	2	1,250.00	5193- 9000
1906	Rambler	147	Touring	4	4 x 4-1/2	20	2300	5	1,750.00	9001-15300
1907	Rambler	245	Touring	4	5 x 5-1/2	40	2600	5	2,500.00	9001-15300
1907	Rambler	25	Touring	4	5 x 5-1/2	40	2600	5	2,500.00	9001-15300
1907	Rambler	21	Touring	2	5 x 6	20	2000	5	1,350.00	9001-15300
1907	Rambler	27	Roadster	2	4-1/2 x 5	16.2	2000	2	950.00	9001-15300
1907	Rambler	22	Roadster	2	5 x 6	20	2000	2	1,250.00	9001-15300
1907	Rambler	24	Touring	4	4-1/2 x 4-1/2	25	2600	5	2,000.00	9001-15300
1907	Rambler	248	Touring	4	4-1/2 x 4-1/2	30	2600	5	1,900.00	9001-15300
1908	Rambler	345	Touring	4	5 x 5-1/2	40	2600	5	2,500.00	9001-15300
1908	Rambler	31	Touring	2	5 x 6	22	2300	5	1,400.00	15603-17200
1908	Rambler	37	Roadster	2	5 x 6	22	2300	2	1,200.00	15603-17200
1908	Rambler	34	Touring	4	4-1/2 x 4-1/2	32.4	2800	5	2,250.00	15603-17200

* Models A and B, built in 1901, were experimental and were not offered for sale.
 ** Model D was identical to Model C, except that it had leather top, rubber side curtains and storm apron.
 *** Also built in 1907.
 Note: "Dely" means Delivery Wagon.

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	Serial Numbers
1908	Rambler	34-A	Roadster	4	4-1/2x4-1/2	32.4	2700	3	\$2,250.00	15603-17200
1908	Rambler	36	Limousine	4	4-1/2x4-1/2	32.4	3000	5	3,250.00	15603-17200
1909	Rambler	41	Touring	2	5 x 6	22	2300	5	1,350.00	20001-21963
1909	Rambler	47	Roadster	2	5 x 6	22	2300	2	1,200.00	20001-21963
1909	Rambler	44	Touring	4	4-1/2x4-1/2	32.4	2800	5	2,250.00	20001-21693
1909	Rambler	44-A	Roadster	4	4-1/2x4-1/2	32.4	2800	3	2,250.00	20001-21693
1909	Rambler	44CC	Close Couple	4	4-1/2x4-1/2	32.4	2800	4	2,250.00	20001-21693
1909	Rambler	45CC	Close Couple	4	5 x 5-1/2	40	3400	4	2,500.00	20001-21693
1909	Rambler	45	Touring	4	5 x 5-1/2	40	3400	7	2,500.00	20001-21693
1910	Rambler	53	Touring	4	4-1/2x4-1/2	32.4	3200	5	1,800.00	22501-24774
1910	Rambler	53-Rd	Roadster	4	4-1/2x4-1/2	32.4	3200	2	1,800.00	22501-24774
1910	Rambler	54	Touring	4	5 x 5-1/2	40	3400	5	2,250.00	22501-24774
1910	Rambler	55	Touring	4	5 x 5-1/2	40	3400	7	2,500.00	22501-24774
1910	Rambler	54CC	Close Couple	4	5 x 5-1/2	40	3400	4	2,250.00	22501-24774
1910	Rambler	55CC	Close Couple	4	5 x 5-1/2	40	3300	4	2,350.00	22501-24774
1910	Rambler	55L	Limousine	4	5 x 5-1/2	40	3500	5	3,750.00	22501-24774
1911	Rambler	63	Touring	4	4-1/2x4-1/2	32.4	3200	5	2,175.00	25000-28000
1911	Rambler	64	Touring	4	5 x 5-1/2	40	3400	5	2,775.00	25000-28000
1911	Rambler	65	Touring	4	5 x 5-1/2	40	3400	7	3,050.00	25000-28000
1911	Rambler	64-TT	Toy Tonneau	4	5 x 5-1/2	40	3400	4	2,775.00	25000-28000
1911	Rambler	65-TT	Toy Tonneau	4	5 x 5-1/2	40	3400	4	3,050.00	25000-28000
1911	Rambler	63-Rdr.	Roadster	4	4-1/2x4-1/2	32.4	3200	2	2,105.00	25000-28000
1911	Rambler	63 C	Coupe	4	4-1/2x4-1/2	32.4	3500	4	2,605.00	25000-28000
1911	Rambler	63 TC	Town Car	4	4-1/2x4-1/2	32.4	3500	7	2,880.00	25000-28000
1911	Rambler	64 Land	Landaulet	4	5 x 5-1/2	40	3500	7	3,650.00	25000-28000
1911	Rambler	65 Lim	Limousine	4	5 x 5-1/2	40	3500	7	4,150.00	25000-28000
1912	Rambler	C.C 74	Touring	4	5 x 5-1/2	40	3400	5	2,250.00	25000-28000
1912	Rambler	Valkrie	Touring	4	5 x 5-1/2	40	3400	4	2,250.00	25000-28000
1912	Rambler	75-7-M	Touring	4	5 x 5-1/2	40	3400	7	2,500.00	25000-28000
1912	Rambler	73-4CC	Touring	4	4-1/2x4-1/2	32.4	3600	5	1,650.00	28001-31551
1912	Rambler	73-Rd 4	Roadster	4	4-1/2 x 4-1/2	32.4	3600	2	1,650.00	28001-31551
1912	Rambler	S-Torpedo	Touring	4	4-1/2x4-1/2	32.4	3600	4	1,650.00	28001-31551
1912	Rambler	73 Lim G	Limousine	4	4-1/2x4-1/2	32.4	3800	7	2,750.00	28001-31551
1912	Rambler	76 Tor	Touring	4	5 x 5-1/2	40	3800	6	2,850.00	28001-31551
1912	Rambler	73-Sedan	Sedan	4	4-1/2x4-1/2	32.4	3800	6	2,500.00	28001-31551
1912	Rambler	76-7-M	Touring	4	5 x 5-1/2	40	3800	7	2,850.00	28001-31551
1912	Rambler	76 Lim K	Limousine	4	5 x 5-1/2	40	4000	7	4,200.00	28001-31551

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	Serial Numbers
1913	Rambler	83-Cross	Touring	4	4-1/2x4-1/2	32.4	3600	5	\$1,875.00	31552-35987
1913	Rambler	83-4 CC	Touring	4	4-1/2x4-1/2	32.4	3600	4	1,875.00	31552-35987
1913	Rambler	83 Rd. CC	Roadster	4	4-1/2x4-1/2	32.4	3600	2	1,815.00	31552-35987
1913	Rambler	83-Sed. CC	Sedan	4	4-1/2x4-1/2	32.4	3800	6	2,575.00	31552-35987
1913	Rambler	83-Lim G	Limousine	4	4-1/2x4-1/2	32.4	3800	7	2,825.00	31552-35987
1914	Jeffery	Jef C-4	Touring	4	4-1/2x4-1/2	32.4	3600	5	1,875.00	31552-35987
1914	Jeffery	93	Touring	4	3-3/4x5-1/4	22.5	2900	5	1,550.00	40000-46200
1914	Jeffery	93-Rd.	Roadster	4	3-3/4x5-1/4	22.5	3000	2	1,550.00	40000-46200
1914	Jeffery	93 K Lim.	Limousine	4	3-3/4x5-1/4	22.5	3000	7	3,000.00	40000-46200
1914	Jeffery	93 Sedan	Sedan	4	3-3/4x5-1/4	22.5	3000	4	2,350.00	40000-46200
1914	Jeffery	93 A. W.	All Weather	4	3-3/4x5-1/4	22.5	2900	4	1,950.00	40000-46200
1914	Jeffery	96.5	Touring	6	3-3/4x5-1/4	23.07	3765	5	2,250.00	38000-40000
1914	Jeffery	96-6	Touring	6	3-3/4x5-1/4	33.7	3765	6	2,300.00	38000-40000
1914	Jeffery	96-7	Touring	6	3-3/4x5-1/4	33.7	3765	7	2,350.00	38000-40000
1914	Jeffery	96-Rdr.	Roadster	6	3-3/4x5-1/4	33.7	3750	2	2,250.00	38000-40000
1914	Jeffery	96 Sedan	Sedan	6	3-3/4x5-1/4	33.7	3900	5	3,250.00	38000-40000
1914	Jeffery	96 Lim.	Limousine	6	3-3/4x5-1/4	33.7	4000	7	3,700.00	38000-40000
1915	Jeffery	93-2 (Ches.)	Touring	4	3-3/4x5-1/4	22.5	2900	5	1,500.00	53000-53600
1915	Jeffery	93-2 Rdr.	Roadster	4	3-3/4x5-1/4	22.5	2900	2	1,500.00	53000-53600
1915	Jeffery	104	Touring	6	3 x 5	21.6	2900	5	1,650.00	47000-48500
1915	Jeffery	104 Rdr.	Roadster	6	3 x 5	21.6	2900	2	1,650.00	47000-48500
1915	Jeffery	104 Sed.	Sedan	6	3 x 5	21.6	3000	5	2,450.00	47000-48500
1915	Jeffery	104 A. W.	All Weather	6	3 x 5	21.6	2900	2	1,950.00	47000-48500
1915	Jeffery	96-2	Touring	6	3-3/4x5-1/4	33.7	3765	5	2,300.00	52000-53000
1915	Jeffery	96-2 Rdr.	Roadster	6	3-3/4x5-1/4	33.7	3765	2	2,350.00	52000-53000
1915	Jeffery	106	Touring	6	3-3/4x5-1/4	33.7	3850	7	2,400.00	52000-53000
1916	Jeffery	462-5	Touring	4	3-3/4x5-1/4	22.5	2800	5	1,000.00	57000-60500
1916	Jeffery	462-7	Touring	4	3-3/4x5-1/4	22.5	2825	7	1,035.00	57000-60500
1916	Jeffery	462	Sedan	4	3-3/4x5-1/4	22.5	3000	5	2,450.00	57000-60500
1916	Jeffery	462 Rdr.	Roadster	4	3-3/4x5-1/4	22.5	2800	2	1,000.00	57000-60500
1916	Jeffery	462 Sed.	Sedan	4	3-3/4x5-1/4	22.5	2850	5	1,165.00	57000-60500
1916	Jeffery	462-S-7	Sedan	4	3-3/4x5-1/4	22.5	2875	7	1,200.00	57000-60500
1916	Jeffery	661	Touring	6	3-1/2x5-1/4	29.4	3100	7	1,450.00	68000-69108
1916	Jeffery	661 Rdr.	Roadster	6	3-1/2x5-1/4	29.4	3100	2	1,450.00	68000-69108
1917	Jeffery	472	Touring	4	3-3/4x5-1/4	22.5	2800	7	1,095.00	61000-62027
1917	Jeffery	472-Rdr.	Roadster	4	3-3/4x5-1/4	22.5	2800	2	1,065.00	61000-62027
1917	Jeffery	472-2	Touring	4	3-3/4x5-1/4	22.5	2800	7	1,095.00	76000-80000

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	Serial Numbers
1917	Jeffery	472-2 Sed.	Sedan	4	3-3/4x5-1/4	22.5	2875	7	\$1,260.00	76000-80000
1917	Jeffery	671	Touring	6	3-1/2x4-5/8	29.4	3080	7	1,365.00	71800-86000 to 92999
1917	Jeffery	671 Rdr.	Roadster	6	3-1/2x4-5/8	29.4	3050	2	1,335.00	71796-71800
1917	Jeffery	671 Sed.	Sedan	6	3-1/2x4-5/8	29.4	3080	7	1,530.00	86000-92999
1918	Jeffery	671	Touring	6	3-1/2x4-5/8	29.4	3080	7	1,465.00	86000-92999
1918	Jeffery	671 Rdr.	Roadster	6	3-1/2x4-5/8	29.4	3050	2	1,435.00	86000-92999
1918	Jeffery	671 Sed.	Sedan	6	3-1/2x4-5/8	29.4	3080	7	1,630.00	86000-92999

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1918	Nash	681	Touring	6	3-1/4 x 5	25.3	2930	5	9-1-17 1295 6-1-18 1395	100101
	Nash	682	Touring	6	3-1/4 x 5	25.3	3040	7	4-18-18 1545	111601
	Nash	683	Chummy	6	3-1/4 x 5	25.3	2930	4	11-17-17 1295 6-1-18 1395	121001
	Nash	684	Sedan	6	3-1/4 x 5	25.3	3455	5	9-10-17 1985 6-1-18 2085	100108
	Nash	685	Coupe	6	3-1/4 x 5	25.3	3225	4	5-21-18 2085	94501
1919	Nash	681	Touring	6	3-1/4 x 5	25.3	2930	5	9-1-18 1395 10-1-18 1490	106430
	Nash	682	Touring	6	3-1/4 x 5	25.3	3040	7	9-1-18 1545 10-1-18 1640	111769
	Nash	683	Chummy	6	3-1/4 x 5	25.3	2930	4	9-1-18 1395 10-1-18 1490	121910
	Nash	684	Sedan	6	3-1/4 x 5	25.3	3455	5	9-1-18 2085 10-1-18 2250 2-25-19 2575	120118
	Nash	685	Coupe	6	3-1/4 x 5	25.3	3225	4	9-1-18 2085 10-1-18 2250 2-25-19 2350	94635
	Nash	686	Roadster	6	3-1/4 x 5	25.3	2800	2	1-31-19 1490	131851
	Nash	687	Sport	6	3-1/4 x 5	25.3	2950	4	1-31-19 1595	133351
	Nash	681	Touring	6	3-1/4 x 5	25.3	2930	5	9-1-19 1490 2-1-20 1595 5-15-20 1695	139330
	Nash	682	Touring	6	3-1/4 x 5	25.3	3040	7	9-1-19 1640 2-1-20 1765 5-15-20 1875	113661
	Nash	684	Sedan	6	3-1/4 x 5	25.3	3455	7	9-1-19 2575 2-1-20 2725 5-15-20 2895	144334
1920	Nash	685	Coupe	6	3-1/4 x 5	25.3	3225	4	9-1-19 2350 2-1-20 2495 5-15-20 2650	144985
	Nash	686	Roadster	6	3-1/4 x 5	25.3	2800	2	9-1-19 1490 2-1-20 1595 5-15-20 1695	132580

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1920	Nash	687	Sport	6	3-1/4 x 5	25.3	2950	4	9-1-19 1595 2-1-20 1745 5-15-20 1850	134276
1921 *	Nash	41	Touring	4	3-1/4 x 5	16.9	2502	5	9-25-20 1395	)
	Nash	42	Roadster	4	3-1/4 x 5	16.9	2432	2	9-25-20 1395	)
	Nash	43	Coupe	4	3-1/4 x 5	16.9	2732	3	9-25-20 1985	) 1000
	Nash	44	Sedan	4	3-1/4 x 5	16.9	2942	5	9-25-20 2185	)
		Serial	1782 and after have			3-3/8 x 5 Motors.				
	Nash	41	Touring	4	3-3/8 x 5	18.25	2502	5	2-14-21 1395 7-2-21 1195	)
	Nash	42	Roadster	4	3-3/8 x 5	18.25	2432	2	2-14-21 1395 7-2-21 1195	)
	Nash	43	Coupe	4	3-3/8 x 5	18.25	2732	3	2-14-21 1985 7-2-21 1735	) 1782
	Nash	44	Sedan	4	3-3/8 x 5	18.25	2942	5	2-14-21 2185 7-2-21 1935	)
	Nash	45	Cab	4	3-3/8 x 5	18.25	2676	2	2-14-21 1545	)
	Nash	681	Touring	6	3-1/4 x 5	25.3	2930	5	9-1-20 1696 7-2-21 1545	175874
	Nash	682	Touring	6	3-1/4 x 5	25.3	3040	7	9-1-20 1875 7-2-21 1695	167177
	Nash	684	Sedan	6	3-1/4 x 5	25.3	3455	7	9-1-20 2895 7-2-21 2695	178543
	Nash	685	Coupe	6	3-1/4 x 5	25.3	3225	4	9-1-20 2650 7-2-21 2395	179003
	Nash	686	Roadster	6	3-1/4 x 5	25.3	2800	2	9-1-20 1695 7-2-21 1525	179551
	Nash	687	Sport	6	3-1/4 x 5	25.3	2950	4	9-1-20 1850 7-2-21 1695	177655
	1922	Nash	41	Touring	4	3-3/8 x 5	18.25	5	2502 11-8-22 2720	)
									2720	
									2432	
									11-8-22 2600	
									2600	
									2502 11-8-22 985	) 4511
									8-1-22 935	
									10-1-21 1025	
									2-2-22 965	
									8-1-22 915	

* Specifications for LaFayette cars, built by Nash Motors from 1921 to 1924, on Page 37

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1922	Nash	43	Coupe	4	3-3/8 x 5	18.25	2732	3	10-1-21 1645 2-2-22 1485 8-1-22 1385	)
	Nash	44	Sedan	4	3-3/8 x 5	18.25	2942 11-8-22 3060	5	10-1-21 1835 2-2-22 1645 8-1-22 1545	)
	Nash	45	Cab	4	3-3/8 x 5	18.25	2740	2	12-24-21 1395 2-2-22 1295 8-1-22 1195	) 4511
	Nash	46	Closed Carriole	4	3-3/8 x 5	18.25	2824 11-8-22 2910	5	1-28-22 1350 8-1-22 1275	)
	Nash	691	Touring	6	3-1/4 x 5	25.3	2930 9-19-22 3030	5	10-5-21 1545 1-1-22 1390 8-1-22 1240	195754
	Nash	692	Touring	6	3-1/4 x 5	25.3	3040 9-19-22 3150	7	10-10-21 1695 1-1-22 1540 8-1-22 1390	208441
	Nash	693	Sedan	6	3-1/4 x 5	25.3	3430	5	8-1-22 2040	217938
	Nash	694	Sedan	6	3-1/4 x 5	25.3	3455 9-19-22 3580	7	10-7-21 2695 1-1-22 2390 8-1-22 2190	198240
	Nash	695	Coupe	6	3-1/4 x 5	25.3	3225 9-19-22 3330	4	10-7-21 2395 1-1-22 2090 8-1-22 1890	200013
	Nash	696	Roadster	6	3-1/4 x 5	25.3	2800 9-19-22 2930	2	10-10-21 1525 1-1-22 1360 8-1-22 1210	207559
	Nash	697	Sport	6	3-1/4 x 5	25.3	2950 10-1-22 3530	4	10-11-21 1695 1-1-22 1545 9-28-22 1645	205729
1923	Nash	41	Touring	4	3-3/8 x 5	18.25	2720	5	10-11-22 935	)
	Nash	42	Roadster	4	3-3/8 x 5	18.25	2600	2	10-11-22 915	)
	Nash	46	Carriole	4	3-3/8 x 5	18.25	2910	5	10-11-22 1275	) 19436
	Nash	47	Sedan	4	3-3/8 x 5	18.25	3090	5	12-1-22 1445	)
	Nash	48	Sport	4	3-3/8 x 5	18.25	2980	5	10-11-22 1195	)

Year	Make	Model No.	Body Style	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1923	Nash	691	Touring	6	3-1/4 x 5	25.3	3030 1-26-23 3120	5	10-17-22 1240	226409
	Nash	692	Touring	6	3-1/4 x 5	25.3	3150 1-26-23 3230	7	10-17-22 1390	226882
	Nash	693	Sedan	6	3-1/4 x 5	25.3	3430 1-26-23 3550	5	10-17-22 2040	218364
	Nash Six	694	Sedan	6	3-1/4 x 5	25.3	3580 1-26-23 3700	7	10-17-22 2190	232021
	Nash Six	695	Coupe	6	3-1/4 x 5	25.3	3330 1-26-23 3440	4	10-17-22 1890 8-1-23 1990	232241
	Nash Six	696	Roadster	6	3-1/4 x 5	25.3	2930 1-26-23 3030	2	10-17-22 1210 4-1-23 1240	232589
	Nash Six	697	Sport	6	3-1/4 x 5	25.3	3530	4	10-17-22 1645	227921
	Nash Six	698	4-Dr. Coupe	6	3-1/4 x 5	25.3	3550	5	12-29-22 2090	231401
	Nash Four	41	Touring	4	3-3/8 x 5	18.25	2720	5	7-20-23 935	)
	Nash Four	42	Roadster	4	3-3/8 x 5	18.25	2600	2	7-20-23 915	)
1924	Nash Four	46	Carriole	4	3-3/8 x 5	18.25	2910	5	7-20-23 1275	)
	Nash Four	47	Sedan	4	3-3/8 x 5	18.25	3090	5	7-20-23 1445	) 34577
	Nash Four	48	Sport	4	3-3/8 x 5	18.25	2980	5	7-20-23 1195	)
	Nash Four	49	Coupe	4	3-3/8 x 5	18.25	2750	2	10-1-23 1165	)
	Nash Six	691	Touring	6	3-1/4 x 5	25.3	3120	5	7-20-23 1240	256987
	Nash Six	692	Touring	6	3-1/4 x 5	25.3	3230	7	4-5-24 1275 7-23-23 1390 4-5-24 1425	248120
	Nash Six	693	Sedan	6	3-1/4 x 5	25.3	3550	5	8-6-23 2040	248526
	Nash Six	694	Sedan	6	3-1/4 x 5	25.3	3700	7	7-27-23 2190	240423
	Nash Six	695	Coupe	6	3-1/4 x 5	25.3	3440	4	9-5-23 1990	240778
	Nash Six	696	Roadster	6	3-1/4 x 5	25.3	3030	2	7-2-23 1240 4-5-24 1275	254852
	Nash Six	697	Sport	6	3-1/4 x 5	25.3	3530	4	7-24-23 1645	251417
	Nash Six	698	4-Dr. Coupe	6	3-1/4 x 5	25.3	3550	5	7-26-23 2090	259009
	Nash Six	699	Special Sedan	6	3-1/4 x 5	25.3	3400	5	1-4-24 1640	269265

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1925	Nash Advanced Six	161	Touring	121"	6	3-1/4x5	25.35	2400	5	8-1-24 1375	288001
	Nash Advanced Six	162	Touring	127"	6	3-1/4x5	25.35	3480	7	8-1-24 1525	290351
	Nash Advanced Six	163	Sedan	121"	6	3-1/4x5	25.35	3550	5	1-2-25 1485	308325
	Nash Advanced Six	164	Sedan	127"	6	3-1/4x5	25.35	3830	7	8-1-24 2290	290601
	Nash Advanced Six	165	Victoria Cp.	127"	6	3-1/4x5	25.35	3640	4	1-2-25 2090	297901
	Nash Advanced Six	166	Roadster	121"	6	3-1/4x5	25.35	3320	2	8-1-24 1375	290791
	Nash Advanced Six	168	4-Dr. Coupe	127"	6	3-1/4x5	25.35	3750	4	8-1-24 2190	291281
	Nash Advanced Six	169	Sedan	121"	6	3-1/4x5	25.35	3680	5	8-1-24 1695	291571
	Nash Special Six	131	Touring	113"	6	3-1/8x4-1/2	23.44	2960	5	8-1-24 1095	51001
	Nash Special Six	132	Roadster	113"	6	3-1/8x4-1/2	23.44	2870	2	8-1-24 1095	54573
	Nash Special Six	133	Sedan	113"	6	3-1/8x4-1/2	23.44	3120	5	12-31-24 1225 8-1-24 1295	51001
	Nash Special Six	134	Sedan	113"	6	3-1/8x4-1/2	23.44	3270	5	3-15-24 1545	64990
	Ajax	223	Sedan	109"	6	3 x 4	21.6	2410	5	995	-
	Ajax	221	Touring	109"	6	3 x 4	21.6	2210	5	925	-
1926	Nash Advanced Six	261	Touring	121"	6	3-1/4x5	25.35	3400	5	6-1-25 1375 11-1-25 1340	)) 330126
	Nash Advanced Six	262	Touring	127"	6	3-1/4x5	25.35	3480	7	6-1-25 1525 11-1-25 1490	) to) 335025
	Nash Advanced Six	263	Sedan	121"	6	3-1/4x5	25.35	3550	5	6-1-25 1485 11-1-25 1425	) inclusive)
	Nash Advanced Six	264	Sedan	127"	6	3-1/4x5	25.35	3830	7	6-1-25 2290 11-1-25 2090	) 336404 to) 337930
	Nash Advanced Six	265	Victoria Cp.	127"	6	3-1/4x5	25.35	3640	4	6-1-25 2090 11-1-25 1790	) inclusive)
	Nash Advanced Six	266	Roadster	121"	6	3-1/4x5	25.35	3320	2	6-1-25 1375	) 337932
	Nash Advanced Six	268	4-Dr. Coupe	127"	6	3-1/4x5	25.35	3750	4	6-1-25 2190 11-1-25 1990	) and above
	Nash Special Six	231	Touring	113"	6	3-1/8x4-1/2	23.44	2980	5	7-1-25 1135	75276
	Nash Special Six	232	Roadster	113"	6	3-1/8x4-1/2	23.44	2900	2	11-1-25 1115	and above 81509
	Nash Special Six	233	Sedan	113"	6	3-1/8x4-1/2	23.44	3150	5	7-1-25 1265 11-1-25 1215	and above 75276
	Nash Special Six	234	Sedan	113"	6	3-1/8x4-1/2	23.44	3300	5	7-1-25 1545 11-1-25 1445	and above

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1926	Nash Special Six	235	Coupe	113"	6	3-1/8x4-1/2	23.44	3030	2	11-1-25 1165	92070
	Nash Special Six	236	Roadster	113"	6	3-1/8x4-1/2	23.44	2980	4	6-1-26 1225	and above A20247
	Nash Special Six	239	Sedan	113"	6	3-1/8x4-1/2	23.44	3170	5	1-1-26 1315	and above 98405
	Nash Advanced Six	261	Touring	121"	6	3-7/16x5	28.35	3400	5	12-1-25 1340	and above)
	Nash Advanced Six	262	Touring	127"	6	3-7/16x5	28.35	3480	7	12-1-25 1490	)
	Nash Advanced Six	263	Sedan	121"	6	3-7/16x5	28.35	3550	5	12-1-25 1425	)
	Nash Advanced Six	264	Sedan	127"	6	3-7/16x5	28.35	3830	7	12-1-25 2090	)
	Nash Advanced Six	265	Victoria Cp.	127"	6	3-7/16x5	28.35	3640	4	12-1-25 1790	)354114
	Nash Advanced Six	266	Roadster	121"	6	3-7/16x5	28.35	3390	4	12-1-25 1475	) and
	Nash Advanced Six	268	4-Dr. Coupe	127"	6	3-7/16x5	28.35	3750	4	12-1-25 1990	)above
	Nash Advanced Six	269	Sedan	121"	6	3-7/16x5	28.35	3650	5	12-1-25 1525	)
	Nash Light Six	51	Touring	109"	6	3 x 4	21.6	2210	5	6-1-25 865	)
	Nash Light Six	21	Sedan	109"	6	3 x 4	21.6	2410	5	6-1-25 995	) 1003
	Nash Light Six	21	Sedan	109"	6	3 x 4	21.6	2410	5	6-1-25 995	) 1001
1927	Nash Advanced Six	260	Coupe	127"	6	3-7/16x5	28.35	3580	4	4-1-27 1775	419570
	Nash Advanced Six	261	Touring	121"	6	3-7/16x5	28.35	3400	5	6-1-26 1340	)
	Nash Advanced Six	262	Touring	127"	6	3-7/16x5	28.35	3480	7	6-1-26 1490	)
	Nash Advanced Six	263	Sedan (2-Dr.)	121"	6	3-7/16x5	28.35	3550	5	6-1-26 1425	)
	Nash Advanced Six	264	Sedan	127"	6	3-7/16x5	28.35	3830	7	6-1-26 2090	)386972
	Nash Advanced Six	265	Victoria	127"	6	3-7/16x5	28.35	3640	4	6-1-26 1790	)
	Nash Advanced Six	266	Roadster	121"	6	3-7/16x5	28.35	3390	4	6-1-26 1475	)
	Nash Adv. 6 Ambass.	267	Sedan	127"	6	3-7/16x5	28.35	3800	5	1-1-27 2090	) 408304
	Nash Advanced Six	268	4-Dr. Coupe	127"	6	3-7/16x5	28.35	3750	4	6-1-26 1990	) 386972
	Nash Advanced Six	269	4-Dr. Sedan	121"	6	3-7/16x5	28.35	3650	5	6-1-26 1525	) 386972

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1927	Nash Advanced Six	270	Special Sedan	121"	6	3-7/16x5	28.35	3650	5	1-26-27 1695	410709
	Nash Advanced Six	271	Sport Touring	127"	6	3-7/16x5	28.35	3500	5	3-10-27 1540	415998
	Nash Special Six	231	Touring	113"	6	3-1/4x4-1/2	25.35	2980	5	8-1-26 1135	)
	Nash Special Six	232	Roadster	113"	6	3-1/4x4-1/2	25.35	2900	2	8-1-26 1115	)
	Nash Special Six	233	2-Dr. Sedan	113"	6	3-1/4x4-1/2	25.35	3150	5	8-1-26 1215	)A26276
	Nash Special Six	235	Coupe	113"	6	3-1/4x4-1/2	25.35	3030	2	8-1-26 1165	)
	Nash Special Six	236	Roadster	113"	6	3-1/4x4-1/2	25.35	2980	4	8-1-26 1225	)
	Nash Special Six	237	Cavalier	113"	6	3-1/4x4-1/2	25.35	3330	5	1-1-27 1695	A42260
	Nash Special Six	239	4-Dr. Sedan	113"	6	3-1/4x4-1/2	25.35	3170	5	8-1-26 1315	A26276
	Nash Special Six	240	Special Sedan	113"	6	3-1/4x4-1/2	25.35	3250	5	1-26-27 1485	A44332
	Nash Special Six	241	Cabriolet	113"	6	3-1/4x4-1/2	25.35	3070	4	2-9-27 1290	A46894
	Nash Light Six	221	Touring	109"	6	3 x 4	21.6	2275	5	7-6-26 865	R28374
	Nash Light Six	223	2-Dr. Sedan	109"	6	3 x 4	21.6	2440	5	12-1-26 925	R46146
	Nash Light Six	224	4-Dr. Sedan	109"	6	3 x 4	21.6	2475	5	7-6-26 995	R28374
	Nash Light Six	225	Coupe	109"	6	3 x 4	21.6	2310	2	7-6-26 925	R28374
	Nash Light Six (Deluxe)	227	4-Dr. Sedan	109"	6	3 x 4	21.6	2550	5	1-1-27 1085	R48852
1928	Nash Advanced Six	360	Coupe	127"	6	3-7/16x5	28.35	3580	4	6-29-27 1775	423612
	Nash Advanced Six	360	Coupe	127"	6	3-7/16x5	28.35	3820	4	2-1-28 1940	441847
	Nash Advanced Six	Royal 361	Touring	121"	6	3-7/16x5	28.35	3400	5	6-29-27 1340	423612
	Nash Advanced Six	361	Touring	121"	6	3-7/16x5	28.35	3640	5	2-1-28 1505	441847
	Nash Advanced Six	Royal 362	Touring	127"	6	3-7/16x5	28.35	3400	7	6-29-27 1440	423612
	Nash Advanced Six	362	Touring	127"	6	3-7/16x5	28.35	3720	7	2-1-28 1605	441847
	Nash Advanced Six	Royal 363	2-Dr. Sedan	121"	6	3-7/16x5	28.35	3480	5	6-29-27 1425	423612
	Nash Advanced Six	363	2-Dr. Sedan	121"	6	3-7/16x5	28.35	3740	5	2-1-28 1560	441847
	Nash Advanced Six	Regal 364	Sedan	127"	6	3-7/16x5	28.35	3830	7	6-29-27 1990	423612
	Nash Advanced Six	364	Sedan	127"	6	3-7/16x5	28.35	4070	7	2-1-28 2155	441847

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1928	Nash Adv. 6 Imperial	364-I	Sedan	127"	6	3-7/16x5	28.35	3900	7	11-8-27 2165	440770
	Nash Adv. 6 Imperial	364-I	Sedan	127"	6	3-7/16x5	28.35	4140	7	2-1-28 2330	441847
		Royal									
	Nash Advanced Six	365	Victoria	127"	6	3-7/16x5	28.35	3640	4	6-29-27 1595	423612
	Nash Advanced Six	365	Victoria	127"	6	3-7/16x5	28.35	3880	4	2-1-28 1760	441847
		Royal									
	Nash Advanced Six	366	Roadster	121"	6	3-7/16x5	28.35	3390	4	6-29-27 1475	423612
	Nash Advanced Six	366	Roadster	121"	6	3-7/16x5	28.35	3630	4	2-1-28 1640	441847
		Royal									
	Nash Ambassador Six	367	Sedan	127"	6	3-7/16x5	28.35	3800	5	6-29-27 1925	423612
	Nash Ambassador Six	367	Sedan	127"	6	3-7/16x5	28.35	3990	5	2-1-28 2060	441847
		Regal									
	Nash Advanced Six	370	Special Sedan	121"	6	3-7/16x5	28.35	3650	5	6-29-27 1545	423612
										2-1-28 1495	444341
	Nash Advanced Six	370	Special Sedan	121"	6	3-7/16x5	28.35	3890	5	2-1-28 1660	441847
		Royal									
	Nash Advanced Six	371	Sport Touring	127"	6	3-7/16x5	28.35	3500	5	6-29-27 1540	423612
	Nash Advanced Six	371	Sport Touring	127"	6	3-7/16x5	28.35	3690	5	2-1-28 1655	441847
		Regal									
	Nash Special Six	331	Touring	113"	6	3-1/4x4-1/2	25.35	2980	5	6-29-27 1135	A 58246
	Nash Special Six	331	Touring	113"	6	3-1/4x4-1/2	25.35	3160	5	2-1-28 1290	A 78433
		Royal									
	Nash Special Six	333	2-Dr. Sedan	113"	6	3-1/4x4-1/2	25.35	3250	5	6-29-27 1215	A 58246
	Nash Special Six	333	2-Dr. Sedan	113"	6	3-1/4x4-1/2	25.35	3380	5	2-1-28 1340	A 78497
		Regal									
	Nash Special Six	335	Coupe	113"	6	3-1/4x4-1/2	25.35	3030	2	6-29-27 1165	A 58246
	Nash Special Six	335	Coupe	113"	6	3-1/4x4-1/2	25.35	3210	2	2-1-28 1320	A 78433
		Royal									
	Nash Special Six	335	Coupe	113"	6	3-1/4x4-1/2	25.35	3030	4	2-1-28 1245	A 78047
		Mohair									
	Nash Special Six	335	Coupe	113"	6	3-1/4x4-1/2	25.35	3210	4	2-1-28 1400	A 78433
		Royal									
		Mohair									
	Nash Special Six	336	Roadster	113"	6	3-1/4x4-1/2	25.35	2980	4	6-29-27 1225	A 58246
	Nash Special Six	336	Roadster	113"	6	3-1/4x4-1/2	25.35	3160	4	2-1-28 1380	A 78433
		Royal									
	Nash Special Six	338	4-Dr. Sedan	113"	6	3-1/4x4-1/2	25.35	3380	5	11-1-27 1445	A 68271
	Nash Special Six	338	4-Dr. Sedan	113"	6	3-1/4x4-1/2	25.35	3510	5	2-1-28 1570	A 78497
		Regal									

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt. see note	No. Pass.	Retail Price	First Serial No.
1928	Nash Special Six	340	Special Sedan	113"	6	3-1/4x4-1/2	25.35	3250	5	6-29-27 1335	A 58246
										2-1-28 1295	A 79828
	Nash Special Six	340	Special Sedan	113"	6	3-1/4x4-1/2	25.35	3430	5	2-1-28 1450	A 78433
		Royal									
	Nash Special Six	341	Cabriolet	113"	6	3-1/4x4-1/2	25.35	3070	4	6-29-27 1290	A 58246
	Nash Special Six	341	Cabriolet	113"	6	3-1/4x4-1/2	25.35	3250	4	2-1-28 1445	A 78433
		Royal									
	Nash Special Six	342	Victoria	113"	6	3-1/4x4-1/2	25.35	3170	4	11-1-27 1295	A 70804
	Nash Special Six	342	Victoria	113"	6	3-1/4x4-1/2	25.35	3350	4	2-1-28 1450	A 78433
		Royal									
	Nash Standard Six	320	4-Dr. Sedan	109"	6	3-1/8x4	23.50	2500	5	6-29-27 995	R 71557
										2-1-28 925	R107126
	Nash Standard Six	321	Touring	109"	6	3-1/8x4	23.50	2325	5	6-29-27 865	R 71557
	Nash Standard Six	322	Cabriolet	109"	6	3-1/8x4	23.50	2505	4	11-1-27 995	R 91928
										2-1-28 925	R107126
	Nash Standard Six	323	2-Dr. Sedan	109"	6	3-1/8x4	23.50	2450	5	6-29-27 895	R 71557
										2-1-28 845	R107126
	Nash Standard Six	325	Coupe	109"	6	3-1/8x4	23.50	2345	2	6-29-27 875	R 71557
										2-1-28 845	R107126
	Nash Standard Six	328	Landau Sedan	109"	6	3-1/8x4	23.50	2610	5	6-29-27 1085	R 71557
1929	Nash Advanced Six	460	Coupe	130"	6	3-7/16x5	28.35	3710	4	2-1-28 995	R107126
										6-1-28 1775	)
	Nash Advanced Six	461	Cabriolet	130"	6	3-7/16x5	28.35	3675	4	8-12-29 1595	)
										6-1-28 1660	)
	Nash Advanced Six	462	Phaeton	130"	6	3-7/16x5	28.35	3700	7	8-12-29 1495	)
										6-1-28 1550	)
	Nash Advanced Six	463	Sedan	121"	6	3-7/16x5	28.35	3760	5	6-1-28 1480	)
										8-12-29 1430	)452100
	Nash Advanced Six	464	Sedan	130"	6	3-7/16x5	28.35	3970	7	6-1-28 1990	)
										8-12-29 1790	)
	Nash Advanced Six	465	Sedan	130"	6	3-7/16x5	28.35	4010	7	6-1-28 2190	)
										8-12-29 1865	)
	Nash Advanced Six	467	Sedan	130"	6	3-7/16x5	28.35	3940	5	6-1-28 1925	)
										8-12-29 1725	)
	Nash Advanced Six	470	Sedan	121"	6	3-7/16x5	28.35	3700	5	6-1-28 1550	)
										8-12-29 1450	)

NOTE: On 1929 Advanced models - Royal add 200 lbs.
On 1929 Advanced models - Regal add 170 lbs.

[illegible]

NOTE: On 1929 Standard Models - Royal Equipment add 120 lbs.

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1930	Nash Twin-Ignition Eight	494	Sedan	133"	8	3-1/4x4-1/2	33.8	4170	7	10-1-29 2085 1-1-30 2195	)
	Nash Twin-Ignition Eight	495	Limousine	133"	8	3-1/4x4-1/2	33.8	4210	7	10-1-29 2260 1-1-30 2385	)
	Nash Twin-Ignition Eight	497	Sedan	133"	8	3-1/4x4-1/2	33.8	4050	5	10-1-29 1995 1-1-30 2095	) 496400
	Nash Twin-Ignition Eight	497B	Sedan	133"	8	3-1/4x4-1/2	33.8	4050	5	10-1-29 1995 1-1-30 2095	)
	Nash Twin-Ignition Eight	498	Phaeton	133"	8	3-1/4x4-1/2	33.8	3770	7	4-1-30 1845	505422
	Nash Twin-Ignition Eight	498S	Phaeton	133"	8	3-1/4x4-1/2	33.8	3840	5	4-1-30 1975	505965
	Nash Twin-Ignition Eight	499	Victoria	133"	8	3-1/4x4-1/2	33.8	3950	5	10-1-29 1945 1-1-30 2045	) 496400
	Nash Twin-Ignition Six	480	Sedan	118"	6	3-3/8x4-1/2	27.3	3535	5	10-1-29 1385 1-1-30 1415	)
	Nash Twin-Ignition Six	481	Cabriolet	118"	6	3-3/8x4-1/2	27.3	3350	4	10-1-29 1355 1-1-30 1385	)
	Nash Twin-Ignition Six	482	Coupe	118"	6	3-3/8x4-1/2	27.3	3400	2	10-1-29 1295 1-1-30 1345	)
	Nash Twin-Ignition Six	482R	Coupe	118"	6	3-3/8x4-1/2	27.3	3450	4	10-1-29 1345 1-1-30 1395	) B 37582
	Nash Twin-Ignition Six	483	Sedan	118"	6	3-3/8x4-1/2	27.3	3500	5	10-1-29 1295 1-1-30 1325	)
	Nash Twin-Ignition Six	484	Sedan	128"	6	3-3/8x4-1/2	27.3	3750	7	10-1-29 1695 1-1-30 1745	)
	Nash Twin-Ignition Six	485	Limousine	128"	6	3-3/8x4-1/2	27.3	3760	7	3-1-30 1920	B 47085
	Nash Twin-Ignition Six	486	Roadster	118"	6	3-3/8x4-1/2	27.3	3250	4	10-1-29 1415 1-1-30 1365	)
	Nash Twin-Ignition Six	488	Phaeton	128"	6	3-3/8x4-1/2	27.3	3450	7	10-1-29 1425 1-1-30 1475	)
	Nash Twin-Ignition Six	488S	Phaeton	128"	6	3-3/8x4-1/2	27.3	3540	5	10-1-29 1545 1-1-30 1595	) B 37582
	Nash Twin-Ignition Six	489	Victoria	118"	6	3-3/8x4-1/2	27.3	3400	4	10-1-29 1385 1-1-30 1410	)
	Nash Single Six	450	Sedan	114"	6	3-1/8x4-3/8	23.5	2850	5	10-1-29 985 1-1-30 1005	)
	Nash Single Six	451	Cabriolet	114"	6	3-1/8x4-3/8	23.5	2600	4	10-1-29 985 1-1-30 1005	) R216590

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1930	Nash Single Six	452	Coupe	114"	6	3-1/8x4-3/8	23.5	2650	2	10-1-29 915 1-1-30 940	)
	Nash Single Six	452R	Coupe	114"	6	3-1/8x4-3/8	23.5	2700	4	10-1-29 955 1-1-30 980	)
	Nash Single Six	453	Sedan	114"	6	3-1/8x4-3/8	23.5	2750	5	10-1-29 915 1-1-30 935	)
	Nash Single Six	455	Landau	114"	6	3-1/8x4-3/8	23.5	2900	5	10-1-29 1125 1-1-30 1155	)R216590
	Nash Single Six	456	Roadster	114"	6	3-1/8x4-3/8	23.5	2550	4	10-1-29 945 1-1-30 975	)
	Nash Single Six	457	Sedan	114"	6	3-1/8x4-3/8	23.5	2900	5	10-1-29 1075 1-1-30 1095	)
	Nash Single Six	458	Phaeton	114"	6	3-1/8x4-3/8	23.5	2650	5	10-1-29 975 1-1-30 995	)
1931	Nash Six	660	Sedan	114"	6	3-1/8x4-3/8	23.5	2800	5	10-1-30 845	)
	Nash Six	662	Coupe	114"	6	3-1/8x4-3/8	23.5	2600	2	10-1-30 795	)
	Nash Six	662R	Coupe	114"	6	3-1/8x4-3/8	23.5	2650	4	10-1-30 825	)R249708
	Nash Six	663	Sedan	114"	6	3-1/8x4-3/8	23.5	2740	5	10-1-30 795	)
	Nash Six	668	Phaeton	114"	6	3-1/8x4-3/8	23.5	2640	5	10-1-30 895	)
	Nash "Eight-70"	870	Sedan	116"	8	2-7/8x4-3/8	26.4	3000	5	10-1-30 995	X 1001
	Nash "Eight-70"	871	Conv. Sedan	116"	8	2-7/8x4-3/8	26.4	2950	5	2-1-31 1075	X 8171
	Nash "Eight-70"	872	Coupe	116"	8	2-7/8x4-3/8	26.4	2870	2	10-1-30 945	)
	Nash "Eight-70"	872R	Coupe	116"	8	2-7/8x4-3/8	26.4	2920	4	10-1-30 975	)X 1001
	Nash "Eight-70"	877	Sedan	116"	8	2-7/8x4-3/8	26.4	3000	5	10-1-30 955	)
	Nash "Eight-80"	880	Sedan	121"	8	3x4-1/4	28.8	3360	5	10-1-30 1295	B 54928
	Nash "Eight-80"	881	Conv. Sedan	121"	8	3x4-1/4	28.8	3275	5	2-1-31 1325	B 58597
	Nash "Eight-80"	882	Coupe	121"	8	3x4-1/4	28.8	3200	2	10-1-30 1245	)
	Nash "Eight-80"	882R	Coupe	121"	8	3x4-1/4	28.8	3250	4	10-1-30 1285	) B 54928
	Nash "Eight-80"	887	Sedan	121"	8	3x4-1/4	28.8	3400	5	10-1-30 1375	)
	Nash "Eight-90"	890	Sedan	124"	8	3-1/4x4-1/2	33.8	4000	5	10-1-30 1565	)
	Nash "Eight-90"	891	Cabriolet	133"	8	3-1/4x4-1/2	33.8	3840	4	10-1-30 1695	) 509201

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1931	Nash "Eight-90"	892	Coupe	133"	8	3-1/4x4-1/2	33.8	3900	2	10-1-30 1695	)
	Nash "Eight-90"	892R	Coupe	133"	8	3-1/4x4-1/2	33.8	3950	4	10-1-30 1745	)
	Nash "Eight-90"	894	Sedan	133"	8	3-1/4x4-1/2	33.8	4170	7	10-1-30 1925	) 509201
	Nash "Eight-90"	895	Limousine	133"	8	3-1/4x4-1/2	33.8	4210	7	10-1-30 2025	)
	Nash "Eight-90"	897	Sedan	133"	8	3-1/4x4-1/2	33.8	4050	5	10-1-30 1825	)
	Nash "Eight-90"	898	Phaeton	133"	8	3-1/4x4-1/2	33.8	3880	7	2-1-31 1595	513589
	Nash "Eight-90"	899	Victoria	133"	8	3-1/4x4-1/2	33.8	3950	5	10-1-30 1765	509201
1932 1st Series	Nash Six	960	Sedan	114"	6	3-1/8x4-3/8	23.5	2800	5	6-1-31 845	)
	Nash Six	962	Coupe	114"	6	3-1/8x4-3/8	23.5	2600	2	6-1-31 795	)
	Nash Six	962R	Coupe	114"	6	3-1/8x4-3/8	23.5	2650	4	6-1-31 825	)R261949
	Nash Six	963	Sedan	114"	6	3-1/8x4-3/8	23.5	2740	5	6-1-31 795	)
	Nash Six	968	Phaeton	114"	6	3-1/8x4-3/8	23.5	2640	5	6-1-31 895	)
	Nash "Nine-70"	970	Sedan	116"	8	2-7/8x4-3/8	26.4	3000	5	6-1-31 995	)
	Nash "Nine-70"	971	Conv. Sedan	116"	8	2-7/8x4-3/8	26.4	2950	5	6-1-31 1075	)
	Nash "Nine-70"	972	Coupe	116"	8	2-7/8x4-3/8	26.4	2870	2	6-1-31 945	)X 13117
	Nash "Nine-70"	972R	Coupe	116"	8	2-7/8x4-3/8	26.4	2920	4	6-1-31 975	)
	Nash "Nine-70"	977	Sedan	116"	8	2-7/8x4-1/2	26.4	3000	5	6-1-31 955	)
	Nash "Nine-80"	980	Sedan	121"	8	3x4-1/4	28.8	3360	5	6-1-31 1295	)
	Nash "Nine-80"	981	Conv. Sedan	121"	8	3x4-1/4	28.8	3275	5	6-1-31 1325	)
	Nash "Nine-80"	982	Coupe	121"	8	3x4-1/4	28.8	3200	2	6-1-31 1245	)B 61758
	Nash "Nine-80"	982R	Coupe	121"	8	3x4-1/4	28.8	3250	4	6-1-31 1285	)
	Nash "Nine-80"	987	Sedan	121"	8	3x4-1/4	28.8	3400	5	6-1-31 1375	)
	Nash "Nine-90"	990	Sedan	124"	8	3-1/4x4-1/2	33.8	4000	5	6-1-31 1565	)
	Nash "Nine-90"	991	Cabriolet	133"	8	3-1/4x4-1/2	33.8	3840	4	6-1-31 1695	) 515400
	Nash "Nine-90"	992	Coupe	133"	8	3-1/4x4-1/2	33.8	3900	2	6-1-31 1695	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1932 1st Series	Nash "Nine-90"	992R	Coupe	133"	8	3-1/4x4-1/2	33.8	3950	4	6-1-31 1745	)
	Nash "Nine-90"	994	Sedan	133"	8	3-1/4x4-1/2	33.8	4170	7	6-1-31 1925	)
	Nash "Nine-90"	995	Limousine	133"	8	3-1/4x4-1/2	33.8	4210	7	6-1-31 2025	)
	Nash "Nine-90"	996	Sedan	133"	8	3-1/4x4-1/2	33.8	4100	5	6-1-31 1825	) 515400
	Nash "Nine-90"	997	Sedan	133"	8	3-1/4x4-1/2	33.8	4050	5	6-1-31 1825	)
	Nash "Nine-90"	998	Phaeton	133"	8	3-1/4x4-1/2	33.8	3880	7	6-1-31 1595	)
	Nash "Nine-90"	999	Victoria	133"	8	3-1/4x4-1/2	33.8	3950	5	6-1-31 1765	)
1932 2nd Series	Nash Big Six	1060	Sedan	116"	6	3-1/8x4-3/8	23.5	3200	5	3-1-32 840	)
	Nash Big Six	1061	Cabriolet	116"	6	3-1/8x4-3/8	23.5	3120	4	3-1-32 895	)
	Nash Big Six	1062	Coupe	116"	6	3-1/8x4-3/8	23.5	3050	2	3-1-32 777	)
	Nash Big Six	1062R	Coupe	116"	6	3-1/8x4-3/8	23.5	3100	4	3-1-32 825	) R267736
	Nash Big Six	1063	Conv. Sedan	116"	6	3-1/8x4-3/8	23.5	3125	5	3-1-32 935	)
	Nash Big Six	1067	Town Sedan	116"	6	3-1/8x4-3/8	23.5	3150	5	3-1-32 825	)
	Nash Standard Eight	1070	Sedan	121"	8	3x4-3/8	28.8	3400	5	3-1-32 1015	)
	Nash Standard Eight	1071	Cabriolet	121"	8	3x4-3/8	28.8	3270	4	3-1-32 1055	)
	Nash Standard Eight	1072	Coupe	121"	8	3x4-3/8	28.8	3250	2	3-1-32 965	)
	Nash Standard Eight	1072R	Coupe	121"	8	3x4-3/8	28.8	3300	4	3-1-32 1015	) X 21318
	Nash Standard Eight	1073	Conv. Sedan	121"	8	3x4-3/8	28.8	3275	5	3-1-32 1095	)
	Nash Standard Eight	1077	Town Sedan	121"	8	3x4-3/8	28.8	3400	5	3-1-32 975	)
	Nash Special Eight	1080	Sedan	128"	8	3-1/8x4-1/4	31.25	3870	5	3-1-32 1320	)
	Nash Special Eight	1081	Cabriolet	128"	8	3-1/8x4-1/4	31.25	3750	4	3-1-32 1395	)
	Nash Special Eight	1082	Coupe	128"	8	3-1/8x4-1/4	31.25	3710	2	3-1-32 1270	) B 66800
	Nash Special Eight	1082R	Coupe	128"	8	3-1/8x4-1/4	31.25	3800	4	3-1-32 1320	)
	Nash Special Eight	1083	Conv. Sedan	128"	8	3-1/8x4-1/4	31.25	4000	5	3-1-32 1475	)
	Nash Special Eight	1089	Victoria	128"	8	3-1/8x4-1/4	31.25	3840	5	3-1-32 1395	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1932 2nd Series	Nash Advanced Eight	1090	Sedan	133"	8	3-3/8x4-1/2	36.45	4350	5	3-1-32 1595	)
	Nash Advanced Eight	1091	Cabriolet	133"	8	3-3/8x4-1/2	36.45	4270	4	3-1-32 1795	)
	Nash Advanced Eight	1092	Coupe	133"	8	3-3/8x4-1/2	36.45	4210	2	3-1-32 1695	) 519300
	Nash Advanced Eight	1092R	Coupe	133"	8	3-3/8x4-1/2	36.45	4300	4	3-1-32 1695	)
	Nash Advanced Eight	1093	Conv. Sedan	133"	8	3-3/8x4-1/2	36.45	4470	5	3-1-32 1875	)
	Nash Advanced Eight	1099	Victoria	133"	8	3-3/8x4-1/2	36.45	4300	5	3-1-32 1785	)
1933	Nash Ambassador Eight	1094	Sedan	142"	8	3-3/8x4-1/2	36.45	4600	7	3-1-32 1955	)
	Nash Ambassador Eight	1095	Limousine	142"	8	3-3/8x4-1/2	36.45	4650	7	3-1-32 2055	)
	Nash Ambassador Eight	1096	Sedan	142"	8	3-3/8x4-1/2	36.45	4510	5	3-1-32 1855	) 519300
	Nash Ambassador Eight	1097	Brougham	142"	8	3-3/8x4-1/2	36.45	4470	5	3-1-32 1855	)
	Nash Big Six	1120	Sedan	116"	6	3-1/4x4-3/8	25.35	3125	5	12-1-32 745	)
	Nash Big Six	1121	Cabriolet	116"	6	3-1/4x4-3/8	25.35	3000	4	12-1-32 810	)
	Nash Big Six	1122	Coupe	116"	6	3-1/4x4-3/8	25.35	3000	2	12-1-32 725	) R274300
	Nash Big Six	1122R	Coupe	116"	6	3-1/4x4-3/8	25.35	3050	4	12-1-32 745	)
	Nash Big Six	1123	Conv. Sedan	116"	6	3-1/4x4-3/8	25.35	3100	5	12-1-32 845	)
	Nash Big Six	1127	Town Sedan	116"	6	3-1/4x4-3/8	25.35	3125	5	12-1-32 695	)
	Nash Standard Eight	1130	Sedan	116"	8	3x4-3/8	28.8	3200	5	12-1-32 845	)
	Nash Standard Eight	1131	Cabriolet	116"	8	3x4-3/8	28.8	3050	4	12-1-32 900	)
	Nash Standard Eight	1132	Coupe	116"	8	3x4-3/8	28.8	3050	2	12-1-32 830	) X 26100
	Nash Standard Eight	1132R	Coupe	116"	8	3x4-3/8	28.8	3100	4	12-1-32 845	)
	Nash Standard Eight	1133	Conv. Sedan	116"	8	3x4-3/8	28.8	3150	5	12-1-32 945	)
	Nash Standard Eight	1137	Town Sedan	116"	8	3x4-3/8	28.8	3175	5	12-1-32 830	)
	Nash Special Eight	1170	Sedan	121"	8	3x4-3/8	28.8	3400	5	12-1-32 1015	)
	Nash Special Eight	1171	Cabriolet	121"	8	3x4-3/8	28.8	3270	4	12-1-32 1055	)
	Nash Special Eight	1172	Coupe	121"	8	3x4-3/8	28.8	3250	2	12-1-32 965	) X 25387
	Nash Special Eight	1172R	Coupe	121"	8	3x4-3/8	28.8	3300	4	12-1-32 1015	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1933	Nash Special Eight	1173	Conv. Sedan	121"	8	3x4-3/8	28.8	3275	5	12-1-32 1095	) X 25387
	Nash Special Eight	1177	Town Sedan	121"	8	3x4-3/8	28.8	3400	5	12-1-32 975	
	Nash Advanced Eight	1180	Sedan	128"	8	3-1/8x4-1/4	31.25	3870	5	12-1-32 1320	)
	Nash Advanced Eight	1181	Cabriolet	128"	8	3-1/8x4-1/4	31.25	3750	4	12-1-32 1395	)
	Nash Advanced Eight	1182	Coupe	128"	8	3-1/8x4-1/4	31.25	3710	2	12-1-32 1255	) B 70021
	Nash Advanced Eight	1182R	Coupe	128"	8	3-1/8x4-1/4	31.25	3800	4	12-1-32 1275	)
	Nash Advanced Eight	1183	Conv. Sedan	128"	8	3-1/8x4-1/4	31.25	4000	5	12-1-32 1575	)
	Nash Advanced Eight	1189	Victoria	128"	8	3-1/8x4-1/4	31.25	3840	5	12-1-32 1395	)
	Nash Ambassador Eight	1190	Sedan	133"	8	3-3/8x4-1/2	36.45	4350	5	12-1-32 1595	)
	Nash Ambassador Eight	1191	Cabriolet	133"	8	3-3/8x4-1/2	36.45	4270	4	12-1-32 1695	)
	Nash Ambassador Eight	1192	Coupe	133"	8	3-3/8x4-1/2	36.45	4210	2	12-1-32	)
	Nash Ambassador Eight	1192R	Coupe	133"	8	3-3/8x4-1/2	36.45	4300	4	12-1-32 1545	)
	Nash Ambassador Eight	1193	Conv. Sedan	133"	8	3-3/8x4-1/2	36.45	4470	5	12-1-32 1545	) 521191
	Nash Ambassador Eight	1194	Sedan	142"	8	3-3/8x4-1/2	36.45	4600	7	12-1-32 1955	)
	Nash Ambassador Eight	1195	Limousine	142"	8	3-3/8x4-1/2	36.45	4650	7	12-1-32 2055	)
	Nash Ambassador Eight	1196	Sedan	142"	8	3-3/8x4-1/2	36.45	4510	5	12-1-32 1855	)
	Nash Ambassador Eight	1197	Brougham	142"	8	3-3/8x4-1/2	36.45	4470	5	12-1-32 1855	)
	Nash Ambassador Eight	1199	Victoria	133"	8	3-3/8x4-1/2	36.45	4300	5	12-1-32 1785	)
1934	LaFayette	110	Sedan	113"	6	3-1/4x4-3/8	25.35	3030	5	1-10-34 695 9-6-34 685	))
	LaFayette	112	Coupe	113"	6	3-1/4x4-3/8	25.35	2925	2	1-10-34 635 9-6-34 625	)) L 1001
	LaFayette	112R	Coupe	113"	6	3-1/4x4-3/8	25.35	2970	4	1-10-34 675 9-6-34 665	))
	LaFayette	113	Brougham	113"	6	3-1/4x4-3/8	25.35	3050	5	7-1-34 745 9-6-34 715	L 10131
	LaFayette	115	Tour. Sedan	113"	6	3-1/4x4-3/8	25.35	3030	5	1-10-34 685 9-6-34 675	))
	LaFayette	116	2-Dr. Sedan	113"	6	3-1/4x4-3/8	25.35	2970	5	1-10-34 645 4-10-34 595 9-6-34 585	) L 1001))

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1934	LaFayette	117	Sedan	113"	6	3-1/4x4-3/8	25.35	3000	5	4-10-34 645 9-6-34 635	L 4026
	LaFayette	118	Brougham	113"	6	3-1/4x4-3/8	25.35	3050	5	7-1-34 695 9-6-34 665	L 10133
	Nash Big Six	1220	Sedan	116"	6	3-3/8x4-3/8	27.34	3370	5	10-1-33 785 1-1-34 815	))
	Nash Big Six	1222	Coupe	116"	6	3-3/8x4-3/8	27.34	3290	2	9-6-34 755 10-1-33 765	))
	Nash Big Six	1222R	Coupe	116"	6	3-3/8x4-3/8	27.34	3340	4	1-1-34 795 9-6-34 735	))
	Nash Big Six	1223	Brougham	116"	6	3-3/8x4-3/8	27.34	3400	5	10-1-33 785 1-1-34 815	)) R278901
	Nash Big Six	1227	Town Sedan	116"	6	3-3/8x4-3/8	27.34	3370	5	9-6-34 755 10-1-33 795 1-1-34 825	)))
	Nash Big Six	1228	Brougham	116"	6	3-3/8x4-3/8	27.34	3400	5	9-6-34 745 10-1-33 745 1-1-34 775	)))
	Nash Big Six	1228	Brougham	116"	6	3-3/8x4-3/8	27.34	3400	5	9-6-34 715 1-1-34 865 9-6-34 785	)))
	Nash Advanced Eight	1280	Sedan	121"	8	3-1/8x4-1/4	31.25	3540	5	10-1-33 1065 1-1-34 1095 9-6-34 995	)) B 70801)
	Nash Advanced Eight	1282	Coupe	121"	8	3-1/8x4-1/4	31.25	3460	2	10-1-33 1045 1-1-34 1065 9-6-34 965	)))
	Nash Advanced Eight	1282R	Coupe	121"	8	3-1/8x4-1/4	31.25	3510	4	10-1-33 1065 1-1-34 1085 9-6-34 985	)))
	Nash Advanced Eight	1283	Brougham	121"	8	3-1/8x4-1/4	31.25	3570	5	10-1-33 1085 1-1-34 1115 9-6-34 995	)) B 70801)
	Nash Advanced Eight	1287	Town Sedan	121"	8	3-1/8x4-1/4	31.25	3540	5	10-1-33 1035 1-1-34 1065 9-6-34 965	)))
	Nash Advanced Eight	1288	Brougham	121"	8	3-1/8x4-1/4	31.25	3570	5	1-1-34 1145 9-6-34 1025	))
	Nash Ambassador Eight	1290	Sedan	133"	8	3-3/8x4-1/2	36.45	4330	5	10-1-33 1575 9-6-34 1475	521801

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1934	Nash Ambassador Eight	1293	Sedan	133"	8	3-3/8x4-1/2	36.45	4360	5	10-1-33 1625 9-6-34 1505	))
	Nash Ambassador Eight	1294	Sedan	142"	8	3-3/8x4-1/2	36.45	4590	7	10-1-33 1955 9-6-34 1805	))
	Nash Ambassador Eight	1295	Limousine	142"	8	3-3/8x4-1/2	36.45	4640	7	10-1-33 2055 9-6-34 1905	) 521801)
	Nash Ambassador Eight	1296	Sedan	142"	8	3-3/8x4-1/2	36.45	4500	5	10-1-33 1955	)
	Nash Ambassador Eight	1297	Brougham	142"	8	3-3/8x4-1/2	36.45	4460	5	10-1-33 1820 9-6-34 1670	))
1935	LaFayette	3510	Sedan	113"	6	3-1/4x4-3/8	25.35	3030	5	1-1-35 720 3-10-35 680	))
	LaFayette	3512	Coupe	113"	6	3-1/4x4-3/8	25.35	2925	2	1-1-35 585 3-10-35 580	))
	LaFayette	3512R	Coupe	113"	6	3-1/4x4-3/8	25.35	2970	4	1-1-35 700 3-10-35 650	))
	LaFayette	3513	Brougham	113"	6	3-1/4x4-3/8	25.35	3050	5	1-1-35 750 3-10-35 710	))
	LaFayette	3515	Touring Sedan	113"	6	3-1/4x4-3/8	25.35	3030	5	1-1-35 650 3-10-35 620	) L 13701)
	LaFayette	3516	2-Dr. Sedan	113"	6	3-1/4x4-3/8	25.35	2970	5	1-1-35 620 3-10-35 590	))
	LaFayette	3517	Sedan	113"	6	3-1/4x4-3/8	25.35	3000	5	1-1-35 670 3-10-35 640	))
	LaFayette	3518	Brougham	113"	6	3-1/4x4-3/8	25.35	3050	5	1-1-35 700 3-10-35 670	))
	Nash Advanced Six	3520	Sedan	120"	6	3-3/8x4-3/8	27.34	3630	6	1-1-35 945 3-10-35 875	))
	Nash Advanced Six	3525	Victoria	120"	6	3-3/8x4-3/8	27.34	3540	6	1-1-35 895 3-10-35 825	) R294725)
	Nash Advanced Eight	3580	Sedan	125"	8	3-1/8x4-1/4	31.25	3750	6	1-1-35 1165 3-10-35 1095	))
	Nash Advanced Eight	3585	Victoria	125"	8	3-1/8x4-1/4	31.25	3660	6	1-1-35 1115 3-10-35 1045	) B 75010)
	Nash Ambassador Eight	3588	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3750	6	1-1-35 1290 3-10-35 1220	))
	Nash Ambassador Eight	3589	2-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3660	6	1-1-35 1240 3-10-35 1170	) B 75010)
	LaFayette	3610	4-Dr. Sedan	113"	6	3-1/4x4-3/8	25.35	2950	6	6-15-35 675	)
	LaFayette	3611	Cabriolet	113"	6	3-1/4x4-3/8	25.35	2930	5	6-15-35 740	) L 23101
	LaFayette	3612	Coupe	113"	6	3-1/4x4-3/8	25.35	2880	3	6-15-35 595	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1936	LaFayette	W3612	Coupe	113"	6	3-1/4x4-3/8	25.35	2880	3	10-15-35 610	)
	LaFayette	3612R	Coupe	113"	6	3-1/4x4-3/8	25.35	2930	5	6-15-35 650	)
	LaFayette	W 3612R	Coupe	113"	6	3-1/4x4-3/8	25.35	2930	5	10-15-35 665	)
	LaFayette	3613	2-Dr. Sedan	113"	6	3-1/4x4-3/8	25.35	2950	6	6-15-35 655	) L 23101
	LaFayette	3615	2-Dr. Sedan	113"	6	3-1/4x4-3/8	25.35	2930	5	6-15-35 625	)
	LaFayette	3618	4-Dr. Sedan	113"	6	3-1/4x4-3/8	25.35	2980	6	6-15-35 700	)
	Nash Ambassador Six	3620	Sedan	125"	6	3-3/8x4-3/8	27.34	3710	6	11-15-35 885	)
	Nash Ambassador Six	3625	Victoria	125"	6	3-3/8x4-3/8	27.34	3620	6	11-15-35 835	) R303301
	Nash "400"	3640	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	2970	6	5-20-35 765 10-1-35 740	))
	Nash "400"	3642	Coupe	117"	6	3-3/8x4-3/8	27.34	2900	3	5-20-35 675 10-1-35 665	))
	Nash "400"	3642R	Coupe	117"	6	3-3/8x4-3/8	27.34	2960	5	5-20-35 725 10-1-35 715	) C 1001)
	Nash "400"	3643	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	2970	6	5-20-35 745 10-1-35 720	))
	Nash "400"	3645	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	2950	5	5-20-35 715 10-1-35 690	))
	Nash "400"	3648	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3000	6	5-20-35 790 10-1-35 765	))
	Nash "400"	3640A	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3020	6	10-15-35 765	)
	Nash "400"	3641A	Cabriolet	117"	6	3-3/8x4-3/8	27.34	3000	5	10-15-35 800	)
	Nash "400"	3642A	Coupe	117"	6	3-3/8x4-3/8	27.34	2950	3	10-15-35 675	)
	Nash "400"	3642RA	Coupe	117"	6	3-3/8x4-3/8	27.34	3010	5	10-15-35 725	) C 9501
	Nash "400"	3643A	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3020	6	10-15-35 745	)
	Nash "400"	3645A	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3000	5	10-15-35 715	)
	Nash "400"	3648A	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3050	6	10-15-35 790	)
	Nash Amb. Super Eight	3680	Sedan	125"	8	3-1/8x4-1/4	31.25	3820	6	11-15-35 995	)
	Nash Amb. Super Eight	3685	Victoria	125"	8	3-1/8x4-1/4	31.25	3730	6	11-15-35 945	) B177325

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price		First Serial No.
1937	LaFayette 400	3711	Cabriolet	117"	6	3-3/8x4-3/8	27.34	3180	5	10-1-36	740	)
	LaFayette 400	3712	Coupe	117"	6	3-3/8x4-3/8	27.34	3140	3	8-16-37	775	)
	LaFayette 400	3712A	All purpose Coupe	117"	6	3-3/8x4-3/8	27.34	3160	5	10-1-36	595	)
	LaFayette 400	3712R	Coupe	117"	6	3-3/8x4-3/8	27.34	3190	5	8-16-37	630	)
	LaFayette 400	3713	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3200	6	4-1-37	660	)
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	8-16-37	695	)
	LaFayette 400	3713	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3200	6	10-1-36	650	) L 50781
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	8-16-37	685	)
	LaFayette 400	3713	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3200	6	10-1-36	655	)
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	8-16-37	690	)
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	10-1-36	700	)
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	8-16-37	735	)
	LaFayette 400	3713	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3200	6	10-1-36	655	)
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	8-16-37	690	)
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	10-1-36	700	) H 1001
	LaFayette 400	3718	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3240	6	8-16-37	735	)
	Nash Ambassador Six	3721	Cabriolet	121"	6	3-3/8x4-3/8	27.34	3320	5	10-1-36	860	)
	Nash Ambassador Six	3722	Coupe	121"	6	3-3/8x4-3/8	27.34	3290	3	8-16-37	925	)
	Nash Ambassador Six	3722A	All purpose Coupe	121"	6	3-3/8x4-3/8	27.34	3310	5	10-1-36	755	)
	Nash Ambassador Six	3722R	Coupe	121"	6	3-3/8x4-3/8	27.34	3320	5	8-16-37	820	)
	Nash Ambassador Six	3722R	Coupe	121"	6	3-3/8x4-3/8	27.34	3320	5	4-1-37	810	)
	Nash Ambassador Six	3722R	Coupe	121"	6	3-3/8x4-3/8	27.34	3320	5	8-16-37	875	) R309311
	Nash Ambassador Six	3733	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3380	6	10-1-36	795	)
	Nash Ambassador Six	3733	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3380	6	8-16-37	860	)
	Nash Ambassador Six	3728	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3400	6	10-1-36	795	)
	Nash Ambassador Six	3728	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3400	6	8-16-37	860	)
	Nash Ambassador Six	3728	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3400	6	10-1-36	845	)
	Nash Ambassador Six	3728	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3400	6	8-16-37	910	)
	Nash Ambassador Eight	3781	Cabriolet	125"	8	3-1/8x4-1/4	31.25	3640	5	10-1-36	960	)
	Nash Ambassador Eight	3782	Coupe	125"	8	3-1/8x4-1/4	31.25	3590	3	8-16-37	1045	)
	Nash Ambassador Eight	3782A	All purpose Coupe	125"	8	3-1/8x4-1/4	31.25	3610	5	10-1-36	855	)
	Nash Ambassador Eight	3782R	Coupe	125"	8	3-1/8x4-1/4	31.25	3640	5	8-16-37	940	)
	Nash Ambassador Eight	3782R	Coupe	125"	8	3-1/8x4-1/4	31.25	3640	5	4-1-37	910	)
	Nash Ambassador Eight	3782R	Coupe	125"	8	3-1/8x4-1/4	31.25	3640	5	8-16-37	995	) B80031
	Nash Ambassador Eight	3782R	Coupe	125"	8	3-1/8x4-1/4	31.25	3640	5	10-1-36	895	)
	Nash Ambassador Eight	3783	2-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3690	6	8-16-37	980	)
	Nash Ambassador Eight	3783	2-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3690	6	10-1-36	895	)
	Nash Ambassador Eight	3788	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3720	6	8-16-37	980	)
	Nash Ambassador Eight	3788	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3720	6	10-1-36	945	)
	Nash Ambassador Eight	3788	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3720	6	8-16-37	1030	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price		First Serial No.
1938	LaFayette	3811	Cabriolet	117"	6	3-3/8x4-3/8	27.34	3240	5	10-15-37	940	)
	LaFayette	3812	Coupe	117"	6	3-3/8x4-3/8	27.34	3230	5	10-15-37	860	)
	LaFayette	3813	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3290	6	10-15-37	855	)
	LaFayette	3814	Coupe	117"	6	3-3/8x4-3/8	27.34	3160	3	10-15-37	820	) L106281
	LaFayette	3815	Coupe	117"	6	3-3/8x4-3/8	27.34	3120	3	10-15-37	770	) Or
	LaFayette	3816	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3190	5	10-15-37	805	) H 10501
	LaFayette	3817	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3200	6	10-15-37	850	)
	LaFayette	3818	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3300	6	10-15-37	900	)
	Nash Ambassador Six	3821	Cabriolet	121"	6	3-3/8x4-3/8	27.34	3340	5	10-15-37	1090	)
	Nash Ambassador Six	3822	Coupe	121"	6	3-3/8x4-3/8	27.34	3360	5	10-15-37	1015	)
	Nash Ambassador Six	3823	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3450	6	10-15-37	1000	) R324311
	Nash Ambassador Six	3825	Coupe	121"	6	3-3/8x4-3/8	27.34	3300	3	10-15-37	970	)
	Nash Ambassador Six	3828	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3460	6	10-15-37	1050	)
	Nash Ambassador Eight	3881	Cabriolet	125"	8	3-1/8x4-1/4	31.25	3620	5	10-15-37	1240	)
	Nash Ambassador Eight	3882	Coupe	125"	8	3-1/8x4-1/4	31.25	3640	5	10-15-37	1165	)
	Nash Ambassador Eight	3883	2-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3780	6	10-15-37	1150	) B 86031
	Nash Ambassador Eight	3885	Coupe	125"	8	3-1/8x4-1/4	31.25	3580	3	10-15-37	1120	)
	Nash Ambassador Eight	3888	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3790	6	10-15-37	1200	)
1939	LaFayette	3910	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3350	6	10-15-38	885	)
	LaFayette	3911	Cabriolet	117"	6	3-3/8x4-3/8	27.34	3340	5	10-15-38	950	)
	LaFayette	3912	Coupe	117"	6	3-3/8x4-3/8	27.34	3260	5	10-15-38	860	)
	LaFayette	3913	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3320	6	10-15-38	855	)
	LaFayette	3914	Coupe	117"	6	3-3/8x4-3/8	27.34	3270	3	10-15-38	825	) H 19450
	LaFayette	3915	Coupe	117"	6	3-3/8x4-3/8	27.34	3205	3	10-15-38	770	)
	LaFayette	3916	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3255	6	10-15-38	810	)
	LaFayette	3917	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3290	6	10-15-38	840	)
	LaFayette	3918	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3350	6	10-15-38	885	)
	LaFayette	3919	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3285	6	10-15-38	840	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1939	Nash Ambassador Six	3920	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3470	6	10-15-38 985	)
	Nash Ambassador Six	3921	Cabriolet	121"	6	3-3/8x4-3/8	27.34	3430	5	10-15-38 1050	)
	Nash Ambassador Six	3922	Coupe	121"	6	3-3/8x4-3/8	27.34	3360	5	10-15-38 960	)R331400
	Nash Ambassador Six	3923	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3420	6	10-15-38 955	)
	Nash Ambassador Six	3925	Coupe	121"	6	3-3/8x4-3/8	27.34	3370	3	10-15-38 925	)
	Nash Ambassador Six	3928	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3450	6	10-15-38 985	)
	Nash Ambassador Eight	3980	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3800	6	10-15-38 1235	)
	Nash Ambassador Eight	3981	Cabriolet	125"	8	3-1/8x4-1/4	31.25	3740	5	10-15-38 1295	)
	Nash Ambassador Eight	3982	Coupe	125"	8	3-1/8x4-1/4	31.25	3710	5	10-15-38 1210	)B 89000
	Nash Ambassador Eight	3983	2-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3770	6	10-15-38 1205	)
	Nash Ambassador Eight	3985	Coupe	125"	8	3-1/8x4-1/4	31.25	3720	3	10-15-38 1175	)
	Nash Ambassador Eight	3988	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3800	6	10-15-38 1235	)
1940	LaFayette	4010	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3280	6	9-15-39 875	)
	LaFayette	4011	Cabriolet	117"	6	3-3/8x4-3/8	27.34	3310	5	9-15-39 975	)
	LaFayette	4012	Coupe	117"	6	3-3/8x4-3/8	27.34	3190	5	9-15-39 850	)H 57000
	LaFayette	4013	2-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3235	6	9-15-39 845	)
	LaFayette	4014	Coupe	117"	6	3-3/8x4-3/8	27.34	3190	3	9-15-39 795	)
	LaFayette	4018	4-Dr. Sedan	117"	6	3-3/8x4-3/8	27.34	3275	6	9-15-39 875	)
	Nash Ambassador Six	4020	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3385	6	9-15-39 985	)
	Nash Ambassador Six	4021	Cabriolet	121"	6	3-3/8x4-3/8	27.34	3410	5	9-15-39 1085	)
	Nash Ambassador Six	4022	Coupe	121"	6	3-3/8x4-3/8	27.34	3295	5	9-15-39 960	)R340000
	Nash Ambassador Six	4023	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3350	6	9-15-39 955	)
	Nash Ambassador Six	4025	Coupe	121"	6	3-3/8x4-3/8	27.34	3290	3	9-15-39 925	)
	Nash Ambassador Six	4028	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3380	6	9-15-39 985	)
	Nash Ambassador Eight	4080	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3660	6	9-15-39 1195	)
	Nash Ambassador Eight	4081	Cabriolet	125"	8	3-1/8x4-1/4	31.25	3640	5	9-15-39 1295	)B106300

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price	First Serial No.
1940	Nash Ambassador Eight	4082	Coupe	125"	8	3-1/8x4-1/4	31.25	3575	5	9-15-39 1170	)
	Nash Ambassador Eight	4083	2-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3620	6	9-15-39 1165	)B106300
	Nash Ambassador Eight	4085	Coupe	125"	8	3-1/8x4-1/4	31.25	3555	3	9-15-39 1135	)
	Nash Ambassador Eight	4088	4-Dr. Sedan	125"	8	3-1/8x4-1/4	31.25	3655	6	9-15-39 1195	)
1941	Nash "600"	4140	4-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2655	6	10-1-40 860 6-2-41 870	))
	Nash "600"	4142	Coupe	112"	6	3-1/8x3-3/4	23.44	2500	3	10-1-40 783 12-11-40 752 6-2-41 762	)))
	Nash "600"	4143	Brougham	112"	6	3-1/8x3-3/4	23.44	2575	6	10-1-40 810 12-11-40 815 6-2-41 825	)))
	Nash "600"	4145	Coupe	112"	6	3-1/8x3-3/4	23.44	2490	3	10-1-40 731 12-11-40 710 6-2-41 720	)))K 5001
	Nash "600"	4146	2-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2630	6	12-11-40 745 6-2-41 755	))
	Nash "600"	4147	4-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2615	6	10-1-40 780 12-11-40 785 6-2-41 795	)))
	Nash "600"	4148	4-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2630	6	10-1-40 810 12-11-40 817 6-2-41 827	)))
	Nash "600"	4149	2-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2640	6	12-11-40 777 6-2-41 787	))
	Nash Ambassador Six	4160	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3300	6	10-1-40 1030 6-2-41 1050	))
	Nash Ambassador Six	4161	Cabriolet	121"	6	3-3/8x4-3/8	27.32	3430	5	12-11-40 1095 6-2-41 1115	))
	Nash Ambassador Six	4162	Coupe	121"	6	3-3/8x4-3/8	27.34	3180	3	10-1-40 923.50 12-11-40 905 6-2-41 925	))R353001)
	Nash Ambassador Six	4163	Brougham	121"	6	3-3/8x4-3/8	27.34	3235	6	10-1-40 973.50 6-2-41 993.50	))
	Nash Ambassador Six	4165	Coupe	121"	6	3-3/8x4-3/8	27.34	3310	3	12-11-40 855 6-2-41 875	))

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price		First Serial No.
1941	Nash Ambassador Six	4167	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3300	6	10-1-40	930	)
										12-11-40	935	)
										6-2-41	955	)
	Nash Ambassador Six	4168	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3300	6	10-1-40	980	) R353001
										12-11-40	985	)
										6-2-41	1005	)
	Nash Ambassador Six	4169	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3320	6	12-11-40	898	)
										6-2-41	918	)
	Nash Ambassador Eight	4180	4-Dr. Sedan	121"	8	3-1/8x4-1/4	31.25	3475	6	10-1-40	1151	)
										6-2-41	1171	)
	Nash Ambassador Eight	4181	Cabriolet	121"	8	3-1/8x4-1/4	31.25	3580	5	12-11-40	1215	)
										6-2-41	1235	)
1942	Nash Ambassador Eight	4183	Brougham	121"	8	3-1/8x4-1/4	31.25	3400	6	10-1-40	1081	)
										6-2-41	1101	)
	Nash Ambassador Eight	4187	4-Dr. Sedan	121"	8	3-1/8x4-1/4	31.25	3465	6	10-1-40	1051	) B110001
										12-11-40	1056	)
										6-2-41	1076	)
	Nash Ambassador Eight	4188	4-Dr. Sedan	121"	8	3-1/8x4-1/4	31.25	3455	6	10-1-40	1101	)
										12-11-40	1106	)
										6-2-41	1126	)
	Nash "600"	4240	4-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2655	6	10-1-41	993	)
	Nash "600"	4242	Coupe	112"	6	3-1/8x3-3/4	23.44	2540	3	10-1-41	918	)
	Nash "600"	4243	Brougham	112"	6	3-1/8x3-3/4	23.44	2580	6	10-1-41	958	) K 56001
	Nash "600"	4248	4-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2650	6	10-1-41	968	)
	Nash "600"	4249	2-Dr. Sedan	112"	6	3-1/8x3-3/4	23.44	2605	6	10-1-41	948	)
	Nash Ambassador Six	4260	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3335	6	10-1-41	1159	)
	Nash Ambassador Six	4262	Coupe	121"	6	3-3/8x4-3/8	27.34	3200	3	10-1-41	1084	)
	Nash Ambassador Six	4263	Brougham	121"	6	3-3/8x4-3/8	27.34	3230	6	10-1-41	1124	) R384001
	Nash Ambassador Six	4268	4-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3335	6	10-1-41	1134	)
	Nash Ambassador Six	4269	2-Dr. Sedan	121"	6	3-3/8x4-3/8	27.34	3285	6	10-1-41	1114	)
	Nash Ambassador Eight	4280	4-Dr. Sedan	121"	8	3-1/8x4-1/4	31.25	3485	6	10-1-41	1209	)
	Nash Ambassador Eight	4282	Coupe	121"	8	3-1/8x4-1/4	31.25	3350	3	10-1-41	1134	) B114001

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	Retail Price		First Serial No.
1942	Nash Ambassador Eight	4283	Brougham	121"	8	3-1/8x4-1/4	31.25	3385	6	10-1-41	1174	)
	Nash Ambassador Eight	4288	4-Dr. Sedan	121"	8	3-1/8x4-1/4	31.25	3485	6	10-1-41	1184	) B114001
	Nash Ambassador Eight	4289	2-Dr. Sedan	121"	8	3-1/8x4-1/4	31.25	3435	6	10-1-41	1164	)
1946	Nash "600"	4640	Trunk Sedan	112"	6	3-1/8x3-3/4	23.4	2740	6		1342	)
	Nash "600"	4648	Slpstrm. Sed.	112"	6	3-1/8x3-3/4	23.4	2780	6		1298	) K 77701
	Nash "600"	4643	Brougham	112"	6	3-1/8x3-3/4	23.4	2685	6		1293	)
	Nash Ambassador	4660	Trunk Sedan	121"	6	3-3/8x4-3/8	27.3	3335	6		1511	)
	Nash Ambassador	4668	Slpstrm. Sed.	121"	6	3-3/8x4-3/8	27.3	3360	6		1469	) R393101
	Nash Ambassador	4663	Brougham	121"	6	3-3/8x4-3/8	27.3	3260	6		1453	)
	Nash Ambassador	4664	Suburban	121"	6	3-3/8x4-3/8	27.3	3470	6		1929	)
1947	Nash "600"	4740	Trunk Sedan	112"	6	3-1/8x3-3/4	23.4	2740	6		1342	)
	Nash "600"	4748	Slpstrm. Sed.	112"	6	3-1/8x3-3/4	23.4	2780	6		1298	) K136001
	Nash "600"	4743	Brougham	112"	6	3-1/8x3-3/4	23.4	2685	6		1293	)
	Nash Ambassador	4760	Trunk Sedan	121"	6	3-3/8x4-3/8	27.3	3335	6		1606	)
	Nash Ambassador	4768	Slpstrm. Sed.	121"	6	3-3/8x4-3/8	27.3	3360	6		1564	) R429201
	Nash Ambassador	4763	Brougham	121"	6	3-3/8x4-3/8	27.3	3260	6		1548	)
	Nash Ambassador	4764	Suburban	121"	6	3-3/8x4-3/8	27.3	3470	6		2024	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1948	Nash "600" (Super)	4840	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2806	6	)
	Nash "600" (Deluxe)	4842	Coupe	112	6	3-1/8x3-3/4	23.4	2655	3	)
	Nash "600" (Super)	4843	Brougham	112	6	3-1/8x3-3/4	23.4	2751	5	)
	Nash "600" (Super)	4848	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2846	6	) K-196901
	Nash "600" (Custom)	4850	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2806	6	)
	Nash "600" (Custom)	4853	Brougham	112	6	3-1/8x3-3/4	23.4	2751	5	)
	Nash "600" (Custom)	4858	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2846	6	)
	Nash Ambassador (Super)	4860	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3437	6	)
	Nash Ambassador (Super)	4863	Brougham	121	6	3-3/8x4-3/8	27.3	3362	5	)
	Nash Ambassador (Super)	4864	4-Dr. Suburban	121	6	3-3/8x4-3/8	27.3	3572	6	)
	Nash Ambassador (Super)	4868	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3462	6	) R-468501
	Nash Ambassador (Custom)	4870	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3437	6	)
	Nash Ambassador (Custom)	4871	Convertible	121	6	3-3/8x4-3/8	27.3	3465	6	)
	Nash Ambassador (Custom)	4873	Brougham	121	6	3-3/8x4-3/8	27.3	3362	5	)
	Nash Ambassador (Custom)	4878	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3462	6	)
1949	Nash "600" (Super) (Special)	4923	Brougham	112	6	3-1/8x3-3/4	23.4	2910	5	)
	Nash "600" (Super) (Special)	4928	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2905	6	)
	Nash "600" (Super) (Special)	4929	2-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2885	6	)
	Nash "600" (Super)	4943	Brougham	112	6	3-1/8x3-3/4	23.4	2910	5	)
	Nash "600" (Super)	4948	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2905	6	) Kenosha K-260501
	Nash "600" (Super)	4949	2-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2885	6	) El Segundo KC-1001
	Nash "600" (Custom)	4953	Brougham	112	6	3-1/8x3-3/4	23.4	2935	5	)
	Nash "600" (Custom)	4958	4-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2930	6	)
	Nash "600" (Custom)	4959	2-Dr. Sedan	112	6	3-1/8x3-3/4	23.4	2910	6	)
	Nash Ambassador (Super)	4963	Brougham	121	6	3-3/8x4-3/8	27.3	3325	5	)
	Nash Ambassador (Super)	4968	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3320	6	)
	Nash Ambassador (Super)	4969	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3300	6	)
	Nash Ambassador (Custom)	4973	Brougham	121	6	3-3/8x4-3/8	27.3	3350	5	) Kenosha R-515501
	Nash Ambassador (Custom)	4978	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3350	6	) El Segundo RC-1001
	Nash Ambassador (Custom)	4979	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3325	6	)
	Nash Amb. (Super) (Special)	4993	Brougham	121	6	3-3/8x4-3/8	27.3	3325	5	)
	Nash Amb. (Super) (Special)	4998	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3320	6	)
	Nash Amb. (Super) (Special)	4999	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3300	6	)
1950	Nash Rambler (Custom)	5021	Convertible	100	6	3-1/8x3-3/4	23.4	2430	5	) D-1001
	Nash Statesman (Deluxe)	5032	Bus. Coupe	112	6	3-1/8x4	23.4	2900	3	)
	Nash Statesman (Super)	5043	Brougham	112	6	3-1/8x4	23.4	2940	5	) Kenosha K-34001
	Nash Statesman (Super)	5048	4-Dr. Sedan	112	6	3-1/8x4	23.4	2965	6	) El Segundo KC-9501
	Nash Rambler (Custom)	5024	Sta. Wag.	100	6	3-1/8x3-3/4	23.4	2515	5	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1950	Nash Statesman (Super)	5049	2-Dr. Sedan	112	6	3-1/8x4	23.4	2930	6	)
	Nash Statesman (Custom)	5053	Brougham	112	6	3-1/8x4	23.4	2965	5	) Kenosha K-34001
	Nash Statesman (Custom)	5058	4-Dr. Sedan	112	6	3-1/8x4	23.4	2990	6	) El Segundo KC-9501
	Nash Statesman (Custom)	5059	2-Dr. Sedan	112	6	3-1/8x4	23.4	2950	6	)
	Nash Ambassador (Super)	5063	Brougham	121	6	3-3/8x4-3/8	27.3	3335	5	)
	Nash Ambassador (Super)	5068	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3350	6	)
	Nash Ambassador (Super)	5069	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3325	6	) Kenosha R-556001
	Nash Ambassador (Custom)	5073	Brougham	121	6	3-3/8x4-3/8	27.3	3385	5	) El Segundo RC-3501
	Nash Ambassador (Custom)	5078	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3390	6	)
	Nash Ambassador (Custom)	5079	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3365	6	)
1951	Nash Rambler (Super)	5114	2-Dr. Suburban	100	6	3-1/8x3-3/4	23.4	2515	5	)
	Nash Rambler (Custom)	5121	Convertible	100	6	3-1/8x3-3/4	23.4	2430	5	) Kenosha D-12501
	Nash Rambler (Custom)	5124	Station Wagon	100	6	3-1/8x3-3/4	23.4	2515	5	) El Segundo DC-1501
	Nash Rambler (Custom)	5127	Hard Top Conv.	100	6	3-1/8x3-3/4	23.4	2420	5	)
	Nash Statesman (Deluxe)	5132	Bus. Coupe	112	6	3-1/8x4	23.4	2835	3	)
	Nash Statesman (Super)	5143	Brougham	112	6	3-1/8x4	23.4	2935	5	)
	Nash Statesman (Super)	5148	4-Dr. Sedan	112	6	3-1/8x4	23.4	2970	6	) Kenosha K-438001
	Nash Statesman (Super)	5149	2-Dr. Sedan	112	6	3-1/8x4	23.4	2930	6	) El Segundo KC-23501
	Nash Statesman (Custom)	5153	Brougham	112	6	3-1/8x4	23.4	2950	5	)
	Nash Statesman (Custom)	5158	4-Dr. Sedan	112	6	3-1/8x4	23.4	2990	6	)
	Nash Statesman (Custom)	5159	2-Dr. Sedan	112	6	3-1/8x4	23.4	2940	6	)
	Nash Ambassador (Super)	5163	Brougham	121	6	3-3/8x4-3/8	27.3	3370	5	)
	Nash Ambassador (Super)	5168	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3410	6	)
	Nash Ambassador (Super)	5169	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3370	6	) Kenosha R-600501
	Nash Ambassador (Custom)	5173	Brougham	121	6	3-3/8x4-3/8	27.3	3395	5	) El Segundo RC-8701
	Nash Ambassador (Custom)	5178	4-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3445	6	)
	Nash Ambassador (Custom)	5179	2-Dr. Sedan	121	6	3-3/8x4-3/8	27.3	3380	6	)
1952	Nash Rambler (Super)	5214	2-Dr. Suburban	100	6	3-1/8x3-3/4	23.4	2515	5	)
	Nash Rambler (Custom)	5221	Conv. Sedan	100	6	3-1/8x3-3/4	23.4	2430	5	) Kenosha D-79501
	Nash Rambler (Custom)	5224	Station Wagon	100	6	3-1/8x3-3/4	23.4	2515	5	) El Segundo DC-4101
	Nash Rambler (Custom)	5227	Hard Top Conv.	100	6	3-1/8x3-3/4	23.4	2420	5	)
	Nash Statesman (Super)	5245	4-Dr. Sedan	114-1/4	6	3-1/8x4-1/4	23.4	3045	6	)
	Nash Statesman (Super)	5246	2-Dr. Sedan	114-1/4	6	3-1/8x4-1/4	23.4		6	) Kenosha K-519001
	Nash Statesman (Custom)	5255	4-Dr. Sedan	114-1/4	6	3-1/8x4-1/4	23.4	3070	6	) El Segundo KC-37001

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1952	Nash Statesman (Custom)	5256	2-Dr. Sedan	114-1/4	6	3-1/8x4-1/4	23.44	3070	6	) Kenosha K-519001
	Nash Statesman (Custom)	5257	Hard Top Conv.	114-1/4	6	3-1/8x4-1/4	23.44	3070	6	) El Segundo KC-37001
	Nash Ambassador (Super)	5265	4-Dr. Sedan	121-1/4	6	3-1/2x4-3/8	29.44		6	)
	Nash Ambassador (Super)	5266	2-Dr. Sedan	121-1/4	6	3-1/2x4-3/8	29.44		6	)
	Nash Ambassador (Custom)	5275	4-Dr. Sedan	121-1/4	6	3-1/2x4-3/8	29.44	3480	6	) Kenosha R-656001
	Nash Ambassador (Custom)	5276	2-Dr. Sedan	121-1/4	6	3-1/2x4-3/8	29.44		6	) El Segundo RC-14501
	Nash Ambassador (Custom)	5277	Hard Top Conv.	121-1/4	6	3-1/2x4-3/8	29.44		6	)
1953	Nash-Healey	25262	Conv. Sports Car	102	6	3-3/8x4-3/8	27.34		2	)
	Nash Rambler (Super)	5314	2-Dr. Suburban	100	6	3-1/8x4*	23.44	2555	6	)
	Nash Rambler (Custom)	5321	2-Dr. Conv.	100	6	3-1/8x4	23.44	2590	6	) (K) D-127501
	Nash Rambler (Custom)	5324	2-Dr. Station Wagon	100	6	3-1/8x4	23.44	2570	6	) (El.) DC-9001
	Nash Rambler (Custom)	5327	2-Dr. Cty. Clb.	100	6	3-1/8x4	23.44	2550	6	)
	Nash Statesman (Super)	5345	4-Dr. Trunk Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3045	6	)
	Nash Statesman (Super)	5346	2-Dr. Club Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3025	6	)
	Nash Statesman (Custom)	5355	4-Dr. Trunk Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3070	6	) (K) K-563501
	Nash Statesman (Custom)	5356	2-Dr. Club Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3050	6	) (El.) KC-43001
	Nash Statesman (Custom)	5357	2-Dr. Cty. Clb.	114 1/4	6	3-1/8x4-1/4	23.44	3095	6	)
	Nash Ambassador (Super)	5365	4-Dr. Trunk Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3430	6	)
	Nash Ambassador (Super)	5366	2-Dr. Club Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3410	6	)
	Nash Ambassador (Custom)	5375	4-Dr. Trunk Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3480	6	) R-692101
	Nash Ambassador (Custom)	5376	2-Dr. Club Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3450	6	) RC-19001
	Nash Ambassador (Custom)	5377	2-Dr. Hd. Top Con.	121 1/4	6	3-1/2x4-3/8	29.4	3550	6	)
	Nash-Healey	25362	Conv. Sports Car	102	6	3-1/2x4-3/8	29.4	2700	2	)
	Nash-Healey	25367	Hd. Top Sports Car	108	6	3-1/2x4-3/8	29.4	2970	2	)
1954**	Nash Rambler (Deluxe)	5406	2-Dr. Deluxe Sedan	100	6	3-1/8x4	23.44	2460	6	)
	Nash Rambler (Super)	5415	4-Dr. Trunk Sedan	108	6	3-1/8x4-1/4	23.44	2605	6	) (K) D-171501
	Nash Rambler (Super)	5416	2-Dr. Sedan	100	6	3-1/8x4	23.44	2485	6	) (El.) DC-12301
	Nash Rambler (Super)	5417	2-Dr. Cty. Club	100	6	3-1/8x4	23.44	2500	6	)
	Nash Rambler (Super)	5414	2-Dr. Suburban	100	6	3-1/8x4	23.44	2555	6	)
	Nash Rambler (Custom)	5421	2-Dr. Convertible	100	6	3-1/8x4	23.44	2590	6	)
	Nash Rambler (Custom)	5424	2-Dr. Sta. Wag.	100	6	3-1/8x4	23.44	2570	6	)
	Nash Rambler (Custom)	5427	2-Dr. Cty. Club	100	6	3-1/8x4	23.44	2550	6	)
	Nash Rambler (Custom)	5425	4-Dr. Trunk Sedan	108	6	3-1/8x4-1/4	23.44	2665	6	)
	Nash Rambler (Custom)	5428	4-Dr. Cross Cty.	108	6	3-1/8x4-1/4	23.44	2750	6	)

* 3-1/8x4-1/4 (Hydra-Matic)

**See Page 33 for Metropolitan specs.

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1954	Nash Statesman (Super)	5445	4-Dr. Trunk Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3045	6	)
	Nash Statesman (Super)	5446	2-Dr. Club Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3025	6	) K-615501
	Nash Statesman (Custom)	5455	4-Dr. Trunk Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3070	6	) KC-47201
	Nash Statesman (Custom)	5457	2-Dr. Cty. Club	114 1/4	6	3-1/8x4-1/4	23.44	3095	6	)
	Nash Ambassador (Super)	5465	4-Dr. Trunk Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3430	6	)
	Nash Ambassador (Super)	5466	2-Dr. Club Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3410	6	) R-722501
	Nash Ambassador (Custom)	5475	4-Dr. Trunk Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3480	6	) RC-22001
	Nash Ambassador (Custom)	5477	2-Dr. Cty. Club	121 1/4	6	3-1/2x4-3/8	29.4	3550	6	)
1955	Nash Rambler (Super)	5514-1	2-Dr. Sub. Sta. Wag	100	6	3-1/8x4-1/4	23.44	2520	6	)
	Nash Rambler (Deluxe)	5515	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2570	6	)
	Nash Rambler (Super)	5515-1	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2570	6	)
	Nash Rambler (Custom)	5515-2	4-Dr. Custom Sed.	108	6	3-1/8x4-1/4	23.44	2630	6	) (K) D-205001
	Nash Rambler (Deluxe)	5516	2-Dr. Club Sedan	100	6	3-1/8x4-1/4	23.44	2485	6	) (El.) DC-15001
	Nash Rambler (Super)	5516-1	2-Dr. Club Sedan	100	6	3-1/8x4-1/4	23.44	2485	6	)
	Nash Rambler (Custom)	5517-2	2-Dr. Club Sedan	100	6	3-1/8x4-1/4	23.44	2515	6	)
	Nash Rambler (Custom)	5518-2	4-Dr. Cty. Clb. Sta. Wag.	108	6	3-1/8x4-1/4	23.44	2715	6	)
	Nash Statesman (Super)	5545-1	4-Dr. Super Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3134	6	)
	Nash Statesman (Custom)	5545-2	4-Dr. Custom Sed.	114 1/4	6	3-1/8x4-1/4	23.44	3204	6	) (K) K-635001
	Nash Statesman (Custom)	5547-2	Custom Cty. Club	114 1/4	6	3-1/8x4-1/4	23.44	3220	6	) (El.) KC-48101
	Nash Ambassador (Super 6)	5565-1	4-Dr. Super Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3538	6	)
	Nash Ambassador (Custom)	5565-2	4-Dr. Custom Sed.	121 1/4	6	3-1/2x4-3/8	29.4	3576	6	) (K) R-742901
	Nash Ambassador (Custom)	5567-2	Custom Cty. Club	121 1/4	6	3-1/2x4-3/8	29.4	3593	6	) (El.) RC-23001
	Nash Ambassador (Super 8)	5585-1	4-Dr. Super Sedan	121 1/4	8	3-13/16x3-1/2	46.5	3795	6	)
	Nash Ambassador (Custom)	5585-2	4-Dr. Custom Sed.	121 1/4	8	3-13/16x3-1/2	46.5	3827	6	) (K) V-1001
	Nash Ambassador (Custom)	5587-2	Custom Cty. Club	121 1/4	8	3-13/16x3-1/2	46.5	3839	6	) (El.) VC-1001
1956	*Metropolitan	561	Convertible	85	4	2-7/8x3-1/2	13.22	1835	2	)
	Metropolitan	562	2-Dr. Hard Top	85	4	2-7/8x3-1/2	13.22	1875	2	) E-21008
	Rambler (Deluxe)	5615	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2891	6	)
	Rambler (Super)	5615-1	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2906	6	) D-276101
	Rambler (Super)	5618-1	Station Wagon (4-Dr)	108	6	3-1/8x4-1/4	23.44	2992	6	)

*The Metropolitan, introduced in the U.S. in March, 1954, was built in England by Austin. The first or "A" series began with Serial E-1001 and ended with Serial E-11000; Series "B" with slight engine modifications began with E-11001 and ended with E-21007. Series 1500 is shown above, with first serial number E-21008. Only other specifications variations -- Bore & stroke of Series A and B was 2-37/64 x 3-1/2; and N. A. C. C. hp was 10.63.

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1956	Rambler (Custom)	5615-2	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2929	6	)
	Rambler (Custom)	5618-2	4-Dr. Station Wag.	108	6	3-1/8x4-1/4	23.44	3110	6	) D-276101
	Rambler (Custom)	5619-2	4-Dr. Hd. Top Sed.	108	6	3-1/8x4-1/4	23.44	2990	6	)
	Rambler (Custom)	5613-2	4-Dr. Hd. Top Sta. Wag.	108	6	3-1/8x4-1/4	23.44	3095	6	)
	Nash Statesman (Super)	5645-1	4-Dr. Sedan	114 1/4	6	3-1/8x4-1/4	23.44	3199	6	K-649201
	Nash Ambassador Special V-8 (Super)	5655-1	4-Dr. Sedan	114 1/4	8	3-1/2x3-1/4	39.2	3476	6	)
	Nash Ambassador Special V-8 (Super)	5657-1	2-Dr. Hard Top	114 1/4	8	3-1/2x3-1/4	39.2	3504	6	) U-1001
	Nash Ambassador Special V-8 (Custom)	5655-2	4-Dr. Sedan	114 1/4	8	3-1/2x3-1/4	39.2	3567	6	)
	Nash Ambassador Six	5665-1	4-Dr. Sedan	121 1/4	6	3-1/2x4-3/8	29.4	3555	6	R-757901
	Nash Ambassador V-8 (Super)	5685-1	4-Dr. Sedan	121 1/4	8	4 x 3-1/2	51.2	3748	6	)
	Nash Ambassador V-8 (Custom)	5685-2	4-Dr. Sedan	121 1/4	8	4 x 3-1/2	51.2	3846	6	) V-11501
	Nash Ambassador V-8 (Custom)	5687-2	2-Dr. Hard Top	121 1/4	8	4 x 3-1/2	51.2	3854	6	)
1957	Rambler Rebel	5730	4-Dr. Cus. Hd. Tp.	108	8	4 x 3-1/4	51.2	3311	6	F-1001
	Rambler Six (Deluxe)	5715	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2911	6	)
	Rambler Six (Super)	5715-1	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2914	6	)
	Rambler Six (Custom)	5715-2	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2938	6	)
	Rambler Six (Super)	5719-1	4-Dr. Hard Top	108	6	3-1/8x4-1/4	23.44	2936	6	) D-341001
	Rambler Six (Super)	5718-1	4-Dr. Cross Cty. Sta. Wag.	108	6	3-1/8x4-1/4	23.44	3042	6	)
	Rambler Six (Custom)	5718-2	4-Dr. Cross Cty. Sta. Wag.	108	6	3-1/8x4-1/4	23.44	3076	6	)
	Rambler V-8 (Super)	5725-1	4-Dr. Sedan	108	8	3-1/8x3-1/4	39.2	3223	6	)
	Rambler V-8 (Custom)	5725-2	4-Dr. Sedan	108	8	3-1/8x3-1/4	39.2	3259	6	)
	Rambler V-8 (Custom)	5729-2	4-Dr. Hard Top	108	8	3-1/8x3-1/4	39.2	3269	6	) A-1001
	Rambler V-8 (Super)	5728-1	4-Dr. Cross Cty. Sta. Wag.	108	8	3-1/8x3-1/4	39.2	3359	6	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1957	Rambler V-8 (Custom)	5728-2	4-Dr. Cross Cty. Sta. Wag.	108	8	3-1/8x3-1/4	39.2	3392	6	)
	Rambler V-8 (Custom)	5723-2	4-Dr. Hd. Top Cross Cty. Sta. Wag.	108	8	3-1/8x3-1/4	39.2	3400	6	) A-1001
	Nash Ambassador V-8 (Super)	5785-1	4-Dr. Sedan	121 1/4	8	4 x 3-1/4	51.2	3639	6	)
	Nash Ambassador V-8 (Custom)	5785-2	4-Dr. Sedan	121 1/4	8	4 x 3-1/4	51.2	3701	6	) V-16501
	Nash Ambassador V-8 (Super)	5787-1	2-Dr. Cty. Clb. Hard Top	121 1/4	8	4 x 3-1/4	51.2	3655	6	)
	Nash Ambassador V-8 (Custom)	5787-2	2-Dr. Cty. Clb. Hard Top	121 1/4	8	4 x 3-1/4	51.2	3722	6	)
1958	Rambler Six (Deluxe)	5815	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2947	6	)
	Rambler Six (Super)	5815-1	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2960	6	)
	Rambler Six (Custom)	5815-2	4-Dr. Sedan	108	6	3-1/8x4-1/4	23.44	2968	6	)
	Rambler Six (Super)	5819-1	4-Dr. Cty. Clb. Hard Top	108	6	3-1/8x4-1/4	23.44	2983	6	)
	Rambler Six (Deluxe)	5818	4-Dr. Cross Cty. Sta. Wag.	108	6	3-1/8x4-1/4	23.44	3056	6	) D-409001
	Rambler Six (Super)	5818-1	4-Dr. Cross Cty. Sta. Wag.	108	6	3-1/8x4-1/4	23.44	3069	6	)
	Rambler Six (Custom)	5818-2	4-Dr. Cross Cty. Sta. Wag.	108	6	3-1/8x4-1/4	23.44	3079	6	)
	Rambler Rebel V-8 (Deluxe)	5825	4-Dr. Sedan	108	8	3-1/2x3-1/4	39.2	3287	6	)
	Rambler Rebel V-8 (Super)	5825-1	4-Dr. Sedan	108	8	3-1/2x3-1/4	39.2	3300	6	)
	Rambler Rebel V-8 (Custom)	5825-2	4-Dr. Sedan	108	8	3-1/2x3-1/4	39.2	3313	6	)
	Rambler Rebel V-8 (Custom)	5829-2	4-Dr. Cty. Clb. Hard Top	108	8	3-1/2x3-1/4	39.2	3328	6	) A-16001
	Rambler Rebel V-8 (Super)	5828-1	4-Dr. Cross Cty. Sta. Wag.	108	8	3-1/2x3-1/4	39.2	3410	6	)
	Rambler Rebel V-8 (Custom)	5828-2	4-Dr. Cross Cty. Sta. Wag.	108	8	3-1/2x3-1/4	39.2	3418	6	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1958	Rambler Ambassador V-8 (Super)	5885-1	4 Dr. Sedan	117	8	4 x 3-1/4	51.2	3456	6	)
	Rambler Ambassador V-8 (Custom)	5885-2	4-Dr. Sedan	117	8	4 x 3-1/4	51.2	3462	6	)
	Rambler Ambassador V-8 (Custom)	5889-2	4-Dr. Cty. Clb. Hard Top	117	8	4 x 3-1/4	51.2	3475	6	)
	Rambler Ambassador V-8 (Super)	5888-1	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3-1/4	51.2	3544	6	)
	Rambler Ambassador V-8 (Custom)	5888-2	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3-1/4	51.2	3568	6	)
	Rambler Ambassador V-8 (Custom)	5883-2	4-Dr. Hd. Tp. Crs.Cty.Sta.Wag.	117	8	4 x 3-1/4	51.2	3586	6	)
	Rambler American (Deluxe)	5802 (Fleet)	2-Dr. Bus. Coupe	100	6	3-1/8x4-1/4	23.44	2439	3	)
	Rambler American (Deluxe)	5806	2-Dr. Sedan	100	6	3-1/8x4-1/4	23.44	2463	5	)
	Rambler American (Super)	5806-1	2-Dr. Sedan	100	6	3-1/8x4-1/4	23.44	2475	5	)
1959	Rambler Six (Deluxe)	5915	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2934	6	)
	Rambler Six (Super)	5915-1	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2951	6	)
	Rambler Six (Custom)	5915-2	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2956	6	)
	Rambler Six (Super)	5919-1	4-Dr. Cty. Clb. Hd. Tp.	108	6	3.125 x 4.25	23.44	2961	6	)
	Rambler Six (Deluxe)	5918	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3068	6	)
	Rambler Six (Super)	5918-1	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3082	6	)
	Rambler Six (Custom)	5918-2	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3097	6	)
	Rambler Rebel V-8 (Deluxe)	5925	4-Dr. Sedan	108	8	3.5 x 3.25	39.2	3274	6	)
	Rambler Rebel V-8 (Super)	5925-1	4-Dr. Sedan	108	8	3.5 x 3.25	39.2	3287	6	)
	Rambler Rebel V-8 (Custom)	5925-2	4-Dr. Sedan	108	8	3.5 x 3.25	39.2	3295	6	)
	Rambler Rebel V-8 (Custom)	5929-2	4-Dr. Cty. Clb. Hd. Tp.	108	8	3.5 x 3.25	39.2	3338	6	)
	Rambler Rebel V-8 (Super)	5928-1	4-Dr. Cross Cty. Sta. Wag.	108	8	3.5 x 3.25	39.2	3398	6	)
	Rambler Rebel V-8 (Custom)	5928-2	4-Dr. Cross Cty.	108	8	3.5 x 3.25	39.2	3407	6	)
										)
										)
										)
										)
										)
										)
										)
										)
										)
										)
										)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1959	Rambler Ambassador (Super)	5985-1	4-Dr. Sedan	117	8	4 x 3.25	51.2	3428	6	)
	Rambler Ambassador (Custom)	5985-2	4-Dr. Sedan	117	8	4 x 3.25	51.2	3437	6	)
	Rambler Ambassador (Custom)	5989-2	4-Dr. Cty. Clb. Hd. Tp.	117	8	4 x 3.25	51.2	3483	6	)
	Rambler Ambassador (Super)	5988-1	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3.25	51.2	3546	6	)
	Rambler Ambassador (Custom)	5988-2	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3.25	51.2	3562	6	)
	Rambler Ambassador (Custom)	5983-2	4-Dr. Hd. Tp. Crs. Cty. Sta. Wag.	117	8	4 x 3.25	51.2	3591	6	)
	Rambler American (Deluxe)	5906	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2476	5	)
	Rambler American (Super)	5906-1	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2492	5	)
	Rambler American (Deluxe)	5902	2-Dr. Bus. Coupe	100	6	3.125 x 4.25	23.44	2435	5	)
	Rambler American (Deluxe)	5904	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2554	5	)
	Rambler American (Super)	5904-1	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2570	5	)
1960	Rambler Six (Deluxe)	6015	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2918	6	)
	Rambler Six (Super)	6015-1	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2948	6	)
	Rambler Six (Custom)	6015-2	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2949	6	)
	Rambler Six (Custom)	6019-2	4-Dr. Cty. Clb. Hd. Tp.	108	6	3.125 x 4.25	23.44	2981	6	)
	Rambler Six (Deluxe)	6018	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3055	6	)
	Rambler Six (Super)	6018-1	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3071	6	)
	Rambler Six (Custom)	6018-2	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3074	6	)
	Rambler Six (Super)	6018-3	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	6	3.125 x 4.25	23.44	3144	8	)
	Rambler Six (Custom)	6018-4	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	6	3.125 x 4.25	23.44	3155	8	)
	Rambler Rebel V-8 (Deluxe)	6025 (Fleet)	4-Dr. Sedan	108	8	3.5 x 3.25	39.2	3252	6	)
	Rambler Rebel V-8 (Super)	6025-1	4-Dr. Sedan	108	8	3.5 x 3.25	39.2	3282	6	)
	Rambler Rebel V-8 (Custom)	6025-2	4-Dr. Sedan	108	8	3.5 x 3.25	39.2	3292	6	)
										)
										)
										)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1960	Rambler Rebel V-8 (Custom)	6029-2	4-Dr. Cty. Clb. Hd. Tp.	108	8	3.5 x 3.25	39.2	3319	6	)
	Rambler Rebel V-8 (Super)	6028-1	4-Dr. Cross Cty. Sta. Wag.	108	8	3.5 x 3.25	39.2	3408	6	) A-100,001
	Rambler Rebel V-8 (Custom)	6028-2	4-Dr. Cross Cty. Sta. Wag.	108	8	3.5 x 3.25	39.2	3408	6	)
	Rambler Rebel V-8 (Super)	6028-3	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	8	3.5 x 3.25	39.2	3459	8	)
	Rambler Rebel V-8 (Custom)	6028-4	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	8	3.5 x 3.25	39.2	3430	8	)
	Rambler Ambassador V-8 (Deluxe)	6085 (Fleet)	4-Dr. Sedan	117	8	4 x 3.25	51.2	3334	6	)
	Rambler Ambassador V-8 (Super)	6085-1	4-Dr. Sedan	117	8	4 x 3.25	51.2	3414	6	)
	Rambler Ambassador V-8 (Custom)	6085-2	4-Dr. Sedan	117	8	4 x 3.25	51.2	3426	6	)
	Rambler Ambassador V-8 (Custom)	6089-2	4-Dr. Cty. Clb. Hd. Tp.	117	8	4 x 3.25	51.2	3465	6	)
	Rambler Ambassador V-8 (Super)	6088-1	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3.25	51.2	3551	6	)
	Rambler Ambassador V-8 (Custom)	6088-2	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3.25	51.2	3553	6	) H-100,001
	Rambler Ambassador V-8 (Custom)	6083-2	4-Dr. Cross Cty. Hd. Tp. Sta. Wag.	117	8	4 x 3.25	51.2	3583	6	)
	Rambler Ambassador V-8 (Super)	6088-3	4-Dr. Cross Cty. Sta. Wag. (3-seat)	117	8	4 x 3.25	51.2	3581	8	)
	Rambler Ambassador V-8 (Custom)	6088-4	4-Dr. Cross Cty. Sta. Wag. (3-seat)	117	8	4 x 3.25	51.2	3592	8	)
	Rambler American (Deluxe)	6006	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2469	5	)
	Rambler American (Super)	6006-1	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2486	5	)
	Rambler American (Custom)	6006-2	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2529	5	)
	Rambler American (Deluxe)	6002 (Fleet)	2-Dr. Bus. Coupe	100	6	3.125 x 4.25	23.44	2428	3	)
	Rambler American (Deluxe)	6004	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2539	5	) B-100,001
	Rambler American (Super)	6004-1	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2566	5	)
	Rambler American (Custom)	6004-2	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2609	5	)
	Rambler American (Deluxe)	6005	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2494	5	)
	Rambler American (Super)	6005-1	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2521	5	)
	Rambler American (Custom)	6005-2	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2559	5	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1961	Rambler Classic 6 (Deluxe)	6115	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2905	6	)
	Rambler Classic 6 (Super)	6115-1	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2913	6	)
	Rambler Classic 6 (Custom)	6115-2	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2842	6	)
	Rambler Classic 6 (Custom 400)	6115-5	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2873	6	)
	Rambler Classic 6 (Deluxe)	6118	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3037	6	) C-400,001
	Rambler Classic 6 (Super)	6118-1	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	3046	6	)
	Rambler Classic 6 (Custom)	6118-2	4-Dr. Cross Cty. Sta. Wag.	108	6	3.125 x 4.25	23.44	2984	6	)
	Rambler Classic 6 (Super)	6118-3	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	6	3.125 x 4.25	23.44	3087	8	)
	Rambler Classic 6 (Custom)	6118-4	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	6	3.125 x 4.25	23.44	3023	8	)
	Rambler Classic V-8 (Deluxe)	6125 (Fleet)	4-Dr. Sedan	108	8	3.5 x 3.25	39.20	3237	6	)
	Rambler Classic V-8 (Super)	6125-1	4-Dr. Sedan	108	8	3.5 x 3.25	39.20	3245	6	)
	Rambler Classic V-8 (Custom)	6125-2	4-Dr. Sedan	108	8	3.5 x 3.25	39.20	3252	6	)
	Rambler Classic V-8 (Custom 400)	6125-5	4-Dr. Sedan	108	8	3.5 x 3.25	39.20	3283	6	)
	Rambler Classic V-8 (Super)	6128-1	4-Dr. Cross Cty. Sta. Wag.	108	8	3.5 x 3.25	39.20	3372	6	) A-118,001
	Rambler Classic V-8 (Custom)	6128-2	4-Dr. Cross Cty. Sta. Wag.	108	8	3.5 x 3.25	39.20	3378	6	)
	Rambler Classic V-8 (Super)	6128-3	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	8	3.5 x 3.25	39.20	3408	8	)
	Rambler Classic V-8 (Custom)	6128-4	4-Dr. Cross Cty. Sta. Wag. (3-seat)	108	8	3.5 x 3.25	39.20	3420	8	)
	Rambler Ambassador V-8 (Deluxe)	6185 (Fleet)	4-Dr. Sedan	117	8	4 x 3.25	51.20	3343	6	)
	Rambler Ambassador V-8 (Super)	6185-1	4-Dr. Sedan	117	8	4 x 3.25	51.20	3351	6	)
	Rambler Ambassador V-8 (Custom)	6185-2	4-Dr. Sedan	117	8	4 x 3.25	51.20	3370	6	)
	Rambler Ambassador V-8 (Custom 400)	6185-5	4-Dr. Sedan	117	8	4 x 3.25	51.20	3387	6	)
	Rambler Ambassador V-8 (Super)	6188-1	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3.25	51.20	3493	6	) H-125,001
	Rambler Ambassador V-8 (Custom)	6188-2	4-Dr. Cross Cty. Sta. Wag.	117	8	4 x 3.25	51.20	3495	6	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1961	Rambler Ambassador V-8 (Super)	6188-3	4-Dr. Cross Cty. Sta. Wag. (3-seat)	117	8	4 x 3.25	51.20	3560	8	)
	Rambler Ambassador V-8 (Custom)	6188-4	4-Dr. Cross Cty. Sta. Wag. (3-seat)	117	8	4 x 3.25	51.20	3566	8	)
	Rambler American (Deluxe)	6102 (Fleet)	2-Dr. Bus. Coupe	100	6	3.125 x 4.25	23.44	2454	3	)
	Rambler American (Deluxe)	6106	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2480	6	)
	Rambler American (Super)	6106-1	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2489	6	)
	Rambler American (Custom)	6106-2	2-Dr. Sedan	100	6	3.125 x 4.25	23.44	2547	6	)
	Rambler American (Deluxe)	6104	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2539	6	)
	Rambler American (Super)	6104-1	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2546	6	)
	Rambler American (Custom)	6104-2	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2607	6	)
	Rambler American (Deluxe)	6105	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2513	6	)
	Rambler American (Super)	6105-1	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2520	6	) B-221,001
	Rambler American (Custom)	6105-2	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2578	6	)
	Rambler American (Custom 400)	6105-5	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2606	6	)
	Rambler American (Deluxe)	6108	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2583	6	)
	Rambler American (Super)	6108-1	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2590	6	)
	Rambler American (Custom)	6108-2	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2648	6	)
	Rambler American (Custom)	6107-2	2-Dr. Convert.	100	6	3.125 x 4.25	23.44	2732	6	)
	Rambler American (Custom 400)	6107-5	2-Dr. Convert.	100	6	3.125 x 4.25	23.44	2745	6	)
1962	Rambler Classic 6 (Deluxe)	6216	2-Dr. Clb. Sedan	108	6	3.125 x 4.25	23.44	2366	6	)
	Rambler Classic 6 (Custom)	6216-2	2-Dr. Clb. Sedan	108	6	3.125 x 4.25	23.44	2376	6	)
	Rambler Classic 6 (400)	6216-5	2-Dr. Clb. Sedan	108	6	3.125 x 4.25	23.44	2341	6	)
	Rambler Classic 6 (Deluxe)	6215	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2388	6	)
	Rambler Classic 6 (Custom)	6215-2	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2398	6	) C-625,001
	Rambler Classic 6 (400)	6215-5	4-Dr. Sedan	108	6	3.125 x 4.25	23.44	2353	6	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1962	Rambler Classic 6 (Deluxe)	6218	4-Dr. Sta. Wag.	108	6	3.125 x 4.25	23.44	3014	6	)
	Rambler Classic 6 (Custom)	6218-2	4-Dr. Sta. Wag.	108	6	3.125 x 4.25	23.44	3024	6	)
	Rambler Classic 6 (400)	6218-5	4-Dr. Sta. Wag.	108	6	3.125 x 4.25	23.44	2985	6	)
	Rambler Classic 6 (Custom)	6218-4	4-Dr. Sta. Wag. (3-seat)	108	6	3.125 x 4.25	23.44	3094	8	)
	Rambler Ambassador V-8 (Deluxe)	6286 (Fleet)	2-Dr. Clb. Sedan	108	8	4 x 3.25	51.20	3227	6	)
	Rambler Ambassador V-8 (Custom)	6286-2	2-Dr. Clb. Sedan	108	8	4 x 3.25	51.20	3237	6	)
	Rambler Ambassador V-8 (400)	6286-5	2-Dr. Clb. Sedan	108	8	4 x 3.25	51.20	3261	6	)
	Rambler Ambassador V-8 (Deluxe)	6285 (Fleet)	4-Dr. Sedan	108	8	4 x 3.25	51.20	3249	6	)
	Rambler Ambassador V-8 (Custom)	6285-2	4-Dr. Sedan	108	8	4 x 3.25	51.20	3259	6	) H-160,001
	Rambler Ambassador V-8 (400)	6285-5	4-Dr. Sedan	108	8	4 x 3.25	51.20	3283	6	)
	Rambler Ambassador V-8 (Deluxe)	6288 (Fleet)	4-Dr. Sta. Wag.	108	8	4 x 3.25	51.20	3375	6	)
	Rambler Ambassador V-8 (Custom)	6288-2	4-Dr. Sta. Wag.	108	8	4 x 3.25	51.20	3385	6	)
	Rambler Ambassador V-8 (400)	6288-5	4-Dr. Sta. Wag.	108	8	4 x 3.25	51.20	3408	6	)
	Rambler Ambassador V-8 (400)	6288-6	4-Dr. Sta. Wag. (3-seat)	108	8	4 x 3.25	51.20	3471	8	)
	Rambler American (Deluxe)	6202 (Fleet)	2-Dr. Bus. Coupe	100	6	3.125 x 4.25	23.44	2454	3	)
	Rambler American (Deluxe)	6206	2-Dr. Clb. Sedan	100	6	3.125 x 4.25	23.44	2480	6	)
	Rambler American (Custom)	6206-2	2-Dr. Clb. Sedan	100	6	3.125 x 4.25	23.44	2492	6	)
	Rambler American (400)	6206-5	2-Dr. Clb. Sedan	100	6	3.125 x 4.25	23.44	2558	6	)
	Rambler American (400)	6207-5	2-Dr. Convert.	100	6	3.125 x 4.25	23.44	2735	5	)
	Rambler American (Deluxe)	6205	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2500	6	)
	Rambler American (Custom)	6205-2	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2512	6	) B-375,001
	Rambler American (400)	6205-5	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2585	6	)
	Rambler American (Deluxe)	6204	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2555	6	)
	Rambler American (Custom)	6204-2	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2565	6	)

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.		
1962	Rambler American (Deluxe)	6208	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2573	6	)		
	Rambler American (Custom)	6208-2	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2500	6		)	
	Rambler American (400)	6208-5	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2592	6		)	
1963	Rambler Classic 6 * (550)	6316	2-Dr. Clb. Sedan	112	6	3.125 x 4.25	23.44	2720	6	)	G-100,001	
	Rambler Classic 6 (660)	6316-2	2-Dr. Clb. Sedan	112	6	3.125 x 4.25	23.44	2725	6	)		
	Rambler Classic 6 (770)	6316-5	2-Dr. Clb. Sedan	112	6	3.125 x 4.25	23.44	2563	6	)		
	Rambler Classic 6 (550)	6315	4-Dr. Sedan	112	6	3.125 x 4.25	23.44	2729	6	)		
	Rambler Classic 6 (660)	6315-2	4-Dr. Sedan	112	6	3.125 x 4.25	23.44	2740	6	)		
	Rambler Classic 6 (770)	6315-5	4-Dr. Sedan	112	6	3.125 x 4.25	23.44	2686	6	)		
	Rambler Classic 6 (550)	6318	4-Dr. Sta. Wag.	112	6	3.125 x 4.25	23.44	2893	6	)		
	Rambler Classic 6 (660)	6318-2	4-Dr. Sta. Wag.	112	6	3.125 x 4.25	23.44	2890	6	)		
	Rambler Classic 6 (770)	6318-5	4-Dr. Sta. Wag.	112	6	3.125 x 4.25	23.44	2828	6	)		
	Rambler Classic 6 (660)	6318-4	4-Dr. Sta. Wag. (3-seat)	112	6	3.125 x 4.25	23.44	2885	8	)		
	Rambler Ambassador V-8 (800)	6386 (Fleet)	2-Dr. Clb. Sedan	112	8	4 x 3.25	51.20	3110	6	)		
	Rambler Ambassador V-8 (880)	6386-2	2-Dr. Clb. Sedan	112	8	4 x 3.25	51.20	3116	6	)		
	Rambler Ambassador V-8 (990)	6386-5	2-Dr. Clb. Sedan	112	8	4 x 3.25	51.20	3132	6	)		
	Rambler Ambassador V-8 (800)	6385 (Fleet)	4-Dr. Sedan	112	8	4 x 3.25	51.20	3140	6	)		
	Rambler Ambassador V-8 (880)	6385-2	4-Dr. Sedan	112	8	4 x 3.25	51.20	3145	6	)		
	Rambler Ambassador V-8 (990)	6385-5	4-Dr. Sedan	112	8	4 x 3.25	51.20	3158	6	)		
	Rambler Ambassador V-8 (800)	6388 (Fleet)	4-Dr. Sta. Wag.	112	8	4 x 3.25	51.20	3270	6	)		
	Rambler Ambassador V-8 (880)	6388-2	4-Dr. Sta. Wag.	112	8	4 x 3.25	51.20	3275	6	)		
	Rambler Ambassador V-8 (990)	6388-5	4-Dr. Sta. Wag.	112	8	4 x 3.25	51.20	3298	6	)		
	Rambler Ambassador V-8 (990)	6388-6	4-Dr. Sta. Wag. (3-seat)	112	8	4 x 3.25	51.20	3305	8	)		H-210,001

Year	Make	Model No.	Body Style	Wheel Base	No. Cyl.	Bore and Stroke	N.A.C.C. H. P. Rating	Ship. Wgt.	No. Pass.	First Serial No.
1963	Rambler American (220)	6302 (Fleet)	2-Dr. Bus. Coupe	100	6	3.125 x 4.25	23.44	2446	3	)
	Rambler American (220)	6306	2-Dr. Clb. Sedan	100	6	3.125 x 4.25	23.44	2472	6	)
	Rambler American (330)	6306-2	2-Dr. Clb. Sedan	100	6	3.125 x 4.25	23.44	2484	6	)
	Rambler American (440)	6306-5	2-Dr. Clb. Sedan	100	6	3.125 x 4.25	23.44	2556	6	)
	Rambler American (440)	6307-5	2-Dr. Convert.	100	6	3.125 x 4.25	23.44	2743	5	)
	Rambler American (440)	6309-5	2-Dr. Hd. Tp.	100	6	3.125 x 4.25	23.44	2550	6	)
	Rambler American (440-H)	6309-7	2-Dr. Hd. Tp.	100	6	3.125 x 4.25	23.44	2567	4	)
	Rambler American (220)	6304	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2528	6	) B-515,001
	Rambler American (330)	6304-2	2-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2539	6	)
	Rambler American (220)	6305	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2485	6	)
	Rambler American (330)	6305-2	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2500	6	)
	Rambler American (440)	6305-5	4-Dr. Sedan	100	6	3.125 x 4.25	23.44	2575	6	)
	Rambler American (220)	6308	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2549	6	)
	Rambler American (330)	6308-2	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2561	6	)
	Rambler American (440)	6308-5	4-Dr. Sta. Wag.	100	6	3.125 x 4.25	23.44	2638	6	)

* Beginning in February, 1963, a V-8 engine was offered as an option in the Classic 550, 660 and 770. The same starting serial number as for the six-cylinder models was used, except that Classic V-8 model designations were preceded with the letter Z instead of G. NACC horsepower was 45.0; bore and stroke, 3.75 x 3.25. Weight: on all models, 380 lbs. greater than the cast-iron six and 450 lbs. greater than the aluminum six.

Year	Make	Body Style	No. Cyl.	Bore and Stroke	N. A. C. C. H. P. Rating	Wheelbase	Tires	No. Pass.	Serial Numbers
1921	LaFayette	Coupe	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Vestibule Sedan	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Limousine	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	5	) 1000-1905
	LaFayette	Touring	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Torpedo	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Roadster	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	3	)
1922	LaFayette	Coupe	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Vestibule Sedan	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Limousine	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	5	) 1906-2468
	LaFayette	Touring	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Torpedo	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Roadster	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	3	)
1923	LaFayette	Coupe	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Vestibule Sedan	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Limousine	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	5	) 2469-2624
	LaFayette	Touring	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Torpedo	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Roadster	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	3	)
1924	LaFayette	Coupe	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Vestibule Sedan	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Limousine	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	5	) 2625-3267
	LaFayette	Touring	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	7	)
	LaFayette	Torpedo	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	4	)
	LaFayette	Roadster	V-8	3-1/4 x 5-1/4	33.8	132	33 x 5	3	)

