

**CHEVROLET
MAKES SENSE
FOR AMERICA**



1975 Chevrolet Consumer Information

This booklet contains information on stopping distances, tire reserve loads and passing ability as required by the Consumer Information Regulations issued by the National Highway Traffic Safety Administration of the United States Department of Transportation. As permitted by

the Regulations, data for various models with differing options and accessories are often grouped in a single table. Since the Regulations require that the least favorable figures for any specific model in the group be reported for the entire group, the actual performance of most vehicles in the group will be better than the figures reported.

Data for stopping distances and passing ability were derived from tests conducted with new vehicles under optimum road conditions by highly skilled test drivers and are not necessarily representative data for a used vehicle, for many road conditions, or for the abilities of most drivers.

Consumer Information

Index

Vehicle Stopping Distances	Page 4-7
Tire Reserve Load	Page 8-9
Acceleration and Passing Ability	Page 10-11

Vehicle stopping distances

These tables give stopping distances under four different braking conditions. All Chevrolet models listed will have stopping distances equal to or better than the reported figures.

These figures represent stopping distances from 60 mph without locking the wheels and by limiting the force on the brake pedal to 150 lbs. as specified in the Consumer Information Regulation 575.101. Stopping distances may be shorter than those reported when wheels are locked or when pedal force in excess of 150 lbs. is applied.

Fully operational service brake

A fully operational service brake system is the regular braking system that applies the brakes to

all four wheels. The figures represent the stopping distances recorded under light and maximum load.

Light load includes the normal weight of the car, oil, coolant, and a full tank of gas plus 300 lbs. allowance for driver and passenger.

Maximum load is Chevrolet's recommended full-rated load. It includes oil, coolant, full tank of gas and all optional equipment that weighs over 5 lbs. plus the passenger and luggage load listed on the tire placard. (The placard is located on the rear face of the driver's door.)

Emergency service brake system

The emergency service brake system means that only a portion of the fully operational service brake system is in operation, either the front or rear brakes.

A red light in the instrument panel indicates when this condition exists. The figure represents the most adverse condition, whether at light or maximum loads, when two of the four service brakes are purposely deactivated.

Brake power unit failure

The figure applies only to cars equipped with power brakes and represents the stopping distance recorded under maximum load after purposely deactivating the power assist unit. Brake power unit failure means the loss of power assist only and does not imply the loss of ability to stop the car. However, in case of power assist failure, it does require more force on the brake pedal to stop than it does to stop a car equipped with non-powered brakes.

NOTICE: These tables indicate braking performance that can be met or exceeded by the vehicles to which each table applies, without locking the wheels, under different conditions of loading and with partial failures of the braking system. The information presented represents results obtainable by skilled drivers under controlled road and vehicle conditions, and the information may not be correct under other conditions.

APPLIES TO ALL SEDAN,
COUPE AND CONVERTIBLE
MODELS OF

CAPRICE CLASSIC

IMPALA

BEL AIR

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
MODELS OF

MONTE CARLO

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
SEDAN AND COUPE
MODELS OF

LAGUNA TYPE S-I

MALIBU CLASSIC

MALIBU

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
WAGON MODELS OF
CAPRICE ESTATE

IMPALA

SEL AIR

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
WAGON MODELS OF
MALIBU CLASSIC ESTATE

MALIBU CLASSIC

MALIBU

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
MODELS OF
CAMARO TYPE LT
CAMARO

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
MODELS OF

NOVA CUSTOM

NOVA

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
MODELS OF

VEGA

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
MODELS OF

MONZA

2+2

WITH
DISC BRAKES FRONT—
DRUM BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



APPLIES TO ALL
MODELS OF

CORVETTE

WITH
DISC BRAKES FRONT—
DISC BRAKES REAR

FULLY OPERATIONAL SERVICE BRAKE

Light Load


Maximum Load

EMERGENCY SERVICE BRAKE

(with Partial Service Brake System Failure)

BRAKE POWER UNIT FAILURE

Maximum Load



Tire reserve load

These tables list the tire size designations recommended by Chevrolet for use on the vehicles to which they apply, with the recommended inflation pressure for maximum loading and the tire reserve load percentage for each of the tires listed. The tire reserve load percentage indicated

is met or exceeded by all Chevrolet models to which the tables apply.

WARNING: Failure to maintain the recommended tire inflation pressure or to increase tire pressure as recommended when operating at maximum loaded vehicle weight, or loading the vehicle beyond the capacities specified on the tire

placard affixed to the vehicle, may result in unsafe operating conditions due to premature tire failure, unfavorable handling characteristics, and excessive tire wear. The tire reserve load percentage is a measure of tire capacity, not of vehicle capacity. Loading beyond the specified vehicle capacity may result in failure of other vehicle components.

Caprice Classic, Impala and Bel Air Sedans, Coupes and Convertible

Recommended Tire Size Designations		G78-15		H78-15	
		GR78-15	GR70-15	HR78-15	HR70-15
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	24	28	24	28
	Rear	28	32	28	30
Tire Reserve Load Percentage*		2.5	2.5	2.5	2.5

Monte Carlo

Recommended Tire Size Designations		GR78-15		HR78-15	
		GR78-15	GR70-15	HR78-15	HR70-15
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	28		28	
	Rear	28		28	
Tire Reserve Load Percentage*		2.5		2.5	

Laguna Type S-3, Malibu Classic and Malibu Sedans and Coupes

Recommended Tire Size Designations		Only with Six-cyl. engine					
		F78-14		G78-14	G78-14	H78-14	H78-14
		P70-14	P70-14	G78-15	G78-15	H78-15	H78-15
		FR78-15	FR70-15	GR78-15	GR78-15	HR78-15	HR78-15
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	28	32	24	28	24	28
	Rear	28	32	24	28	24	28
Tire Reserve Load Percentage*		2.5	2.5	2.5	2.5	2.5	2.5

Caprice Estate, Impala and Bel Air Station Wagons

Recommended Tire Size Designations		L78-15	LR78-15	L78-15	LR78-15	L78-15	LR78-15
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	22		22		24	
	Rear	24		26		26	
Tire Reserve Load Percentage*		2.5		2.5		2.5	

*The difference, expressed as a percentage of tire load rating, between (a) the load rating of a tire at the vehicle manufacturer's recommended inflation pressure at the maximum loaded vehicle weight and (b) the load imposed upon the tire by the vehicle at that condition.

Malibu Classic Estate, Malibu Classic and Malibu Station Wagons

Recommended Tire Size Designations		H78-14 H878-12	H78-16 H878-12	H78-14 H878-12	H78-16 H878-12	H78-14 H878-12	H78-16 H878-12
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	32		34		38	
	Rear	32		32		32	
Tire Reserve Load Percentage*		2.5		2.5		2.5	

Camaro Type LT, Camaro Sport Coupe

Recommended Tire Size Designations		E78-14		E78-14		F78-14 F78-14 F878-14	
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	24		26		28	
	Rear	24		28		24	
Tire Reserve Load Percentage*		2.5		2.5		2.5	

Nova Custom, Nova

Recommended Tire Size Designations		E78-14 E78-14		E78-14 E78-14 E78-14		F78-14 F78-14 F878-14	
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	24		26		28	
	Rear	28		30		30	
Tire Reserve Load Percentage*		2.5		2.5		2.5	

Vega

Hatchback Coupe Hatchback Coupe

Station Wagons

Recommended Tire Size Designations		A78-12 A78-12	A78-12 A78-12	B878-12 B878-12	A78-12 A78-12	A78-12 A78-12	B878-12 B878-12
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	24		24		28	
	Rear	28		28		32	
Tire Reserve Load Percentage*		2.5		2.5		2.5	

Monza 2+2

Recommended Tire Size Designations		A78-12 A78-12	A78-12 A78-12	B878-12 B878-12	B878-12 B878-12	B878-12 B878-12	B878-12 B878-12
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	24		24		28	
	Rear	28		30		30	
Tire Reserve Load Percentage*		2.5		2.5		2.5	

Corvette

Recommended Tire Size Designations		GR8-16	
Recommended Cold Inflation Pressure for Maximum Loaded Vehicle Weight	Front	30	
	Rear	30	
Tire Reserve Load Percentage*		5.0	

Acceleration and passing ability

These tables indicate passing times and distances that can be met or exceeded by all Chevrolet models to which they apply, in the situations diagrammed on the next page.

The low-speed pass assumes an initial speed of 20 mph and a limiting speed of 35 mph. The

high-speed pass assumes an initial speed of 50 mph and a limiting speed of 80 mph.

The low and high speed passing maneuvers shown on the next page are specified by the Regulation for the purposes of establishing comparable performance data.

The data below are based upon tests subsequent to Chevrolet's

500 mile recommended break-in procedure for obtaining passing ability data.

The passing ability data are based on acceleration tests performed at Chevrolet's recommended full-rated load with accessories (air conditioner or heater, windshield wipers and headlights) at maximum power consuming condition.

NOTICE: The information presented represents results obtainable by skilled drivers under controlled road and vehicle conditions, and the information may not be correct under other conditions.

Caprice Classic, Impala and Bel Air Sedans, Coupes and Convertible

Low-Speed Pass.....	437 Ft.; 10.4 Seconds
High-Speed Pass.....	1499 Ft.; 16.7 Seconds

Monte Carlo

Low-Speed Pass.....	435 Ft.; 9.7 Seconds
High-Speed Pass.....	1378 Ft.; 15.0 Seconds

Malibu Classic and Malibu Sedans and Coupes with Engines Less Than 100-Cu.-In. Displacement

Low-Speed Pass.....	447 Ft.; 10.0 Seconds
High-Speed Pass.....	1662 Ft.; 19.0 Seconds

Laguna Type S-1, Malibu Classic and Malibu Sedans and Coupes with Engines More Than 100-Cu.-In. Displacement

Low-Speed Pass.....	429 Ft.; 9.4 Seconds
High-Speed Pass.....	1390 Ft.; 15.1 Seconds

Caprice Estate, Impala and Bel Air Station Wagons

Low-Speed Pass.....	444 Ft.; 9.9 Seconds
High-Speed Pass.....	1446 Ft.; 16.0 Seconds

Malibu Classic Estate, Malibu Classic and Malibu Station Wagons

Low-Speed Pass.....	433 Ft.; 9.5 Seconds
High-Speed Pass.....	1467 Ft.; 16.3 Seconds

Camaro with Engines Less Than 100-Cu.-In. Displacement

Low-Speed Pass.....	435 Ft.; 9.7 Seconds
High-Speed Pass.....	1516 Ft.; 17.0 Seconds

Camaro Type LT and Camaro with Engines More Than 100-Cu.-In. Displacement

Low-Speed Pass.....	413 Ft.; 8.9 Seconds
High-Speed Pass.....	1330 Ft.; 14.4 Seconds

Nova Custom and Nova with Engines Less Than 100-Cu.-In. Displacement

Low-Speed Pass.....	455 Ft.; 10.2 Seconds
High-Speed Pass.....	1655 Ft.; 18.6 Seconds

Nova Custom and Nova with Engines More Than 100-Cu.-In. Displacement

Low-Speed Pass.....	414 Ft.; 9.0 Seconds
High-Speed Pass.....	1452 Ft.; 16.0 Seconds

Corvette

Low-Speed Pass.....	407 Ft.; 8.6 Seconds
High-Speed Pass.....	1119 Ft.; 11.7 Seconds

All Vega Coupes and Station Wagons except Hatchback Coupe equipped as shown in next table

Low-Speed Pass.....	433 Ft.; 9.7 Seconds
High-Speed Pass.....	1652 Ft.; 18.8 Seconds

Vega Hatchback Coupe equipped with optional twin-cam engine

Low-Speed Pass.....	401 Ft.; 8.6 Seconds
High-Speed Pass.....	1390 Ft.; 15.3 Seconds

Manza 2+2 with Four-Cylinder Engine

Low-Speed Pass.....	430 Ft.; 9.5 Seconds
High-Speed Pass.....	1465 Ft.; 16.3 Seconds


Manza 2+2 with V6 Engine

Low-Speed Pass.....	412 Ft.; 8.9 Seconds
High-Speed Pass.....	1323 Ft.; 14.4 Seconds

INITIAL SPEED:
20 MPH

LOW SPEED PASS

LIMITING SPEED:
35 MPH




Record is made of the time and distance needed to pass a 55-foot truck traveling at a constant speed of 20 mph, as shown above. The car begins accelerating from 20 mph when 40 feet behind the

truck and the passing maneuver is considered completed when the car has reached a point 40 feet beyond the truck. The maximum speed allowed during the pass is 35 mph.

INITIAL SPEED:
50 MPH

HIGH SPEED PASS

LIMITING SPEED:
80 MPH



Record is made of the time and distance needed to pass a 55-foot truck traveling at a constant speed of 50 mph, as shown above. The car begins accelerating from 50 mph when 100 feet

behind the truck and the passing maneuver is considered completed when the car has reached a point 100 feet beyond the truck. The maximum speed allowed during the pass is 80 mph.

1975 Camaro

	Page No.
Camaro Type LT and Camaro	
Standard Equipment.....	2
Type LT Coupe 1F887—V8.....	3
Sport Coupe 1FQ87—Six or V8.....	4
Major Features.....	6
Safety and Security Features.....	7
Equipment Summary.....	8
Power Trains.....	9
Selected Options.....	10-11
Color and Trim.....	12-13
Specifications.....	14

Camaro Type LT (illustrated below)

(In addition to standard Camaro features)

- ❑ Bright grille outline molding and lower valance panel molding
- ❑ Bright parking light accents
- ❑ Hide-A-Way windshield wipers
- ❑ Bright narrow lower body side molding and black-finished body sill (in place of bright wide body sill molding)
- ❑ Bright rear panel moldings
- ❑ Luxury seat and sidewall trim
- ❑ Wood-grain vinyl accents on instrument panel
- ❑ Type LT emblem on steering wheel, front fenders, roof rear quarter and rear end panel
- ❑ Color-keyed steering wheel, column, lower instrument panel
- ❑ Special instrumentation (tachometer, voltmeter and temperature gauge plus electric clock)
- ❑ Map pockets in front doors
- ❑ Glove compartment light
- ❑ Padded door armrests with integral pull bar
- ❑ Left-hand remote-control sport mirror
- ❑ Right-hand manual sport mirror
- ❑ 14" x 7" Rally wheels with center caps and trim rings
- ❑ Additional body sound insulation including full molded hood insulator
- ❑ 350-cubic-inch V8 engine

Appearance features available for Camaro Type LT include: vinyl roof cover; front and rear air spoilers; sports decor package; style trim group; Turbine I wheels; white stripe or white lettered tires.

Camaro

- ❑ Silver-finished grilles
- ❑ Aluminum hub caps
- ❑ Aluminum bumpers with resilient impact strips
- ❑ Bright wide body sill molding
- ❑ Bright windshield molding
- ❑ Left-hand rectangular outside rearview mirror
- ❑ Wraparound taillights with built-in back-up lights
- ❑ Bright rear window moldings
- ❑ Molded full foam Strato-bucket front seats
- ❑ Bucket-styled molded full foam rear seats
- ❑ Vinyl door and sidewall panels
- ❑ Color-keyed cut-pile carpeting
- ❑ Cigarette lighter
- ❑ Center dome light with bright bezel
- ❑ Automatic dome light switches in doors
- ❑ Armrests front and rear
- ❑ Luggage compartment floor mat
- ❑ Variable-ratio power steering

Appearance features available for Camaro include: sports decor package; style trim group; body side molding with black vinyl insert; vinyl roof cover; front and rear air spoilers; Turbine I or Rally wheels; full wheel covers; white stripe or white lettered tires.



Full wheel cover (RPO PCU) available for Sport Coupe only



Turbine I wheel (RPO F81)



Type LT Rally wheel—available for Sport Coupe (RPO Z37)



Copper Sport Coupe hub cap



Camaro Type LT Coupe






Camaro Type LT Coupe



Camaro Sport Coupe

Major Features Standard on 1975 Camaros

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy ignition system; Early Fuel Evaporation system; new carburetor outside air induction system; GM Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Variable-ratio power steering
- ❑ Power-Beam headlights
- ❑ Flush-styled side windows
- ❑ Full door glass styling
- ❑ Curved side windows
- ❑ Flush-styled outside door handles
- ❑ Hide-A-Way antenna built into windshield glass (with factory-installed radio)
- ❑ Dual-speed electric windshield wipers
- ❑ Fluid-On-Demand windshield washer system
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Speedometer dial reads to 130 mph in white numbers with metric equivalents in blue
- ❑ Wide day-night inside rearview mirror
- ❑ Forward-mounted front door lock buttons
- ❑ Dual-action outside hood release
- ❑ Flow-through ventilation system
- ❑ Roll-over steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cut-pile carpet floor covering
- ❑ Molded full foam Strato-bucket front seats
- ❑ Bucket-styled molded full foam rear seats
- ❑ Built-in heated-air heater and defroster system
- ❑ 31-pallon fuel tank
- ❑ Sealed side-terminal Energizer battery with flame arrester battery cage
- ❑ Coolant recovery system
- ❑ Hydraulic valve lifters
- ❑ Delcotron generator with built-in solid-state regulator
- ❑ Flush-mounted windshield and rear window bonded to body
- ❑ Double-panel roof, door, hood and deck lid construction
- ❑ Cushioned body mounting system
- ❑ Separate front frame and cushion-mounted to body
- ❑ Inner leaders front and rear
- ❑ Coil front suspension system with computer-selected springs front and rear
- ❑ Manual disc/drum brake system with finned rear drums
- ❑ Disc brake audible wear sensors
- ❑ Self-adjusting brakes
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



Refined 250 I-Barrel Six Cylinder Engine



GM-Developed Catalytic Converter



Radial Ply Tires



High Energy Ignition System



Finned Rear Brake Drums



Fuel Filler Restrictor for Unleaded Fuel Only

Camaro Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two built-in front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Cargo-Guard luggage compartment
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment and console door latch impact security
- Smooth-contoured door and window regulator handles

- Soft, low-profile window control knobs, roof hooks, dome light
- Automatic locking front and rear outboard seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual-speed wipers
- Wide-view inside day/night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light


- Starter Safety Switch
- Dual-action safety hood latches
- Headlight aiming access provision
- Low-glass instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rims
- Uniform shift quadrant
- No winged wheel nuts, discs or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors and trunk)
- Visible vehicle identification
- Tamper-resistant odometer with telltale feature



Front Disc Brakes with Audible Wear Indicators



Contoured Roof Inner Panel



Side-Guard Beams



Cargo-Guard Luggage Compartment

Camaro Equipment Summary

Exterior	Type LT	Sport Coupe
Silver-finished grilles without moldings	NA	S
Silver-finished grilles with bright outline moldings	S	NA
Full wheel covers (RPO PO1)	NA	EC
Rally wheels (RPO Z17) center caps, and trim rings	S	EC
Turbine I Wheels (RPO PE1)	EC	EC
Style Trim (RPO Z31)	EC	EC
Hide-A-Way windshield wipers (RPO C34)	S	EC
Sport mirrors (LH remote control, RH manual)—RPO D35	S	EC
Body side molding with vinyl insert (RPO B84)	EC	EC
Bright body molding with black paint below	S	NA
Bright rocker panel molding	NA	S
Sports Decor Package (includes sport mirrors on Sport Coupe—RPO Z38)	EC	EC
Air spoilers, front and rear (RPO D60)	EC	EC

Interior

Strato-bucket front seats	S	S
Special instrumentation (RPO U14)	S	EC
Power door lock system (RPO A13)	EC	EC
Console (RPO D55)	EC	EC
Luxury seat and sidewall trim	S	NA
Simulated wood-grain accents on instrument cluster	S	EC+
Additional instrument cluster lighting	S	EC+
Interior Decor/Quiet Sound Group (RPO Z54)	S	EC
Car-pile carpeting	S	S
Single-note horn	S	S
Glove compartment light	S	EC
Electric clock (RPO U35)	S	EC
Luggage compartment light	EC	EC

Chassis

Turbo Hydra-matic	EC	EC
4-speed wide-range (with 350-4 barrel V8 engine only—RPO M20)	EC	EC
Positioning rear axle (RPO G80)	EC	EC
Power steering, variable-ratio	S	S
Power brakes (RPO J50)	EC	EC
Disc front brakes	S	S
Radial-tuned suspension (RPO F58)	EC	EC
FR75-14 GM Specification steel belted radial ply tires	S	S
Space-Saver spare tire (RPO N65)	EC	EC

*Available only when Interior Decor/Quiet Sound Group is ordered

S—Standard

NA—Not Available

EC—Extra Cost

Camaro Power Teams

Engine	Power Rating	Engine Usage	Transmission		Rear Axle Ratio (1)		
					Std.	Highway RPO G80	High Alt. RPO G81
Type LT:							
350-2 barrel V8	145	Std. (2)	3-Speed (2.85 low)	Std. RPO M40	2.73	—	—
			Turbo Hydra-matic	RPO M40	2.73	2.56	—
350-4 barrel V8	155	RPO LM1 (2)	4-Speed (2.54 low)	RPO M20 (2)	3.08	—	—
			Turbo Hydra-matic	RPO M40	3.08	2.56	—
Camaro:							
250-1 barrel Six	105	Std. (2)	3-Speed (3.11 low)	Std. (2)	2.73	—	3.08
			Turbo Hydra-matic	RPO M40	2.73	—	3.08
350-2 barrel V8	145	Std. (2)	3-Speed (2.85 low)	Std. RPO M40	2.73	2.56	—
			Turbo Hydra-matic	RPO M40	2.73	2.56	—
350-4 barrel V8	155	RPO LM1 (2)	4-Speed (2.54 low)	RPO M20 (2)	3.08	—	—
			Turbo Hydra-matic	RPO M40	3.08	2.56	—

(1) Not available in California.

(2) California Emissions Equipment required in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G80)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G81)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Positraction rear axle (RPO G82) available in all axle ratios.

Engine Specifications

	250-1	350-2	350-4
Type	Six	V8	V8
Displacement (cu. in.)	250	350	350
Bore x Stroke (in.)	3.875 x 3.53	4.00 x 3.48	4.00 x 3.48
HP @ RPM	105 @ 3800	145 @ 3800	155 @ 3800
Torque @ RPM	185 @ 1200	250 @ 2000	250 @ 2400
Compression ratio	8.25:1	8.5:1	8.5:1
Carburetion	1-barrel	2-barrel	4-barrel
Exhaust system	single	single*	single*

Note: Horsepower and Torque ratings are SAE net as installed.

*Includes dual tail pipes.

Transmissions

Transmissions	Transmission gear ratios						Shift selector		
	Engine	1	2	3	4	5	Column	Floor	Console*
3-Speed Fully Synchronized (Standard)	Std. 6	3.11	1.84	1.00		3.22			
	Std. V8	2.85	1.68	1.00		2.95		●	●
4-Speed Fully Synchronized (RPO M20)	Std. and LM1 V8	2.54	1.80	1.44	1.00	2.54		●	●
Turbo Hydra-matic (RPO M40)	Std. 6 and V8 LM1 V8	Drive—2.53-1.53-1.00 Low 2—2.53-1.53 Low 1—2.52 Reverse—1.93					●		●

*Optional at extra cost.

Clutch Details

Clutch Type	Standard Six	Std. and LM1 V8
	3-Speed	3-4-5-Speed
Clutch Type	diaphragm spring*	semi-centrifugal bent-finger diaphragm spring*
Disc facing material	woven asbestos	
Disc facing outside diameter (in.)	9.12	10.34
Disc facing total area (sq. in.)	71.80	101.54
Spring effective plate load (lbs.)	1685-1900	2100-2300

*With single dry disc.

Camaro Model Options

Description	RPO Number	Type LT	Sport Coupe
Interior decor/quiet sound group—Includes glove compartment light and additional instrument cluster lighting; simulated wood-grain accents on instrument cluster plus special engine compartment, hood and interior insulation	BS4	Std.	•
Sports decor package—Includes LH remote-control, RH manual sport mirrors, body-colored door handle inserts and body-colored applique on lower portion of front and rear bumpers	Z06	•	•
Style trim—Includes bright roof drip, rear pillar, upper fender, hood panel and belt moldings plus colored insert door handles; bright trim ring and vertical bar on parking lights	Z21	•	•

Selected Options

Air Conditioning, Four-Season. Includes 61-amp generator and HP radiator	C60	•	•
Axles:			
High Altitude ratio	G93	NA	•
Highway ratio	G85	•	•
Performance	G80	•	•
Battery, heavy-duty—4000-watt rating	UA1	•	•
Belts, Custom Deluxe color-keyed seat and shoulder. Includes color-keyed buckles, 4 seat and 2 front shoulder	AK1	•	•
Brakes, power	IS0	•	•
Bumper guards, front and rear	V50	•	•
California emission certification	YF5	•	•
Clock, electric. Included when special instrumentation is ordered	U35	Std.	•
Console. Includes floor-mounted shift lever when Turbo Hydro-matic transmission is ordered	D55	•	•
Defogger, rear window (forced-air)	C90	•	•
Door lock system, power	AU3	•	•
Glass, Soft-Ray tinted—all windows	A01	•	•
Horns, dual	U05	•	•
Instrumentation, special. V8 models. Includes tachometer and electric clock located in instrument panel plus ammeter and temperature gauges and additional cluster lighting	U14	Std.	•
Lighting, auxiliary. Includes:	Z79		
Ashtray light		•	•
Courtesy lights		•	•
Glove compartment light		Std.	•
Luggage compartment light		•	•
Underhood light		•	•
Headlight-on reminder buzzer		•	•

Selected Options (continued)

Description	EPO Number	Type LT	Sport Coupe
Seats, color-keyed floor—2 front and 2 rear	B37	●	●
Mirrors			
Sport, LH remote-control and RH manual	D35	NA	●
Vapor vanity	D34	●	●
Moldings			
Body side, Includes vinyl insert	B34	●	●
Door edge guard	B33	●	●
Radiator, heavy-duty, Included with air conditioning	V01	●	●
Radio equipment (all radios include windshield antenna)			
AM radio	U03	●	●
AM/FM radio	U69	●	●
AM/FM/stereo radio	U58	●	●
Rear seat speaker (included with stereo systems)	U80	●	●
Stereo Tape System with AM radio	U41	●	●
Stereo Tape System with AM/FM/stereo radio	U42	●	●
Roof cover, vinyl	...	●	●
Seat equipment			
Adjustable seat back—2 positions, Driver's only	A86	●	●
Spare tire, Spare-Saver	N65	●	●
Spoilers, front and rear, Includes front valance spoiler, rear deck and side panel spoiler, Front spoiler shipped loose for dealer installation	D80	●	●
Steering wheel, Comfort	N33	●	●
Strut-tuned suspension, Includes rear stabilizer and special front stabilizer plus special front and rear shock absorbers	F28	●	●
Trim, leather interior (see color and trim chart)	...	●	NA
Wheel equipment			
Full wheel covers	P01	NA	●
Bully wheels, Includes special wheels, center caps and trim rings	D77	NA	●
Turbo I wheels	P61	●	●
Windows, power, Available only when console is ordered	A31	●	●
Windshield wipers, Hide-A-Way, Includes articulated LH blade	C24	NA	●

Tires

FR70-148 steel-belted radial ply white stripe	QDW	●	●
FR70-148 steel-belted radial ply white lettered	QBT	●	●

NA—Not Available

Camaro Cloth Interior/Exterior Color Selections

Exterior body colors and interior trim colors (including all-leather interior available for Type LT Coupe) and white vinyl seats with black or red carpeting permit a wide selection

of Interior/Exterior combinations. Recommended combinations are indicated in the charts by a "●" in the appropriate square.

Doors and Headlining	Black		Graystone (Med.)	Red (Dark)	Saddle (Dark)	Sandstone (Med.)
Seat Color	Black		Graystone	Red	Saddle	Sandstone
Instrument Panel Pad	Black		Graystone	Red	Saddle	Sandstone
Floor Covering	Black	Red	Graystone	Red	Saddle	Sandstone
TYPE LT COUPE			●	●	●	●
SPORT COUPE	●	●				●

Exterior Body Color and Code

Red, Cream	50	●				●	●
Blue, Bright Metallic	26	●					
Blue, Medium	24	●					
Blue, Midnight Metallic	29	●		●			
Gray, Light	15	●		●	●		
Green, Dark Metallic	49	●					●
Green, Medium	44	●			●		●
Orange, Medium Metallic	64	●			●		●
Red, Dark Metallic	74	●		●			
Red, Light	75	●	●		●		●
Saddle, Light Metallic	63	●			●		
Sandstone	55	●			●		●
Sandstone, Dark Metallic	58	●			●		●
Silver	13	●		●			
White, Antique	11	●	●	●	●		●
Yellow, Bright	81	●		●			

Vinyl Roof Colors

Vinyl roof*	Code	Solid exterior body color availability
Black	BB	All Exterior Colors.
Blue, Dark	DD	11, 13, 24, 26 or 29 only.
Brown, Dark	FF	11, 63 or 64 only.
Green, Medium	GG	11, 44 or 49 only.
Red	RR	11 or 75 only.
Red, Dark	HH	11, 13, 15 or 74 only.
Sandstone	TT	11, 49, 50, 55 or 58 only.
Silver Metallic	WW	13, 26, 29 or 74 only.
White	AA	All Exterior Colors.

*Includes bright outline and roof drip moldings.

Camaro All-Vinyl Interior/Exterior Color Selections

Doors and Headlining	Black				Saddle (Dark)	Sandstone (Dark)
Seat Color	Black	Black	White	White	Saddle	Sandstone
Instrument Panel Pad	Black	Black	Black	Black	Saddle	Sandstone
Floor Covering	Black	Red	Black	Red	Saddle	Sandstone
TYPE LT COUPE					●	●
SPORT COUPE	●	●	●	●	●	●

Exterior Body Color and Code:

Beige, Cream	80	●		●		●	●
Blue, Bright Metallic	28	●		●			
Blue, Medium	34	●		●			
Blue, Midnight Metallic	29	●		●			
Gray, Light	15	●		●		●	
Green, Dark Metallic	49	●		●		●	●
Green, Medium	44	●		●			
Orange, Medium Metallic	64	●				●	●
Red, Dark Metallic	74	●		●			
Red, Light	75	●	●		●	●	●
Saddle, Light Metallic	63	●		●		●	
Sandstone	58	●		●		●	●
Sandstone, Dark Metallic	58	●		●		●	●
Silver	13	●		●			
White, Antique	11	●	●	●	●	●	●
Yellow, Bright	51	●		●			

Camaro Leather Interior/Exterior Color Selections

Doors and Headlining	Red (Dark)	Saddle (Dark)
Seat Color	Red	Saddle
Instrument Panel Pad	Red	Saddle
Floor Covering	Red	Saddle
TYPE LT COUPE	●	●

Exterior Body Color and Code:

Beige, Cream	80		●
Gray, Light	15	●	●
Green, Dark Metallic	49		●
Orange, Medium Metallic	64		●
Red, Dark Metallic	74	●	
Red, Light	75		●
Saddle, Light Metallic	63		●
Sandstone	58		●
Sandstone, Dark Metallic	58		●
Silver	13	●	
White, Antique	11	●	●

Camaro Specifications

Exterior Dimensions

	Sport Coupe	Type LT
Wheelbase	108.0	108.0
Length (overall)	195.4	195.4
Width (overall)	74.4	74.4
Height (loaded)	49.1	49.1
Front Tread	61.3	61.6
Rear Tread	60.0	60.3
Minimum ground clearance	5.0	5.0

Interior Roominess

Head room—front	37.3	37.3
Head room—rear	36.0	36.0
Leg room—front	43.9	43.9
Leg room—rear	39.6	39.6
Hip room—front	52.4	56.3
Hip room—rear	45.8	45.8
Shoulder room—front	56.7	56.7
Shoulder room—rear	54.4	54.4

Luggage Compartment

Maximum opening width	40.5	40.5
Loading height	38.0	38.0
Interior length (max.)	65.8	65.8
Interior width (max.)	43.6	43.6
Interior height (max.)	17.7	17.7
Usable luggage space (cu. ft.)	6.4*	6.4*

Glass Area

Windshield glass area (sq. in.)	1137.6
Rear window glass area (sq. in.)	1312.7
Total glass area (sq. in.)	3490.1

Steering and Tires

Turning circle—curb-to-curb (ft.)	38.5
Turning circle—wall-to-wall (ft.)	41.1
Steering ratio—power (overall)	15.03:1 to 10.61:1
Standard tire size	P195-148

Fuel Capacity & Weight

Rated fuel tank capacity (approximate gallons)	21	21
Curb weight—Six (lbs.)	3531	—
Curb weight—V8 (lbs.)	3655	3726
Shipping weight—Six (lbs.)	3431	—
Shipping weight—V8 (lbs.)	3545	3616

*7.3 cu. ft. with Space-Saver spare tire.

1975 Chevelle Sedans, Coupes & Wagons

	Page No.
Malibu Classic	2
Standard Equipment.....	2
Colonnade Hardtop	
Landau Coupe	1AD37/203—Six or V8....3-4
Colonnade Hardtop Coupe	1AD37—Six or V8.....4
Colonnade Hardtop Sedan	1AD29—Six or V8.....5
Laguna Type S-3	
Standard Equipment.....	6
Colonnade Hardtop Coupe	1AE37—V8.....7
Malibu	
Standard Equipment.....	8
Colonnade Hardtop Coupe	1AC37—Six or V8.....9
Colonnade Hardtop Sedan	1AC29—Six or V8.....9
Major Features.....	10
Safety and Security Features.....	11
Equipment Summary.....	12
Power Teams.....	13
Selected Options.....	14-15
Color and Trim.....	16-18
Specifications.....	19
Police Equipment.....	20-21
Chevelle Wagons	
2-Seal	3-Seal
Malibu Classic Estate	1AG35—V8 1AG35/AQ4—V8....22
Malibu Classic	1AD35—V8 1AD35/AQ4—V8....23
Malibu	1AC35—V8 1AC35/AQ4—V8.24-25
Major Features.....	26
Safety and Security Features.....	27
Equipment Summary.....	28
Power Teams.....	29
Selected Options.....	30-31
Color and Trim.....	32
Specifications.....	33

Malibu Classic Landau

(In addition to Malibu Classic features)

- ☐ Special Landau vinyl roof cover
- ☐ Bright roof outline moldings
- ☐ Landau's rear side window emblem
- ☐ Black, red, gold or white tender accent striping
- ☐ Left-hand remote control and right-hand manual body-colored sport mirrors
- ☐ Special Landau wheel covers
- ☐ Resilient front and rear bumper impact strips
- ☐ Dual horns
- ☐ GM76-158 GM Specification steel-belted radial ply white stripe tires

Malibu Classic

- ☐ Silver-accented grid-pattern grille with bright vertical divider bar
- ☐ Distinctive roof shape on Coupes with coach windows in each rear quarter
- ☐ Bright full-width bumper with built-in parking lights and center license plate mounting
- ☐ Bright wheel opening moldings
- ☐ Hood rear edge molding
- ☐ Bright roof drip moldings
- ☐ Bright body sill molding
- ☐ Bright aluminum hub caps
- ☐ Bright-accented rectangular taillights
- ☐ Luxurious full-width front seat with fold-down center armrest
- ☐ Doors and sidewalls are styled in matching cloth or vinyl panels to complement seat trim
- ☐ Color-keyed cut-pile carpeting on floor
- ☐ Soft-rim steering wheel with cushioned center
- ☐ Color-keyed instrument cluster with rectangular dials and wood-grain vinyl accents
- ☐ Color-keyed steering wheel and column
- ☐ Molded full foam front and rear seat construction
- ☐ Flow-through power ventilation system
- ☐ Inside hood release
- ☐ Cigarette lighter
- ☐ Glove compartment lock and light
- ☐ Center dome light
- ☐ Front door automatic dome light switches
- ☐ Armrests front and rear
- ☐ Luggage compartment mat

Appearance features available for Malibu Classic include: vinyl roof cover; body side molding with black vinyl insert; exterior decor package; Rally wheels; full wheel covers; wire wheel covers; white stripe tires.



18" Full wheel cover
(RPO P01)
available for
Malibu Classic only



Malibu Classic
Landau
wheel cover



Wire wheel cover
(RPO M98)



Rally wheel
(RPO Z01)




Malibu Classic
hub cap



2/4 Chevrolet



Malibu Classic Landau Colonnade Hardtop Coupe





Malibu Classic Landau Colonnade Hardtop Coupe



Malibu Classic Colonnade Hardtop Coupe



Malibu Classic Colonnade Hardtop Sedan

Laguna Type S-3

- ☐ Special silver-accented grid-pattern grille with bright vertical divider bars and built-in parking lights
- ☐ Resilient body-color front end and bright rear bumper
- ☐ Resilient color-keyed bumper impact strips that lead into sport stripes
- ☐ Color-keyed front bumper guards
- ☐ Distinctive roof shape with lowered rear quarter windows
- ☐ Bright grille outline molding
- ☐ Hood rear edge molding
- ☐ Bright rear drip molding
- ☐ Special accent striping
- ☐ 15 x 7 Rally wheels with bright trim rings and GR70-15B Mackinaw steel-belted radial ply tires
- ☐ Dual-unit rectangular taillights with bright accents
- ☐ Special Type S-3 interior and exterior identification
- ☐ Special interior trim including color-keyed steering wheel and column, instrument cluster with round dials and wood-grain vinyl accents
- ☐ Color-keyed cut-pile carpeting on floor
- ☐ Soft-rib steering wheel with cushioned center
- ☐ Cloth and vinyl door and quarter trim panels
- ☐ Molded full foam front and rear seat construction
- ☐ Flow-through power ventilation system
- ☐ Inside hood release
- ☐ Cigarette lighter
- ☐ Glove compartment lock and light
- ☐ Center dome light
- ☐ Front door automatic dome light switches
- ☐ Amazea front and rear
- ☐ Luggage compartment mat
- ☐ Variable-ratio power steering
- ☐ Radial-tuned suspension

Appearance features available for Laguna include: sport roof (touring-style with vinyl roof covers); sport stripes; body side molding with black vinyl inset; wheel opening moldings; bucket seats; white stripe or white lettered tires.



*Laguna Type S-3
Rally wheel*





Laguna Type S-3



Laguna Type S-3

Malibu

- ☐ Bright-accented grid-pattern grille with bright vertical divider bars
- ☐ Bright full-width bumper with built-in parking lights and center license plate mounting
- ☐ Hood rear edge molding
- ☐ Bright aluminum hub caps
- ☐ Rectangular taillights
- ☐ All-vinyl door and quarter trim panels
- ☐ Color-keyed cut-pile carpeting on floor
- ☐ Soft-rib steering wheel with cushioned center
- ☐ Molded full foam front and rear seat construction
- ☐ Flow-through power ventilation system
- ☐ Inside hood release
- ☐ Cigarette lighter
- ☐ Glove compartment lock
- ☐ Center dome light
- ☐ Front door automatic dome light switches
- ☐ Anercasts front and rear
- ☐ Luggage compartment mat

Appearance features available for Malibu include: vinyl roof covers; body side molding with black vinyl insert; exterior decor package; Rally wheels; full wheel covers; wire wheel covers; white stripe trim.



Full wheel cover
(SPO-POL)



Wire wheel cover
(SPO-WHS)



Rally wheel
(SPO-RTT)



Malibu hub cap





Malibu Colonnade Hardtop Coupe



Malibu Colonnade Hardtop Sedan

Major Features—Standard on 1975 Chevelles

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; new carburetor outside air induction system; GM-Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Variable-ratio power steering on V8 models
- ❑ Full door glass styling
- ❑ Curved side windows
- ❑ Flush-styled outside door handles
- ❑ Hide-A-Way antenna built into windshield glass (with factory-installed radio)
- ❑ Hide-A-Way dual-speed electric windshield wipers
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Speedometer dial reads to 100 mph in white numbers with metric equivalents in blue
- ❑ Wide day-night inside rearview mirror
- ❑ Forward-mounted front door lock buttons
- ❑ Inside hood release
- ❑ Flow-through ventilation system
- ❑ Soft-rim steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cut-pile carpet floor covering
- ❑ Molded full foam seats
- ❑ Built-in blended-air heater and defroster system
- ❑ 22-gallon fuel tank
- ❑ Sealed side-terminal Energizer battery with flame arrester battery caps
- ❑ Coolant recovery system
- ❑ Hydraulic valve lifters
- ❑ Delco-Ronco generator with built-in solid-state regulator
- ❑ Flush-mounted windshield and rear window bonded to body
- ❑ Double-panel roof, door, hood and deck lid construction
- ❑ Cushioned body mounting system
- ❑ Separate perimeter-type frame with corrosion-resistant coating
- ❑ Lower fenders front and rear
- ❑ Full Coil suspension system with computer-selected springs
- ❑ Manual disc/drum brake system
- ❑ Disc brake audible wear sensors
- ❑ Self-adjusting brakes
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



*Exposed Type B-3
Radical Front End Structure*

*GM-Specification
Steel-Belted Radial Ply Tires*



*High Energy
Ignition System*



GM-Developed Catalytic Converter

Chevelle Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Cargo-Guard luggage compartment
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment and console door latch impact security
- Smooth contoured door and window regulator handles
- Soft, low-profile window control knobs, coat hooks, dome light

- Automatic locking front and rear outboard seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washer and dual-speed wipers
- Wide view inside day/night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light
- Starter Safety Switch
- Dual-action safety hood latches

- Headlight aiming across provision
- Low-glare instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rims
- Uniform shift quadrant
- No winged wheel nuts, discs or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Inside hood latch release
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors and trunk)
- Visible vehicle identification
- Tamper-resistant columns with telltale feature



Modern Classic Padded Instrument Panel



Power Front Disc Brakes with Audible Wear Indicators



Inside Hood Latch Release

Chevelle Equipment Summary

Exterior	Malibu Classic London	Malibu Classic	Malibu
Full wheel covers	S	EC	EC
Bully wheels (RPO ZT7)	EC	EC	EC
Bright wheel opening moldings	S	S	EC*
Bright lower body molding	S	S	NA
Bright taillight accents	S	S	NA
Bright roof drip molding	NA	S	EC*
Exterior Door (RPO Y99)	NA	NA	EC
Remote-control LH outside rearview mirror (RPO D33)	NA	EC	EC
Remote-control RH outside rearview mirror (RPO DF2)	NA	EC	EC
Sport mirrors (LH remote control, RH manual)—RPO D35	S	EC	EC
Power Sky Roof (RPO CA1)—requires vinyl roof cover	EC	EC	NA
Padded vinyl roof cover (conventional)	NA	EC	EC
Padded vinyl roof cover (London-type)	S	NA	NA
Body side molding with vinyl insert (RPO B84)	EC	EC	EC

Interior

Spring-out Strato-bucket front seats (RPO AN7)	EC	EC	EC
Power seat—6-way (conventional seat only)	EC	EC	EC
Wood-grain accents on instrument panel	S	S	NA
Luxury seat with fold-down center armrest	S	S	NA
Schlain steering wheel (Coupe only)	S	S	S
Color-keyed steering wheel and column	S	S	NA
Carpets	S	S	S
Dual-note horn	S	EC	EC
Glove compartment light	S	S	EC
Electric clock (RPO U35)	EC	EC	EC
Intermittent Windshield Wiper System (RPO CD4)	EC	EC	EC
Cigarette lighter	S	S	S
Economy Gauge Package (RPO U17)	EC	EC	EC
Day-night rearview mirror (12")	S	S	S
Luggage compartment light	EC	EC	EC

Chassis

Power steering	EC (1)	EC (1)	EC (1)
Power brakes (RPO J00)	EC (2)	EC (2)	EC (2)
Disc front brakes	S	S	S
Full Coil suspension system with front stabilizer	S	S	S
Heavy-duty front and rear suspension (RPO F40)	EC	EC	EC
GR78-158 GM Specification blackwall radial ply tires	NA	S	S
GR78-158 GM Specification white stripe radial ply tires	S	EC	EC

*Available only when Exterior Door Package (RPO Y99) is ordered

(1) Mounted on V8 motor

(2) Required with air conditioning or 454-4 barrel V8

S—Standard

NA—Not Available

EC—Extra Cost

Chevelle Power Teams

Engine	Power Rating	Engine Usage	Transmission	Rear Axle Ratio (1)		
				Std.	Highway RPO G95	High Alt. RPO G92
280-1 barrel Six	108	Std. (1)	3-Speed manual Turbo Hydra-matic	Std. (2) RPO M40	2.73 —	3.08 3.08
280-2 barrel V8	148	Std. (2)	3-Speed manual Turbo Hydra-matic	Std. RPO M40	2.73 2.56	— —
390-4 barrel V8	155	RPO LM1 (3)	3-Speed manual Turbo Hydra-matic	Std. RPO M40	2.73 2.56	— —
400-4 barrel V8	178	RPO LT4 (2)	Turbo Hydra-matic	RPO M40	2.73	—
454-4 barrel V8	215	RPO LS4 (2)	Turbo Hydra-matic	RPO M40	2.73	—

(1) California Emission Equipment required in California.

(2) Not available in California.

(3) Available only for sale and/or registration in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G95)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G92)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Positraction rear axle (RPO G80) available in all axle ratios.

Engine Specifications

Engine	280-1	280-2	390-4	400-4	454-4
Type	Six	V8	V8	V8	V8
Displacement (cu. in.)	280	350	350	400	454
Bore x Stroke (in.)	3.875 x 3.53	4.00 x 3.48	4.00 x 3.48	4.125 x 3.75	4.25 x 4.00
HP @ RPM	105 @ 3800	145 @ 3800	155 @ 3800	178 @ 3600	215 @ 4000
Torque @ RPM	185 @ 1200	250 @ 2200	250 @ 2400	305 @ 2000	350 @ 2400
Compression ratio	8.25:1	8.5:1	8.5:1	8.5:1	8.15:1
Carburetors	1-barrel	2-barrel	4-barrel	4-barrel	4-barrel
Exhaust system	single	single	single	single	single

Note: Horsepower and Torque ratings are SAE net as installed.

Transmissions

	Engine	Transmission gear ratio					Shift selector	
		1	2	3	4	5	Column	Console*
3-Speed Fully Synchronized (Standard)	Std. 6	3.11	1.84	1.00		3.22		
	Std. V8 and LM1	2.05	1.68	1.00		2.95		
	Std. 6 and V8							
	LM1 V8							
Turbo Hydra-matic (RPO M40)	LT4 V8							
	LS4 V8							

*Optional at extra cost.

Clutch Details

	Standard Six	Standard V8 and LM1 V8
	3-Speed	3-Speed
Clutch	diaphragm spring*	semi-centrifugal bent finger diaphragm spring*
Disc facing material	woolens, asbestos	
Disc facing outside diameter (in.)	9.12	10.34
Disc facing total area (sq. in.)	71.62	101.54
Spring effective plate load (lbs.)	1650-1900	2100-2300

*With single dry disc.

Chevelle Selected Options

Description	RPO Number	Logan Type S-3	Malibu Classic	Malibu
Air conditioning: Four-Season. Includes power brakes, 61-amp generator and increased cooling. Power steering also included on 6-cyl. models	C60	•	•	•
Asker:				
High Altitude ratio	G92	NA	•	•
Highway ratio	G95	•	•	•
Performance	G80	•	•	•
Battery, heavy-duty—4000-watt rating	U1A1	•	•	•
Belts, Custom Deluxe seat and shoulder. Includes brushed metal buckles and color-keyed belts. Coupe or Sedan models with bench seat—5 seat and 2 front shoulder. Coupe models with bucket seats—5 seat and 2 front shoulder	AK1	•	•	•
Brakes, power. Included when air conditioning or 454-4 engine is ordered	F90	•	•	•
Bumper equipment—front and rear:				
Deluxe bumpers. Standard on Malibu Classic London and Logan. Includes resilient impact strips (color-keyed on Logan; black on all other models)	V85	Std	•	•
Bumper Guards	V30	NA	•	•
California emission equipment	YF5	•	•	•
Clock, electric. Included when special instrumentation is ordered	U35	Std	•	•
Console. V8 Coupe models with Turbo Hydro-matic only. Available only when bucket seats are ordered. Includes compartment. Shift lever mounted in console	D95	•	•	•
Decor, exterior package. Includes wheel opening, roof drip, headlight and taillight moldings.	T10	NA	NA	•
Deluges, rear window (forced-air)	C50	•	•	•
Door lock system, power	AU3	•	•	•
Generator, 61-amp Delcotron. Included when air conditioning is ordered	E36	•	•	•
Glass, Soft-Ray tinted—all windows	A01	•	•	•
Horns, dual Standard on Malibu Classic London	U05	•	•	•
Instrumentation:				
Economizer Gauge Package. Includes temperature, voltmeter and fuel economy gauges. Not available with special instrumentation	UF7	•	•	•
Special—V8 Coupe models only. Includes clock, tachometer, ammeter and temperature gauges mounted in instrument panel. Not available with Economizer gauge package	U14	•	•	•
Lighting, auxiliary. Includes:	Z19			
Ashtray light		•	•	•
Courtesy lights		•	•	•
Glove compartment light		Std	Std	•
Luggage compartment light		•	•	•
Mirror map light (without Sky Roof)		•	•	•
Underhood light		•	•	•
Headlight-on reminder buzzer		•	•	•
Litter container	D24	•	•	•
Mats, color-keyed floor—2 front and 2 rear	B37	•	•	•
Mirrors:				
Remote-control outside rearview, LH. Not available on Malibu Classic London or when sport mirrors are ordered	D33	NA	•	•
Remote-control outside rearview, RH. Available only when LH (RPO D33) is ordered	DF3	NA	•	•
Sport, LH remote-control and RH manual. Standard on Malibu Classic London	D35	Std	•	•
Sport, twin remote-control	D66	•	•	•
Vapor vanity	D34	•	•	•

NA—Not Available

Selected Options (continued)

Description	NPO Number	Logans Type S-3	Malibu Classic	Malibu
Moldings:				
Body side. Includes vinyl inset	B94	●	●	●
Door edge guard	B93	●	●	●
Paints, exterior two-tone. Includes bright outline moldings	...	SA	●	●
Radiator, heavy-duty	V01	●	●	●
Radio equipment (all radios include windshield antenna):				
AM radio	U63	●	●	●
AM/FM radio	U69	●	●	●
AM/FM/stereo radio	U58	●	●	●
Four speakers. (Two rear speakers included with stereo system)	U60	●	●	●
Stereo tape system with AM radio	UM1	●	●	●
Stereo tape system with AM/FM/stereo radio	UM2	●	●	●
Roof cover, vinyl. Standard on London	...	SA	●	●
Roof, Sky. Power sliding metal top. Coupe only	CA1	●	●	●
Roof, Sport. Touring-style vinyl	CB7	●	SA	SA
Seat Equipment:				
Stack-bucket swing-out type. Coupe only	...	●	●	●
Power front seat for full-width seat, 6-way control	AA2	●	●	●
Speed control, Cruise-Master. Available only when Turbo Hydra-matic transmission is ordered	E30	●	●	●
Steering, power—Variable ratio. Standard on V8 models. Included when air conditioning is ordered	H41	SA	●	●
Steering wheel, Comfort. Available only when optional transmission is ordered	N33	●	●	●
Steering wheel, sport	N31	SA	●	●
Suspension equipment:				
Heavy-duty front and rear suspension. Includes front and rear springs and matching shock absorbers	F40	●	●	●
Radial tuned suspension. V8 models with radial ply tires only	F68	SA	●	●
Sports suspension. Available only when 70 series radial ply tires are ordered	F41	●	●	●
Trim, interior (see color and trim chart)	...	●	●	●
Wheel equipment:				
Full wheel covers (15") Standard on Malibu Classic London	PO1	SA	●	●
Bully wheels, 15 x 7. Includes styled wheels, special hub caps and trim rings	ZF7	SA	●	●
Wire wheel covers (15")	N95	SA	●	●
Windows, power	A31	●	●	●
Windshield wiper system, intermittent	CD4	●	●	●
Tires				
6-cylinder models only:				
FR78-148—steel-belted radial ply, white stripe	OBW	SA	●	●
V8 models only:				
GR70-158 blackwall	QBX	●	●	●
GR70-158 white stripe	OCX	●	●	●
GR70-158 white lettered	QCT	●	●	●
GR78-158 white stripe	...	...	...	...
(SA on Malibu Classic London)	QDB	●	●	●
HR70-158 blackwall	QCP	●	●	●
HR70-158 white stripe	CCN	●	●	●
HR70-158 white lettered	QCV	●	●	●
HR78-158 blackwall	QDU	●	●	●
HR78-158 white stripe	QEL	●	●	●

SA—Not Available

Chevelle Cloth Interior/Exterior Color Selections

Exterior body colors and interior trim colors for both conventional and bucket seats permit a wide selection of interior/Exterior combinations. Malibu Classic Leather will have plus

striping selections available in black, white, gold or red, as shown below. Recommended combinations are indicated in the charts by a "●" in the appropriate squares.

Doors and Headlining			Black	Blue (Dark)	Graystone (Med.)	Green (Med.)	Red (Dark)
Seat Color			Black	Blue	Graystone	Green	Red
Instrument Panel Pod			Black	Blue	Graystone	Green	Red
Floor Covering			Black	Blue	Graystone	Green	Red
MALIBU CLASSIC	Cruze	Bucket seat	●	●	●	●	●
		Bucket seat	●				●
	Sedan Bucket seat		●	●	●	●	●
MALIBU	Cruze	Bucket seat	●	●			
	Sedan Bucket seat		●	●			

Exterior Body Color and Code	Solid	Two-tone/Upper	Includes bright metal outline moldings.				
Beige, Cream	90	—	●				
Black	19	—	●	●	●	●	●
Blue, Bright Metallic	26	11	●	●			
Blue, Medium	24	11	●	●			
Blue, Midnight Metallic	29	11	●	●			
Brown, Dark Metallic	99	11	●				
Gray, Light	15	—	●		●		●
Green, Dark Metallic	49	11	●		●	●	
Green, Medium	44	11	●			●	
Orange, Medium Metallic	64	11	●				
Red, Dark Metallic	74	11	●		●		●
Red, Medium	72	—	●		●		
Saddle, Light Metallic	63	—	●				
Sandstone	88	11	●				
Silver	13	—	●	●			●
White, Antique	11	—	●	●	●	●	●

Vinyl Roof Colors

Vinyl roof*	Code	Solid exterior body color availability
Black	BB	All Exterior Colors.
Blue (Dark)	DD	11, 13, 24, 26 or 29 only.
Brown (Dark)	FF	11, 63 or 64 only.
Green (Medium)	GG	11, 44 or 49 only.
Red	RR	11 only.
Red (Dark)	HH	11, 13, 15, 19 or 74 only.
Sandstone	TT	11, 49, 80, 88 or 89 only.
Silver Metallic	WW	13, 19, 26, 29 or 74 only.
White	AA	All Exterior Colors.

*Includes outline and roof drip moldings.

Chevelle All-Vinyl Interior/Exterior Color Selections

Doors and Headlining			Black	Blue (Dark)	Green (Med.)	Saddle (Dark)	Sandstone (Med.)
Seat Color			Black	Blue	Green	Saddle	
Instrument Panel Pad			Black	Blue	Green	Saddle	
Floor Covering			Black	Blue	Green	Saddle	
MALIBU CLASSIC	Coupe	Beach seat	•	•		•	•
		Bucket seat	•	•		•	•
	Salon	Beach seat	•	•			•
MALIBU	Coupe	Beach seat	•	•	•		•
		Bucket seat	•				•
	Salon	Beach seat	•	•	•		•

Exterior Body Color and Code	Solid	Two-tone/Upper	Excludes bright metal color combinations				
Beige, Cream	90	—	•			•	•
Black	19	—	•	•	•	•	•
Blue, Bright Metallic	26	11	•	•			
Blue, Medium	34	11	•	•			
Blue, Midnight Metallic	29	11	•	•			
Brown, Dark Metallic	59	11	•			•	•
Gray, Light	15	—	•			•	
Green, Dark Metallic	49	11	•		•	•	•
Green, Medium	44	11	•		•		
Orange, Medium Metallic	64	11	•			•	•
Red, Dark Metallic	74	11	•				
Red, Medium	72	—	•				•
Saddle, Light Metallic	63	—	•			•	
Sandstone	55	11	•			•	•
Silver	13	—	•	•			
White, Antique	11	—	•	•	•	•	•

Malibu Classic Landau Accent Striping

Pia Stripe	Code	Solid exterior body color availability
Black	19A	All except 19 or 26.
Gold	53A	11, 19, 29, 49, 90, 95, 96, 64, 72 or 74 only.
Red	75A	11, 19 or 29 only.
White	11A	All except 11.

Laguna Type S-3 Interior/ Exterior Color Selections

Doors and Headlining	Black	Red (Dark)	Red (Med.)	White			
Seat Color	Black	Red	Red/Black	White	White	Black	Black
Instrument Panel Pad	Black	Red	Red/Black	Black	Red	Black	Red
Floor Covering	Black	Red	Red/Black	Black	Red	Black	Red
	Sport Cloth Bench	●	●	●		●	●
	Sport Cloth Bucket	●	●	●			
	Vinyl Bench	●	●	●	●	●	
	Vinyl Bucket	●	●	●			

Available Exterior and Stripe Color Combinations

Exterior Body Color			Stripes						
Lower Color and Code	Upper (Select one) Color and Code		Color and Code						
Black	19	Black	19	Red	74A	●	●	●	●
		Silver	13A	●	●	●	●	●	●
		White	11A	●	●	●	●	●	●
		Red, Dark	HH	Red	74A	●	●	●	●
		Silver	WW	Silver	13A	●	●	●	●
Blue, Bright Metallic	26	White	AA	White	11A	●	●	●	●
		Black	BB	Black	19A	●	●	●	●
		Blue, Bright Metallic	26	Black	19A	●	●	●	●
		White	AA	White	11A	●	●	●	●
		Black	BB	Black	19A	●	●	●	●
Orange, Medium Metallic	64	Black	BB	Black	19A	●	●	●	●
		Orange, Medium Metallic	64	Black	19A	●	●	●	●
		White	AA	White	11A	●	●	●	●
		Black	BB	Black	19A	●	●	●	●
		Red, Dark Metallic	74	Silver	13A	●	●	●	●
Red, Dark Metallic	74	White	AA	White	11A	●	●	●	●
		Silver Metallic	WW	Silver	13A	●	●	●	●
		White	AA	White	11A	●	●	●	●
		Black	BB	Black	19A	●	●	●	●
		Red, Dark	HH	Red	74A	●	●	●	●
Silver	13	Silver	13	Black	19A	●	●	●	●
		Black	BB	Black	19A	●	●	●	●
		Red, Dark	HH	Red	74A	●	●	●	●
		White, Antique	11	Black	19A	●	●	●	●
		Red, Dark	HH	Red	74A	●	●	●	●
White, Antique	11	White, Antique	11	Black	19A	●	●	●	●
		Red, Dark	HH	Red	74A	●	●	●	●
		Black	BB	Black	19A	●	●	●	●
		Red, Dark	HH	Red	74A	●	●	●	●
		White, Antique	11	Black	19A	●	●	●	●

Chevelle Specifications

Malibu Classic

Exterior Dimensions

	Colonnade Hardtop Coupe	Colonnade Hardtop Sedan
Wheelbase	112.0	114.0
Length (overall)	208.3	209.2
Width (overall)	76.6	76.6
Height (loaded)	53.1	53.8
Front tread	61.8	61.8
Rear tread	60.7	60.7
Minimum ground clearance	5.1	5.1

Interior Roominess

Head room—front	37.7	38.3
Head room—rear	37.0	37.8
Leg room—front	43.4	43.4
Leg room—rear	33.9	37.0
Hip room—front	54.8	54.7
Hip room—rear	52.7	57.8
Shoulder room—front	58.8	58.8
Shoulder room—rear	58.0	58.9

Luggage Compartment

Maximum opening width	48.5	48.5
Loading height	22.0	22.0
Interior length (max.)	49.0	49.0
Interior width (max.)	72.0	72.0
Interior height (max.)	18.0	18.0
Usable luggage space (cu. ft.)	15.3	15.3

Glass Area

Windshield glass area (sq. in.)	1276.6	1332.6
Rear window glass area (sq. in.)	1307.2	1362.9
Total glass area (sq. in.)	4459.8	4723.4

Steering & Tires

Turning circle—curb-to-curb (ft.)	39.5	39.5
Turning circle—wall-to-wall (ft.)	42.8	42.8
Steering ratio—std. (overall)	32.8:1 to 34.7:1	
Steering ratio—power (overall)	17.6:1 to 14.3:1	
Standard tire size	F876-158 (Std)/G876-158 (VR)	

Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	22	
Curb weight—Std (lbs.)	3797	3894
Curb weight—VR (lbs.)	3930	4027
Shipping weight—Std (lbs.)	3681	3778
Shipping weight—VR (lbs.)	3814	3911

1975 Chevelle Police Equipment



Required Options

M40	Turbo Hydra-matic Transmission
N41	Variable-Ratio Power Steering

COPD 9C1 Chassis Equipment

- ☐ Engine durability features
- ☐ Special suspension including stiffer springs, shock absorbers, and front stabilizer bar; heavy-duty shock absorber and stabilizer bar attachments
- ☐ Heavy-duty 15 x 6 wheels
- ☐ Dual-discharge power brake unit
- ☐ High-capacity cooling system including large radiator, special fan and fan shroud
- ☐ 61-amp max./35-amp idle Delco-Ronco generator
- ☐ 4000-watt rating battery
- ☐ 120-mph speedometer with 3-mph increments and certified accuracy

1975 Chevelle Police Equipment

Model Availability

Series	4-Door Sedan	2-Door Sport Coupe
Malibu	1AC29	1AC37
Malibu Classic	1AD29	1AE37

Power Train Combinations

(with Turbo Hydra-matic Transmission)

Engine					
C.I.D.	Comb.	Exhaust	SAE Net HP	Rear Axle	
				Base	Opt.
250-6	1-Bbl.	Single	105	2.73	3.08
250 V8*	2-Bbl.	Single	145	2.73	—
250 V8**	4-Bbl.	Single	155	2.73	—
400 V8	4-Bbl.	Single	175	2.73	3.08

*Not available in California.

**Available only in California.

Special Order Options—Chevelle Police Cars

- 1K5—Transmission Low Gear Blockout
- 6A1—Front Floor Mat
- 6A2—Rear Floor Mat
- 6A4—Single Key Locking—single vehicle
- 6B7—Hole in Roof Panel
- 6C1—Heavy-Duty Front Seat
- 6C2—H.D. Rear Seat
- 6C9—Conduit (1½" I.D., routed inside from dash to trunk)
- 6E2—Single Key Locking—fleet keyed vehicle
- 6E5—Roof Wiring (4 12-gauge wires, instrument panel to roof, 19 inches rear of windshield)

- 6PS—Remote Trunk Opener (5-unit minimum order)
- 6L4—R.H. Rearview Mirror
- 7L1—Radio Suppression
- 7L4—Locking Road Throttle
- 7P2—Locking Gas Cap

Inquiries for additional police equipment technical information required for the formulation of specifications may be forwarded directly to the Chevrolet Special Products Group, Room 165-83, 30007 Van Dyke Avenue, Warren, Michigan 48090.

Malibu Classic Estate and Malibu Classic Wagons

- ☐ Bright-colored grid-pattern grille with bright vertical divider bars
- ☐ Bright full-width bumper with built-in parking lights and rubber license plate mounting
- ☐ Bright-colored rectangular taillights in rear bumper
- ☐ Bright wheel opening moldings
- ☐ Hood rear edge molding
- ☐ Bright roof drip molding
- ☐ Bright-finished body sill
- ☐ Wood-grained vinyl body side and tailgate panels with bright outline moldings on Malibu Classic Estate
- ☐ Bright aluminum hub-caps
- ☐ Special interior trim including color-keyed steering wheel and columns, color-keyed instrument cluster with rectangular dials with wood-grain accents
- ☐ Door and cargo sidewall panels styled in matching vinyl to complement seat trim
- ☐ Color-keyed cut-pile carpeting on floor
- ☐ Soft-rim steering wheel with cushioned center
- ☐ Molded full foam seat construction on all seats
- ☐ Flow-through power ventilation system
- ☐ Full-width front seat with fold-down armrest
- ☐ Inside hood release
- ☐ Cigarette lighter
- ☐ Glove compartment lock and light
- ☐ Center dome light
- ☐ Front door automatic dome light switches
- ☐ Armrests front and rear
- ☐ Cargo compartment mat

Appearance features available for Malibu Classic Wagon include: body side molding with black vinyl insert and door edge guard molding. Options for both Malibu Classic Estate and Malibu Classic Wagons include: Rally wheels; full wheel covers; wire wheel covers; white stripe tires.



*Rally wheel cover
(SPO PCJ)*



*Wire wheel cover
(SPO MKC)*



*Full wheel cover
(SPO DDT)*



*Malibu Classic Estate
and Malibu Classic
hub cap*





Malibu Classic Estate Wagon



Malibu Classic Station Wagon

Malibu Station Wagons

- ❑ Bright-colored grid-pattern grille with dual horizontal center bars and vertical center bar
- ❑ Bright full-width bumper with built-in parking lights and center license plate mounting
- ❑ Rectangular taillights in rear bumper
- ❑ Hood rear edge molding
- ❑ Bright aluminum hub caps
- ❑ Doors and cargo sidewalls are styled in matching vinyl panels to complement seat trim
- ❑ Color-keyed cut-pile carpeting on floor
- ❑ Molded full foam seat construction on all seats
- ❑ Soft-rim steering wheel with cushioned center
- ❑ Flow-through power ventilation system
- ❑ Inside hood release
- ❑ Cigarette lighter
- ❑ Glove compartment lock and light
- ❑ Center dome light
- ❑ Front door automatic dome light switches
- ❑ Armrests front and rear
- ❑ Cargo compartment mat

Appearance features available for Malibu Station Wagon include: body side molding with black vinyl insert; exterior decor package; Turbine I wheels; full wheel covers; wire wheel covers; Rally wheels; white stripe tires.



Full wheel cover
(RPO P01)



Wire wheel cover
(RPO M06)



Rally wheel
(RPO Z37)



Malibu hub cap





Malibu Station Wagon

Major Features—Standard on 1975 Chevelle Wagons

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; air carburetor outside air induction system; GM-Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Power disc/drum brake system
- ❑ Disc brake audible wear sensors
- ❑ Variable-ratio power steering
- ❑ Turbo Hydra-matic transmission
- ❑ 350-cubic-inch V8 engine
- ❑ Flush-styled side windows
- ❑ Full door glass styling
- ❑ Hide-A-Way antenna built into windshield glass (with factory-installed radio)
- ❑ Hide-A-Way dual-speed electric windshield wipers
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Speedometer dial reads to 100 mph in white numbers with metric equivalents in blue
- ❑ Wide day-night inside rearview mirror
- ❑ Forward-mounted front door lock buttons
- ❑ Inside hood release
- ❑ Flow-through ventilation system
- ❑ Soft-rim steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cutpile carpet floor covering
- ❑ Molded full foam seats
- ❑ Rear dome light on 3-seat models
- ❑ Built-in blended-air heater and defroster system
- ❑ 22-quillon fuel tank
- ❑ Sealed side-terminal Energizer battery with flame arrester battery caps
- ❑ Coolant recovery system
- ❑ Hydraulic valve lifters
- ❑ Delcotron generator with built-in solid-state regulator
- ❑ Flush-mounted windshield and rear window bonded to body
- ❑ Double-panel roof, door, hood and deck lid construction
- ❑ Counterbalanced swing-up liftgate with fixed window. Liftgate-ajar warning light on instrument panel
- ❑ Power liftgate release with instrument panel control switch on 3-seat models (extra-cost on 2-seat models)
- ❑ Swing-out rear quarter windows on 3-seat models (extra-cost on 2-seat models)
- ❑ Cushioned body mounting system
- ❑ Separate perimeter-type frame with corrosion resistant coating
- ❑ Lower leaders front and rear
- ❑ Wagon-engineered Full Coil suspension system with computer-selected springs
- ❑ Self-adjusting brakes
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



GM-Developed Catalytic Converter



GM-Specification Steel-Belted Radial Ply Tires

Hydropneumatic Counterbalanced Swing-Up Rear Gate



High Energy Ignition System

Chevelle Wagon Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two-front combination seat and shoulder belts for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two-front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front and intermediate seat back tips
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment and console door latch impact security
- Smooth-contoured door and window regulator handles
- Soft, low-profile window control knobs, coat hooks, dome light
- Automatic locking front, intermediate and third outboard seat belt retractors

- Shoulder belt anchorages for intermediate and third seat outboard occupants
- Pressure lock indicator cap
- High-strength front seat anchorages and construction
- High-strength intermediate and third seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washer and dual-speed wipers
- Wide-view inside day/night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light
- Starter Safety Switch
- Dual-action safety hood latches

- Headlight aiming access provision
- Low-gloss instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rims
- Uniform shift quadrant
- No winged wheel axle, disc or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft


- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Inside hood latch release
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors or liftgate)
- Visible vehicle identification
- Tamper-resistant odometer with telltale feature



Malibu Classic Rotate Padded Instrument Panel



Power Front Disc Brakes with Audible Wear Indicators



Side-Guard Beams



Contoured Roof Inner Panel

Chevelle Wagon Equipment Summary

Exterior	Malibu Classic Estates	Malibu Classic Wagons	Malibu Wagons
Full wheel covers	EC	EC	EC
Belly wheels (RPO Z17)	EC	EC	EC
Wood-grain vinyl body side panels	S	NA	NA
Bright liftgate moldings	S	NA	NA
Exterior Decor Package (RPO T16)	NA	NA	EC
Bright roof drip molding	S	S	EC*
Wheel opening moldings	S	S	EC*
Bright lower body molding	S	S	NA
Sport mirrors (LH remote control, RH manual, RPO D05)	EC	EC	EC
Remote-control LH outside rearview mirror (RPO D03)	EC	EC	EC
Remote-control RH outside rearview mirror (RPO D03)	EC	EC	EC
Body side molding with vinyl insert (RPO B04)	EC	NA	EC
Swing-out rear side windows** (RPO A20)	EC	EC	EC
Interior			
Simulated wood-grain vinyl accents on instrument panel	S	S	NA
Swing-out bucket seats (RPO A07)	EC	EC	EC
Power seat—6-way	EC	EC	EC
Full-width front seat with center fold-down cushion	S	S	NA
Vinyl and cloth door panels	S	S	NA
All-vinyl door panels	NA	NA	S
Soft-rim steering wheel	S	S	S
Color-keyed steering wheel and column	S	S	NA
Cat-pile carpeting	S	S	S
Single note horn	S	S	S
Glove compartment light	S	S	EC
Intermittent Windshield Wiper System (RPO C04)	EC	EC	EC
Electric clock (RPO U35)	EC	EC	EC
EconomySaver Gauge Package (RPO U07)	EC	EC	EC
Cigarette lighter	S	S	S
Chassis			
Turbo Hydra-matic	S	S	S
Power steering	S	S	S
Power front disc/rear drum brakes	S	S	S
Full Coil suspension system with front stabilizer	S	S	S
GM-Specification steel-belted radial ply tires	S	S	S

*Available only when Exterior Decor Package (RPO T16) is ordered.

**Standard on Vanair models.

S—Standard
NA—Not Available

EC—Extra Cost

Chevelle Wagon Power Teams

Engine	Power Rating	Engine Usage	Transmission	Std.	Rear Axle Ratio (1:1)	
					Highway RPO G85	High Alt. RPO G86
250-2 barrel V8	145	Std. (1)	Turbo Hydra-matic	Std.	3.08	2.73
350-4 barrel V8	155	RPO LM1 (2)	Turbo Hydra-matic	Std.	3.08	2.73
400-4 barrel V8	175	RPO LT4 (3)	Turbo Hydra-matic	Std.	3.08	2.73
454-4 barrel V8	215	RPO LS4 (5)	Turbo Hydra-matic	Std.	2.73	—
					—	3.08

(1) Not available in State of California.

(2) Available only for sale and/or registration in California.

(3) California Emission Equipment required in State of California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power train.

Highway Axle Ratio (RPO G85)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G86)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Engine Specifications

Engine	250-2	350-4	400-4	454-4
Type	V8	V8	V8	V8
Displacement (cu. in.)	350	350	400	454
Bore x Stroke (in.)	4.00 x 3.48	4.00 x 3.48	4.125 x 3.75	4.25 x 4.00
HP @ RPM	145 @ 3600	155 @ 3600	175 @ 3600	215 @ 4000
Torque @ RPM	250 @ 3200	250 @ 3400	305 @ 2000	350 @ 2400
Compression ratio	8.5:1	8.5:1	8.5:1	8.15:1
Carburetion	2-barrel	4-barrel	4-barrel	4-barrel
Exhaust system	single	single	single	single

Note: Horsepower and Torque ratings are SAE net as installed.

Transmissions

	Engine	Transmission gear ratios	Shift selector	
			Column	Console*
Turbo Hydra-matic	Std. V8 LM1 V8 LT4 V8	Drive—2.53-1.53-1.00 Low 2—2.53-1.53 Low 1—2.53 Reverse—1.93	•	•
	LS4 V8	Drive—2.48-1.48-1.00 Low 2—2.48-1.48 Low 1—2.48 Reverse—2.08		

*Optional at extra cost.

Selected Options

Description	RPO Number	Malibu Classic Estate	Malibu Classic	Malibu
Air conditioning: Four-Season. Includes 61-amp generator and increased cooling	C90	•	•	•
Air deflector, rear window	C91	•	•	•
Alles:				
High Altitude Ratio. Available only when 454-4 barrel V8 is ordered	C92	•	•	•
Highway ratio	C95	•	•	•
Powertrac	C98	•	•	•
Battery, heavy-duty—4000-watt rating	UA1	•	•	•
Belts, Custom Deluxe seat and shoulder. Includes brushed metal buckles and color-keyed belts.				
2-seat models—6 seat and 2 front shoulder	AK1	•	•	•
3-seat models—8 seat and 2 front shoulder	AK1	•	•	•
Bumper equipment—front and rear:				
Deluxe bumpers. Includes black resilient impact strips	VE8	•	•	•
Bumper guards, front only	V30	•	•	•
California emission certification	YF5	•	•	•
Carrier, roof—upper rails and supports shipped loose for dealer installation. Also includes adjustable end rail and wool-grained accents	V38	•	•	•
Clock, electric	U38	•	•	•
Console. Available only when bucket seats are ordered. Includes compartment. Shift lever mounted in console	D85	•	•	•
Decor, exterior packages. Includes wheel opening, roof drip, headlight and taillight moldings	YF6	•	•	•
Deluges, rear window (forward-air)	C90	•	•	•
Door lock system, power	AU3	•	•	•
Econominder Gauge Package.—Includes temperature, voltmeter and fuel economy gauges.	U77	•	•	•
Floor covering:				
Carpet, load floor (2-seat models only)	B44	•	•	•
Generator, 61-amp Delco-tron. Included when air conditioning is ordered	K78	•	•	•
Glass, Sub-Foy tinted—all windows	A01	•	•	•
Horns, dual	U09	•	•	•
Lighting, auxiliary includes:	Z39			
Ashtary light		•	•	•
Courtesy light, instrument panel		•	•	•
Glove compartment light		(N/A)	(N/A)	•
Rear dome light for 2-seat models only		•	•	•
Mirror map light		•	•	•
Underhood light		•	•	•
Headlight-on reminder buzzer		•	•	•

Selected Options (continued)

Description	RPO Number	Malibu Classic Estate	Malibu Classic	Malibu
Litter container	D04	•	•	•
Mats, color-keyed floor—2 front and 2 rear	B37	•	•	•
Mirrors:				
Remote-control outside rearview, LH. Not available when sport mirrors are ordered	D33	•	•	•
Remote-control outside rearview, RH. Available only when LH (RPO D33) is ordered	DF3	•	•	•
Sport, LH remote-control and RH manual	D08	•	•	•
Sport, twin remote-control	D68	•	•	•
Vanor vanity	D04	•	•	•
Moldings:				
Body side. Includes vinyl insert	B64	NA	•	•
Door edge guard	B93	NA	•	•
Rollator, heavy-duty	V01	•	•	•
Radio equipment (all radios include windshield antenna):				
AM radio	U63	•	•	•
AM/FM radio	U65	•	•	•
AM/FM/stereo radio	U58	•	•	•
Rear seat speaker. Two rear speakers included with stereo systems	U80	•	•	•
Stereo tape system with AM radio	U41	•	•	•
Stereo tape system with AM/FM/stereo radio	U42	•	•	•
Seat equipment:				
Bucket-seat swing-out type		•	•	•
Power front seat for full-width seat, 6-way control	A42	•	•	•
Speed control, Cruise-Master	K30	•	•	•
Steering wheel—Comfort	N33	•	•	•
Steering wheel, Sport	N31	•	•	•
Tailgate release, Power electric. Std. on 3-seat models	A10	•	•	•
Wheel equipment:				
Full wheel covers	P01	•	•	•
Rally wheels. Available only with H870-158 tires. Includes styled wheels, hub caps and trim rings	E7	•	•	•
Windows, power	A31	•	•	•
Windows, swing-out. Rear side windows for 3-seat models only	A20	•	•	•
Windshield wiper system, intermittent	CD4	•	•	•
Tires				
H870-148 steel-belted radial ply blackwall	OCP	•	•	•
H870-158 steel-belted radial ply white stripe	OCN	•	•	•
H870-158 steel-belted radial ply white stripe	QEL	•	•	•

NA—Not Available

Chevelle Wagon All-Vinyl Interior/Exterior Color Selections

Exterior body colors and interior trim colors for both custom and bucket seats permit a wide selection of interiors.

Exterior combinations. Recommended combinations are indicated in the charts by a "■" in the appropriate square.

Doors and Headlining		Black	Blue (Dark)	Saddle (Dark)	Sandstone (Med.)
Seat Color		Black	Blue	Saddle	Sandstone
Instrument Panel Pod		Black	Blue	Saddle	Sandstone
Floor Covering		Black	Blue	Saddle	Sandstone
MALIBU CLASSIC ESTATE & MALIBU CLASSIC	Bucket seat	■	■	■	■
	Bucket seat	■	■	■	■
	Bucket seat	■			■
MALIBU		■			■

Exterior Body Color and Code

Beige, Cream	90	■		■	■
Black	19	■	■	■	■
Blue, Bright Metallic	26	■	■		
Blue, Medium	34	■	■		
Blue, Midnight Metallic	29	■	■		
Brown, Dark Metallic	89	■		■	■
Gray, Light	15	■		■	
Green, Dark Metallic	49	■		■	■
Green, Medium	44	■			
Orange, Medium Metallic	64	■		■	■
Red, Dark Metallic	74	■			
Red, Medium	72	■			■
Saddle, Light Metallic	63	■		■	
Sandstone	55	■		■	■
Silver	13	■	■		
White, Antique	11	■	■	■	■

Chevelle Wagon Specifications

Exterior Dimensions

	Malibu Classic
Wheelbase	116.0
Length (overall)	211.2
Width (overall)	76.4
Height (loaded)	55.6
Front fender	61.5
Rear fender	60.7
Minimum ground clearance	5.8

Interior Roominess

Head room—front	38.8
Head room—2nd seat	39.4
Head room—3rd seat	37.8
Leg room—front seat	42.3
Leg room—2nd seat	36.8
Leg room—3rd seat	27.8
Hip room—front	54.7
Hip room—2nd seat	55.1
Hip room—3rd seat	36.5
Shoulder room—front	59.6
Shoulder room—2nd seat	58.9
Shoulder room—3rd seat	42.7

Cargo Compartment

Floor length—front seat to liftgate	90.2
Floor length—2nd seat to liftgate	83.9
Width between wheelhouses	44.5
Height—floor to roof (max.)	30.1
Liftgate loading height	27.3
Liftgate opening height	27.4
Liftgate opening width at floor	44.5
Liftgate opening width at hub	63.8
Total cargo volume (cu. ft.)	94.8*

Glass Area

Windshield glass area (sq. in.)	1312.6
Rear window glass area (sq. in.)	926.1
Total glass area (sq. in.)	5433.0

Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	22
Curb weight (lbs.)	4114**
Shipping weight (lbs.)	4301**

*Includes 9.8 cu. ft. concealed storage compartment on 2-seat models; 5.8 cu. ft. on 3-seat models

**Add 40 lbs. for 3rd seat option.

1975 Corvette

	Page No.
Standard Equipment.....	2
Corvette Coupe 1Y237—V8.....	3-4
Corvette Convertible 1Y267—V8.....	5
Major Features.....	6
Safety and Security Features.....	6
Selected Options.....	7
Power Teams.....	8
Color and Trim.....	9
Equipment Summary.....	10
Specifications.....	11


Corvette Features

- ☐ Resilient body-color front bumper cover with black-finished integral bumper guards
- ☐ Black-finished precision-cast grille and clear lens parking lights
- ☐ Retractable headlights
- ☐ Bright windshield molding
- ☐ Air induction hood
- ☐ Hide-A-Way windshield wipers with integral washers in wiper arms
- ☐ High-rise hoodens with functional louvers
- ☐ Bright roof drip molding on Coupe
- ☐ Manually operated folding top on Convertible
- ☐ Bright lower body side moldings
- ☐ Body sill molding
- ☐ Bright wheel trim rings and center caps
- ☐ Fixed rear window and removable roof panels on Coupe
- ☐ Single-unit taillights and back-up lights with bright rings
- ☐ Resilient body-colored urethane rear bumper cover with black-finished integral bumper guards and recessed taillights
- ☐ Twin rear air exhaust grilles
- ☐ Tapered high-back bucket seats with integral head restraints
- ☐ Luxurious all-vinyl interior (Custom interior with genuine leather seat panels available at extra cost)
- ☐ Special sport-style steering wheel
- ☐ Convenient storage pocket in instrument panel
- ☐ Wide-view day-night inside rearview mirror
- ☐ Aircraft-type center console
- ☐ Rally-type electric clock
- ☐ Ammeter, temperature, fuel and oil pressure gauges
- ☐ Coolant recovery system
- ☐ 7,000-rpm tachometer
- ☐ Separate trip odometer
- ☐ Seat belt and door-ajar warning lights
- ☐ Console-mounted parking brake control with warning light on instrument panel
- ☐ Custom Deluxe color-keyed seat belts (and shoulder belts on Coupe)
- ☐ Molded door panels with built-in armrests
- ☐ Color-keyed deep-twist carpeting
- ☐ Dual courtesy lights with automatic door switches
- ☐ Carpeted rear compartment storage wells
- ☐ Concealed convertible top storage on Convertible

Appearance features available include: Custom Interior (genuine leather seat panels; plush cut-pile carpeting; special door trim with carpeted lower panels; wood-grain vinyl accents on doors and center console); white stripe tires; white lettered tires.



Corvette Coupe





Corvette Coupe



Corvette Convertible

Major Features—Standard on 1975 Corvettes

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; carburetor outside air induction system; steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Integral front and rear bumper guards formed into body-colored urethane bumper cover
- ❑ Power-operated retractable dual headlights
- ❑ High-rise handles with functional levers
- ❑ Tinted glass in all windows
- ❑ Recessed outside door handles
- ❑ Full door-glass styling
- ❑ Curved side windows
- ❑ Wheel trim rings and center caps
- ❑ Flow-through ventilation system
- ❑ Tapered high-back bucket seats with integral head restraints
- ❑ Special sport-styled steering wheel
- ❑ Tachometer, odometer, oil pressure, fuel and temperature gauges
- ❑ Separate trip odometer
- ❑ Warning lights for seat belt and door ajar
- ❑ Console-mounted parking brake control
- ❑ All-vinyl interior trim
- ❑ Carpeted rear compartment storage wells
- ❑ 4-Speed fully synchronized transmission
- ❑ Positraction rear axle
- ❑ Delcotron generator
- ❑ Sealed side-terminated battery
- ❑ Positive-shift starter
- ❑ Automatic choke
- ❑ Built-in blended-air heater and defroster system
- ❑ Side-Guard beams
- ❑ Dual-speed electric windshield wipers
- ❑ Separate spare tire storage with key lock
- ❑ Steel-reinforced fiberglass body
- ❑ Front bumper system with self-restoring honeycomb cushion
- ❑ Retracting rear bumper system with twin hydraulic cylinders
- ❑ Built-in anti-theft alarm system
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Full independent suspension system
- ❑ Self-adjusting disc brakes at all four wheels
- ❑ G80-158 steel-belted radial ply blackwall tires
- ❑ Wide 13" x 6" wheels

Safety and Security Features

Occupant Protection

- ❑ Seat belts with pushbutton buckles for all passenger positions
- ❑ Two front combination seat and shoulder belts (except Convertible) for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- ❑ Two built-in front seat head restraints
- ❑ Energy-absorbing steering column
- ❑ Passenger-guard door locks
- ❑ Safety door latches and hinges
- ❑ Folding seat back latches
- ❑ Energy-absorbing padded instrument panel and front seat back tops
- ❑ Contoured windshield header (except Convertible)
- ❑ Thick-laminated windshield
- ❑ Padded sun visors
- ❑ Safety armrests
- ❑ Safety steering wheel
- ❑ Side-Guard beams
- ❑ Glove compartment and console door latch impact security
- ❑ Smooth-contoured door and window regulator handles

- ❑ Soft, low-profile window control knobs, coat hooks, dome light
- ❑ Automatic locking seat belt retractors
- ❑ Pressure lock radiator cap
- ❑ High-strength seat anchorages and construction
- ❑ Stamped steel door hinges

Accident Prevention

- ❑ Side marker lights and reflection (front side marker lights flash with directional signal)
- ❑ Parking lights that illuminate with headlights
- ❑ Four-way hazard warning flasher
- ❑ Back-up lights
- ❑ Lane-change feature in direction signal control
- ❑ Windshield defroster, washer and dual-speed wipers
- ❑ Wide-view inside day/night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- ❑ Outside rear-view mirror
- ❑ Dual master cylinder brake system with warning light
- ❑ Starter Safety Switch

- ❑ Headlight aiming access provision
- ❑ Low-gloss instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- ❑ Safety wheel rim
- ❑ Uniform skid resistant
- ❑ No winged wheel nuts, disc or caps
- ❑ Self-adjusting brakes
- ❑ Illumination of windshield wiper and washer, heater and defroster controls
- ❑ Flame-arresting battery vent caps
- ❑ Flame-retardant interior materials
- ❑ Pressure relief gas cap

Anti-Theft

- ❑ Anti-theft ignition key reminder buzzer
- ❑ Anti-theft steering column lock
- ❑ Inside hood latch release
- ❑ Anti-theft key system (one key for ignition only, other key for glove compartment, doors and trunk)
- ❑ Visible vehicle identification
- ❑ Tampo-resistant odometer with telltale feature

Corvette Selected Options

Description	RPO Number	Coupe	Convertible
Air conditioning—Four-Season	C60	•	•
Asides:			
High Altitude ratio	G93	•	•
Highway ratio	G95	•	•
Battery, heavy-duty	U41	•	•
Belts, Custom Deluxe shoulder, Driver and passenger	A85	NA	•
Brakes, power	150	•	•
California emission certification	YF5	•	•
Defogger, rear window (forced-air)	C30	•	•
Horns, dual	U05	•	•
Map light. Mounted on inside rearview mirror. Includes headlight-on reminder buzzer	U71	•	•
Off-road package. Available with optional engines and M21 4-speed transmission only. Includes Gymbkhana suspension and power brakes	207	•	•
Radio equipment. Includes 30" fixed height rear antenna			
AM/FM radio	U69	•	•
AM/FM/stereo radio	U55	•	•
Roof cover, vinyl. Black—with auxiliary hardtop only	C08	NA	•
Steering, power—variable ratio	N41	•	•
Steering wheel, tilt-telescopic	N37	•	•
Suspension, Gymbkhana. Included with off-road package	F87	•	•
Top, auxiliary. Hardtop—in addition to folding top	C07	NA	•
Top, folding; manually operated; available with all exterior colors			
Black	55	NA	•
White	AA	NA	•
Trim, Custom interior. Includes leather seat trim, special out-pile carpeting, door trim panels with simulated wood-grain accents and lower carpeting plus console with simulated wood-grain accents		•	•
Windows, power	A31	•	•

Tires

GR70-15B steel belted radial ply white stripe	C8M	•	•
GR70-15B steel belted radial ply white lettered	C82	•	•

NA—Not Available

Corvette Power Teams

Engine	Power Rating	Engine Usage	Transmission	Posttraction Rear Axle Ratio (1:1)		
				Std.	Highway RPO G85	High Alt. RPO G82
350-4 barrel V8	165	Std. (1)	4-Speed (2.64)	Std.	3.08	—
			Turbo Hydro-matic	RPO M40	3.08	—
Special			4-Speed (2.64)	Std.	3.88	—
350-4 barrel V8	205	RPO L82 (2)	4-Speed (2.43)	RPO M21	3.88	3.70*
			Turbo Hydro-matic	RPO M40	3.88	3.88

*Not available with air conditioning.

(1) California Emission Equipment required in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G85)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G82)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high-altitude areas.

Engine Specifications

Engine	350-4	Special 350-4
Type	V8	V8
Displacement (cu. in.)	350	350
Bore x Stroke (in.)	4.00 x 3.48	4.00 x 3.48
HP @ RPM	165 @ 3800	205 @ 4800
Torque @ RPM	255 @ 2400	255 @ 3600
Compression ratio	8.5:1	8.5:1
Carburetion	4-barrel	4-barrel
Exhaust system	dual*	dual*

Note: Horsepower and Torque ratings are SAE net as installed.

*With single converter.

Transmissions	Engines	Transmission gear ratios					Shift selector
		1	2	3	4	5	Console
4-Speed Fully Synchronized (Standard)	All	2.64	1.75	1.34	1.00	2.55	●
4-Speed Fully Synchronized (RPO M21)	L82	2.43	1.61	1.23	1.00	2.49	●
Turbo Hydro-matic (RPO M40)	All	Drive—2.48-1.46-1.00 Low 2—2.48-1.46 Low 1—2.48 Reverse—2.08					●

Clutch Details

Clutch type	All Engines	
	Semi-centrifugal bent-finger-design diaphragm spring with single dry disc—perforated or nodular iron pressure plate	
Disc Facing Material	Premium grade woven asbestos	
Disc Facing Outside Diameter (in.)	11.00	
Disc Facing Total Area (sq. in.)	123.70	
Spring Effective Plate Load (lbs.)	2450-2750	

Corvette Interior/Exterior Color Selections

Exterior body colors and interior trim colors for both Coupe and Convertible models permit a wide selection of Interior/Exterior combinations. Recommended combinations are indicated in the charts by a "●" in the appropriate square.

		INTERIOR TRIM					
		Black	Blue (Dark)	Neutral (Light)	Red (Dark)	Saddle (Medium)	Silver
COUPE OR CONVERTIBLE	Custom Leather Interior	●	●		●	●	●
	All vinyl	●	●	●	●	●	●

Exterior Body Color Code:

Blue, Bright Metallic	22	●	●				●
Blue, Steel Metallic	27	●	●				●
Green, Bright Metallic	43	●		●		●	●
Orange Flame	70	●		●		●	
Red, Dark Metallic	74	●		●	●	●	●
Red, Mile High	76	●		●	●	●	●
Saddle, Medium Metallic	67	●		●		●	
Silver	13	●	●		●	●	●
White, Classic	10	●	●	●	●	●	●
Yellow, Bright	56	●		●		●	

Vinyl Roof Cover—RPO C08 (with auxiliary hardtop only)

Vinyl roof color	Code	Exterior color availability
Black	BB	All Exterior Colors

Convertible Top Colors: Choice of white (AA) or black (BB) top available with all exterior colors.

Corvette Equipment Summary

Exterior

	Coupe	Convertible
Bright wheel trim rings and center caps	S	S
Hide-A-Way windshield wipers	S	S
High-backed bucket seats	S	S
Removable roof panels	S	NA
Auxiliary removable hardtop (RPO CO7)	NA	EC
Vinyl roof cover (RPO CO8)	NA	EC,N
Tinted glass in all windows	S	S
Power-operated retractable headlights	S	S

Interior

Aircraft-type center console	S	S
Bulb-type electric clock	S	S
Analog, temperature, fuel and oil pressure gauges	S	S
7000 RPM tachometer	S	S
Console-mounted parking brake control	S	S
Flow-through ventilation system	S	S
Special sport-styled steering wheel	S	S
Custom Deluxe shoulder belts (RPO AM5)	S	EC
Dual horns (RPO UC5)	EC	EC
Mirror map light (RPO UP1)	EC	EC
Out-pile carpeting	S	S
Steel-reinforced fiberglass body	S	S
Side-guard door beams	S	S
Built-in anti-theft audio alarm system	S	S

Chassis

Special 350-4 engine	EC	EC
350-4 engine	S	S
4-speed wide-range transmission	S	S
4-speed close-ratio (RPO M21—with optional V8 only)	(1)	(1)
Turbo Hydra-matic	(2)	(2)
Positraction rear axle	S	S
Power brakes (RPO J50)	EC	EC
4-wheel disc brakes	S	S
GR70-158 steel-belted radial ply blackwall tires	S	S
GR70-158 steel-belted radial ply white stripe tires (RPO GRM)	EC	EC
GR70-158 steel-belted radial ply white lettered tires (RPO GR2)	EC	EC
Full independent suspension system	S	S
Gymkhana suspension (RPO JET)	EC	EC
Carburetor air induction	S	S

(1) No change option.

(2) No change option with standard 350-4 horse/ V8 only.

(3) Black vinyl roof cover available for auxiliary hardtop only.

S—Standard

EC—Extra Cost

NA—Not Available

Corvette Specifications

Exterior Dimensions

	Coupe	Convertible
Wheelbase	98.0	98.0
Length (overall)	185.3	185.3
Width (overall)	69.0	69.0
Height (loaded)	48.1	48.1
Front tread	58.7	58.7
Rear tread	59.5	59.5
Minimum ground clearance	4.3	4.3

Interior Roominess

Head room	36.3	37.1*
Leg room	43.1	43.1
Hip room	48.8	48.8
Shoulder room	47.9	47.9

Luggage Compartment

Usable luggage space (cu. ft.)	6.5	6.5
--------------------------------	-----	-----

Glass Area

Windshield glass area (sq. in.)	977.4	977.4
Rear window glass area (sq. in.)	393.5	418.0
Total glass area (sq. in.)	3170.7	3196.3

Steering & Tires

Turning circle—curb-to-curb (ft.)	37.0
Turning circle—wall-to-wall (ft.)	38.6
Steering ratio—std. (overall)	20.3:1
Steering ratio—power (overall)	17.6:1
Standard tire size	GR70-15B

Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	18	18
Curb weight (lbs.)	3541	3549
Shipping weight (lbs.)	3445	3453

*With removable hardtop—38.0



**Chevrolet Motor Division
General Motors Corporation
Detroit, Michigan 48202**

1975 Chevrolet Sedans, Coupes and Wagons

Caprice Classic		Page No.	
Standard Equipment.....		2	
Sport Sedan	1BN39-V8.....	3-4	
Coupe	1BN47-V8.....	4	
4-Door Sedan	1BN69-V8.....	5	
Convertible	1BN67-V8.....	5	
Impala			
Standard Equipment.....		6	
Sport Coupe	1BL57-V8.....	7-8	
Custom Coupe	1BL47-V8.....	8	
Sport Sedan	1BL39-V8.....	9	
4-Door Sedan	1BL69-V8.....	9	
Bel Air			
Standard Equipment.....		10	
4-Door Sedan	1BK69-V8.....	11	
Major Features.....		12	
Safety and Security Features.....		13	
Equipment Summary.....		14	
Power Teams.....		15	
Selected Options.....		16-17	
Color and Trim.....		18-19	
Specifications.....		20	
Police and Taxi Equipment.....		21-23	
Chevrolet Wagons			
	2-Seat	3-Seat	
Caprice Estate	1BN35-V8	1BN45-V8.....	24-25
Impala	1BL35-V8	1BL45-V8.....	26-27
Bel Air	1BK35-V8	1BK45-V8.....	28-29
Major Features.....		30	
Safety and Security Features.....		31	
Equipment Summary.....		32	
Power Teams.....		33	
Selected Options.....		34-35	
Color and Trim.....		36	
Specifications.....		37	

All illustrations and specifications shown are based on latest product information available at time of publication approval. Some models illustrated may include optional equipment available at extra cost. The right is reserved to make changes at any time without notice in prices, colors, materials, equipment, specifications and models, and to discontinue models.

Copyright 1974 Chevrolet Motor Division, General Motors Corporation
Little is U.S.A.

Caprice Classic

- ☐ Distinctive swept-back look with stepped headlights and front bumper with built-in parking lights
- ☐ Distinctive center grille with bright-accented vertical bars
- ☐ Distinctive roof design for Caprice Coupe
- ☐ Special body side molding with color-keyed insert
- ☐ Bright body sill moldings
- ☐ Front wheel opening moldings
- ☐ Rear loader skirts with bright moldings
- ☐ Full wheel covers
- ☐ Bright roof drip molding†
- ☐ Rear quarter windows with bright moldings on Sport Sedan
- ☐ Bright-accented triple-unit taillights with body color perimeter built into rear panel
- ☐ Molded door and sidewall panels with integral armrests and soft trim upper panel
- ☐ Vinyl door pulls on front doors†
- ☐ Color-keyed cut-pile carpeting on floor
- ☐ Color-keyed carpeting on lower door panels†
- ☐ Color-keyed soft-rim steering wheel with cushioned center
- ☐ Color-keyed steering wheel column and instrument cluster
- ☐ Wood-grain vinyl accents with special pattern on instrument panel, steering wheel and doors
- ☐ Cigarette lighter and illuminated ashtray
- ☐ Glove compartment lock and light
- ☐ Electric clock
- ☐ Dual horns
- ☐ Instrument panel courtesy lights
- ☐ Center dome light†
- ☐ Automatic interior light switches for all doors
- ☐ Bright front seat end panels†
- ☐ Fold-down front and center armrest on Sedan models with conventional seat
- ☐ Molded full foam front and rear seat cushions and backrest
- ☐ Armrests front and rear
- ☐ Luggage compartment mat
- ☐ Automatic luggage compartment light (except Convertible)

Appearance features available for Caprice Classic include: vinyl roof cover; Deluxe front and rear bumpers with resilient impact strips; wire wheel covers; white stripe tires.



Caprice Classic wheel cover



Wire wheel cover (RPO 966)



Caprice Classic Sport Sedan





Caprice Classic Sport Sedan



Caprice Classic Coupe



Caprice Classic 4-Door Sedan



Caprice Classic Convertible

Impala

- ❑ Silver-finish grid pattern grille with Chevrolet emblem in molding above and parking lights within headlight frames
- ❑ Formal roof style on Sport Coupe
- ❑ Adhesively attached body side molding with bright insert
- ❑ Bright roof drip molding
- ❑ Bright side window moldings on 4-Door Sedan
- ❑ Bright quarter window moldings on Custom Coupe and Sport Sedan
- ❑ Wheel opening moldings on Custom Coupe
- ❑ Bright body sill molding
- ❑ Bright aluminum hubcaps
- ❑ Bright-accented triple-unit taillights with red-finished perimeter built into rear panel
- ❑ Molded door panels with integral armrests and soft trim upper panel
- ❑ Color-keyed cut-pile carpeting
- ❑ Color-keyed steering wheel, column and instrument cluster
- ❑ Soft rim steering wheel with cushioned center
- ❑ Wood-grain vinyl interior accents on instrument panel, steering wheel and doors with bright trim
- ❑ Cigarette lighter
- ❑ Glove-compartment lock and light
- ❑ Center dome light
- ❑ Front door automatic dome light switches
- ❑ Molded full foam front and rear seat cushion and backrest
- ❑ Luggage compartment mat
- ❑ Automatic luggage compartment light

Appearance features available for Impala include: vinyl roof cover; wide body side vinyl molding with bright trim; Deluxe front and rear bumpers with excellent impact strips; rear fender skirts; full wheel covers; wire wheel covers; white stripe tires.



Full wheel cover
(RPO PGU)



Wire wheel cover
(RPO R95)



Impala hub cap



Impala Sport Coupe





Impala Custom Coupe



Impala Sport Coupe



Impala 4-Door Sedan



Impala Sport Sedan

Bel Air

- ❑ Silver-finish grid pattern grille with Chevrolet emblem in molding above and parking lights within headlight frames
- ❑ Bright body side molding
- ❑ Bright aluminum hubcaps
- ❑ Dual-unit taillights built into silver-finish rear panel
- ❑ Color-keyed steering wheel and column
- ❑ Soft-rim steering wheel with cushioned center
- ❑ Molded door panels with integral armrests
- ❑ Color-keyed out-gate carpeting
- ❑ Cigarette lighter
- ❑ Glove compartment lock and light
- ❑ Center dome light
- ❑ Front door automatic dome light switches
- ❑ Molded full foam front and rear seat cushions and backrest

Appearance features available for Bel Air include: vinyl roof cover; adhesively attached body side molding with bright insert; bright roof drip moldings; Deluxe front and rear bumpers with resilient impact strips; rear fender skirts; full wheel covers; wire wheel covers; Bel Air hub cap; white stripe tires.



Full wheel cover
(RPO POU)



Wire wheel cover
(RPO WS5)



Bel Air hub cap






Bel Air 4-Door Sedan

Major Features – Standard on 1975 Chevrolets

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; new carburetor outside air induction system; GM-Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Turbo Hydra-matic transmission
- ❑ Power disc/drum brake system
- ❑ Disc brake outside wear sensors
- ❑ Variable-ratio power steering
- ❑ Hide-A-Way windshield wipers
- ❑ Flush-style side windows
- ❑ Full door glass styling
- ❑ Curved side windows
- ❑ Flush-style outside door handles
- ❑ Hide-A-Way dual-speed electric windshield wipers
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Speedometer dial reads to 100 mph in white numbers with metric equivalents in blue
- ❑ Color-keyed steering wheel and column
- ❑ Wide day-night inside rearview mirror
- ❑ Forward-mounted front door lock buttons
- ❑ Inside hood release
- ❑ Flow-through power ventilation system
- ❑ Color-cooled control panel for heater or optional air conditioning
- ❑ Soft-rim steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cut-pile-carpet floor covering
- ❑ Molded full foam seats
- ❑ Built-in blended-air heater and defroster system
- ❑ Sealed side-terminal Energizer battery with flame arrester battery caps
- ❑ Coolant recovery system
- ❑ Hydraulic valve lifters
- ❑ Delco-Romex generator with built-in solid-state regulator
- ❑ Flush-mounted windshield and rear window bonded to body (except Convertible rear window)
- ❑ Double-panel roof, door, hood and deck lid construction
- ❑ Cushioned body mounting system
- ❑ Separate perimeter-type frame with corrosion-resistance coating
- ❑ Inner liners front and rear
- ❑ Full Coil suspension system with computer-selected springs
- ❑ Transmission control cable assembly with anti-friction liner
- ❑ Self-adjusting brakes
- ❑ 15 x 6 wheels with large bolt circle
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



High Energy Ignition System



GM-Developed Catalytic Converter



GM-Specification Steel-Belted Radial Ply Tires



Carburetor Outside Air Induction System

Chevrolet Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts (except Convertible) for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header (except Convertible)
- Thick-laminate windshield
- Padded sun visors
- Safety emblems
- Safety steering wheel
- Cargo-Guard luggage compartment
- Side-Guard beams
- Contoured roof inner panel (except Convertible)
- Glove compartment door latch impact security
- Smooth-contoured door and window regulator handles

- Soft, low-profile window control knobs, coat hooks, dome light
- Automatic locking front and rear outboard seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges


Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Backup lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual-speed wipers
- Wide-view inside day/night mirror (vinyl-edge, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light
- Starter Safety Switch

- Dual-action safety hood latches
- Headlight aiming across provision
- Low-glass instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rim
- Uniform shift quadrant
- No winged wheel nuts, discs or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Inside hood latch release
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors and trunk)
- Visible vehicle identification
- Tampo-resistant odometer with teletale feature



Captive Padded Instrument Panel



Side-Guard Beam



Power Front Disc Brakes with Audible Wear Indicators

Folding Seat Back Latches and Front Seat Head Restraints



Chevrolet Equipment Summary

Exterior	Caprice Classic	Impala	Bel Air
Full wheel covers	S	EC	EC
Wire wheel covers (RPO H95)	EC	EC	EC
Wheel opening moldings	S	EC (1)	EC
Rear bumper skirts (RPO T58)	S	EC	EC
Bright body sill molding	S	S	S
Special body side molding with color-keyed insert	S	NA	NA
Deluxe body side molding (RPO BW2)	NA	EC	NA
Body side molding (RPO BW4)	NA	S	EC
Bright roof drip moldings	S	S	EC
Padded vinyl roof cover	EC	EC	EC

Interior

50/50 reclining passenger seat (RPO AT8)	EC	EC	NA
Instrument panel courtesy lights	S	EC	EC
Cut-pile carpeting	S	S	S
Door pull straps on front doors	S (2)	NA	NA
Fold-down front center console on 4-door models	S	NA	NA
Quiet Sound Group (RPO BS1)	S	EC	EC
Dual note horns instead of single note (RPO U06)	S	EC	EC
Glove compartment light	S	S	S
Electric clock (RPO U35)	S	EC	EC
Day-night rearview mirror (12")	S	S	S
Automatic interior light switches on 4-door rear doors	S	NA	NA
Economizer Group Package (RPO U77)	EC	EC	EC
Intermittent Windshield Wiper System (RPO CD4)	EC	EC	EC
Luggage compartment mat	S	S	EC
Luggage compartment light	S	S	EC
Custom Luggage Compartment (RPO B48)	EC (2)	EC	EC

Chassis

Power steering	S	S	S
Power disc/drum brakes	S	S	S
GM-Specification steel-belted radial ply tires	S	S	S
Radial-tuned suspension (RPO F18)	S	EC	EC
Sports suspension (RPO F41)	EC	EC	EC
Heavy-duty front and rear suspension (RPO F40)	EC	EC	EC

(1) Standard on Impala Custom Coupe (2) NA on Convertible S—Standard EC—Extra Cost NA—Not Available

Chevrolet Power Teams

Engine	Power Rating	Engine Design	Transmission	Rear Axle Ratios (1:1)		
				Sed.	Highway RPO G85	High Alt. RPO G82
350-2 barrel V8	145	Sed./47	Turbo Hydro-matic Std.	3.08	2.73	—
350-4 barrel V8	155	RPO LM1/49	Turbo Hydro-matic Std.	3.08	2.73	—
400-4 barrel V8	175	RPO LT4/3	Turbo Hydro-matic Std.	2.73	2.56	—
454-4 barrel V8	215	RPO LS4/2	Turbo Hydro-matic Std.	2.73	—	3.08

(1) Not available in California.

(2) Available only for sale and/or registration in California.

(3) California Exhausts Equipment required in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G85)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G82)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Positraction rear axle (RPO G80) available in all axle ratios.

Engine Specifications

Engine	350-2	350-4	400-4	454-4
Type	V8	V8	V8	V8
Displacement (cu. in.)	350	350	400	454
Bore x Stroke (in.)	4.00 x 3.48	4.00 x 3.48	4.125 x 3.75	4.25 x 4.00
HP @ RPM	145 @ 3800	155 @ 3800	175 @ 3600	215 @ 4000
Torque @ RPM	250 @ 2200	250 @ 2400	305 @ 2000	380 @ 2400
Compression ratio	8.5:1	8.5:1	8.5:1	8.15:1
Carburetion	2-barrel	4-barrel	4-barrel	4-barrel
Exhaust system	single	single	single	dual

Note: Horsepower and Torque ratings are SAE net as installed.

Transmissions

	Engine	Transmission gear ratios
Turbo Hydro-matic	Sed. V8	Drive—2.52-1.52-1.00
	LM1 V8	Low 2—2.52-1.52
		Low 1—2.52
		Reverse—1.93
	LT4 V8	Drive—2.48-1.48-1.00
	LS4 V8	Low 2—2.48-1.48
		Low 1—2.48
		Reverse—2.08

Selected Options

Description	BPO Number	Caprice Classic	Impala	Fal Air
Air conditioning. Includes 61-amp generator and increased cooling.				
Four-Season	C60	•	•	•
Comforton. Automatic temperature control	C61	•	•	•
Asides:				
High Altitude Ratio	C82	•	•	•
Highway Ratio	C85	•	•	•
Postraction	C80	•	•	•
Battery, heavy-duty—4000-watt rating. Included with 454-4 engine				
UA1	UA1	•	•	•
Belt, Custom Deluxe seat and shoulder. Includes brushed metal buckles and color-keyed belts.				
Coupe and Sedan—6 seat and 2 shoulder included with 50/50 seat	AE1	•	•	•
Convertible—6 seat	A36	•	NA	NA
Bumper equipment—front and rear:				
Deluxe bumpers including black resilient impact strips	YES	•	•	•
Bumper guards	V30	•	•	•
California emission certification				
YF5	YF5	•	•	•
Clock, electric				
U38	U38	NA	•	•
Delopger, rear window (forced-air)				
C80	C80	•	•	•
Door lock system, power				
AU3	AU3	•	•	•
Economizer Gauge Package. Includes temperature and fuel economy gauges				
UP7	UP7	•	•	•
Generator, 61-amp Delcotron. Included when air conditioning is ordered				
R76	R76	•	•	•
Glass, Soft-Ray tinted—all windows (except Caprice Convertible rear window)				
AC1	AC1	•	•	•
Horns, Dual				
U05	U05	NA	•	•
Light, dome reading. Included on Caprice Classic Coupe or Sedan models when BPO Z19 is ordered				
C05	C05	NA	•	•
Lighting, auxiliary. Includes:				
Z19	Z19	•	•	•
Auxiliary light	NA	•	•	•
Courtesy light	NA	•	•	•
Dome reading light	•	NA	NA	NA
Luggage compartment light	NA	NA	•	•
Underhood light	•	•	•	•
Headlight-on reminder buzzer	•	•	•	•
Litter container				
D34	D34	•	•	•
Luggage compartment trim, Deluxe. Not available on Caprice Classic Convertible				
B48	B48	•	•	•
Mats, color-keyed floor (2 front and 2 rear)				
B07	B07	•	•	•
Mirrors:				
Remote-control outside rearview, LH	D03	•	•	•
Remote-control outside rearview, RH. Includes LH remote-control (BPO D03)	DF3	•	•	•
Sport, Twin remote	D68	•	•	•
Vision vanity	D34	•	•	•

NA—Not Available

Selected Options (continued)

Description	BPO Number	Caprice Classic	Impala	Bel Air
Moldings				
Body side, Vinyl with bright insert	B64	NA	NA	●
Body side, Deluxe. Wider with bright trim	BW2	NA	●	NA
Door edge guard	B63	●	●	●
Roof drip, Included with vinyl roof cover	B60	NA	NA	●
Wheel opening	B65	NA	● (1)	●
Paint, exterior two-tone. Includes bright metal outline moldings—NA on Convertible	...	●	●	●
Quiet Sound Group	B61	NA	●	●
Radiator, heavy-duty. Includes extra heavy-duty cooling	VC1	●	●	●
Radio equipment (all radios include windshield antennas):				
AM radio	UM3	●	●	●
AM/FM radio	UM9	●	●	●
AM/FM stereo radio	UM8	●	●	●
Rear seat speaker—Two rear speakers included with stereo systems	UM0	●	●	●
Stereo tape system with AM radio	UM1	●	●	●
Stereo tape system with AM/FM/stereo radio	UM2	●	●	●
Roof cover, vinyl	...	●	●	●
Seat equipment:				
50/50 reclining passenger seat. Includes Custom				
Deluxe seat and shoulder belts	...	●	●	NA
Power front seat—6-way control				
Full-width front seat	A42	●	●	NA
50/50 seat, driver's side only	AG7	●	●	NA
Steer, rear fender	F58	NA	●	●
Speed control, Cruise-Master	E30	●	●	●
Steering wheel, Comfort	N33	●	●	●
Suspension equipment:				
Superlift rear shock absorbers	G66	●	●	●
Heavy-duty front and rear suspension. Includes increased rate and higher capacity front and rear springs and matching shock absorbers	F40	●	●	●
Radial tuned suspension	F03	NA	●	●
Sports suspension	F41	●	●	●
Top color, Convertible. Available with all solid exterior colors:				
Black	BB	●	NA	NA
White	AA	●	NA	NA
Trim, interior (see color and trim chart)	...	●	●	●
Trunk opener, power	A90	●	●	●
Wheel equipment:				
Full wheel covers	P01	NA	●	●
Wire wheel covers	N06	●	●	●
Windows, power	A31	●	●	NA
Windshield wiper system, intermittent	CD4	●	●	●

Tires

R876-158 steel-belted radial ply white stripe	QEL	●	●	●
---	-----	---	---	---

(1) Standard on Custom Coupe NA—Not Available

Chevrolet Cloth Interior/Exterior Color Selections

Exterior body colors and interior trim permit a wide selection of Interior/Exterior combinations for 1979. The 60/50 Splitting Passenger Seat is available for all models. Sport Cloth interior is available with 60/50 or conventional seats; and white all-

vinyl with black, blue, green or red carpeting. Instrument panel and other accents are available for Impala Coupe and Caprice Classic Convertible models. Recommended combinations are indicated in the charts by a "●" in the appropriate space.

Doors and Headlining		Black	Blue (Dark)	Green (Med.)	Red (Dark)	Saddle (Dark)	Sandstone (Med.)
Seat Color		Black	Blue	Green	Red	Saddle	Sandstone
Instrument Panel Pad		Black	Blue	Green	Red	Saddle	Sandstone
Floor Covering		Black	Blue	Green	Red	Saddle	Sandstone
CAPRICE CLASSIC COUPE & SEDANS	Cloth Beach seat	●	●	●	●		●
	Cloth 60/50 seat	●	●	●	●		●
CAPRICE CLASSIC CONVERTIBLE	Sport Cloth Beach seat					●	
	Sport Cloth 60/50 seat					●	
IMPALA	Cloth Beach seat	●	●	●			●
	Cloth 60/50 seat	●	●	●			●
	Sport Cloth Beach seat					●	
	Sport Cloth 60/50 seat					●	
BEI AIR	Cloth Beach seat	●	●				●

Exterior Body Color and Code		Solid	Two-Tone/Upper						
Beige, Cream	80	—	●					●	●
Black	19	—	●	●	●		●	●	●
Blue, Bright Metallic	26	11	●	●					
Blue, Medium	24	11	●	●					
Blue, Midnight Metallic	29	11	●	●					
Brown, Dark Metallic	59	11	●						●
Gray, Light	18	—	●						
Green, Dark Metallic	49	11	●		●			●	●
Green, Medium	44	11	●		●				
Orange, Medium Metallic	64	11	●					●	●
Red, Dark Metallic	74	11	●			●			
Red, Medium	72	—	●						●
Saddle, Light Metallic	63	—	●					●	
Sandstone	68	11	●					●	●
Silver	13	—	●	●		●			
White, Antique	11	—	●	●	●	●	●	●	●

Includes outline moldings.

Vinyl Roof Colors

Vinyl roof*	Code	Solid exterior body color availability
Black	BB	All Exterior Colors.
Blue (Dark)	DD	11, 13, 24, 26 or 29 only.
Green (Medium)	GG	11, 44 or 49 only.
Red (Dark)	HH	11, 13, 18, 19 or 74 only.
Sandstone	TT	11, 49, 50, 55 or 59 only.
Silver Metallic	WW	13, 19, 26, 29 or 74 only.
White	AA	All Exterior Colors.

*Includes bright roof drip molding on Bel Air.

Chevrolet All-Vinyl Interior/Exterior Color Selections

Doors and Headlining		Black	Blue (Dark)	Green (Med.)	Saddle (Dark)	Sandstone (Med.)	White			
Seat Color		Black	Blue	Green	Saddle	Sandstone	White	White	White	White
Instrument Panel Pad		Black	Blue	Green	Saddle	Sandstone	Black	Blue	Green	Red
Floor Covering		Black	Blue	Green	Saddle	Sandstone	Black	Blue	Green	Red
CAPRICE CLASSIC COUPE & SEDANS	Beach seat	●				●				
	50/50 seat	●				●				
CAPRICE CLASSIC CONVERTIBLE	Beach seat				●	●	●	●	●	●
	50/50 seat				●	●				
IMPALA COUPES	Beach seat	●	●	●	●	●	●	●	●	●
	50/50 seat			●	●	●				
IMPALA SEDANS	Beach seat	●		●	●	●				
	50/50 seat		●	●	●	●				
DEL AIR SEDAN	Beach seat					●				

Exterior Body Color and Code		Solid	Two- tone/Upper								
Beige, Cream	50	—	●				●	●	●		
Black	19	—	●	●	●		●	●	●		
Blue, Bright Metallic	26	11	●	●					●		
Blue, Medium	24	11	●	●					●	●	
Blue, Midnight Metallic	29	11	●	●						●	
Brown, Dark Metallic	59	11	●				●	●	●		
Gray, Light	15	—	●				●	●	●		
Green, Dark Metallic	49	11	●		●	●	●	●			●
Green, Medium	44	11	●		●			●	●		●
Orange, Medium Metallic	64	11	●			●	●	●	●		
Red, Dark Metallic	74	11	●					●	●		●
Red, Medium	72	—	●				●	●	●		
Saddle, Light Metallic	63	—	●			●		●	●		
Sandstone	55	11	●			●	●	●	●		
Silver	13	—	●	●				●	●		
White, Antique	11	—	●	●	●	●	●	●	●	●	●

Convertible Top Colors: Choice of White (AA) or Black (BB) top available with all exterior colors.
 (Not available on Convertible.)

Chevrolet Specifications

Exterior Dimensions

	Caprice Classic				Impala				Bel Air
	Coupe	Sport Sedan	4-Door Sedan	Conv.	Custom Coupe	Sport Coupe	Sport Sedan	4-Door Sedan	4-Door Sedan
Wheelbase	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5
Length (overall)	222.8	222.8	222.8	222.8	222.7	222.7	222.7	222.7	222.7
Width (overall)	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5
Height (loaded)	53.7	53.9	54.5	53.7	53.7	53.7	53.9	54.5	55.0
Front tread	64.1	64.1	64.1	64.1	64.1	64.1	64.1	64.1	64.1
Rear tread	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0
Minimum ground clearance	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7

Interior Roominess

Head room—front	38.1	38.4	38.9	38.9	38.1	38.1	38.4	38.9	38.9
Head room—rear	37.1	37.4	38.0	38.1	37.1	37.1	37.4	38.0	38.0
Leg room—front	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5
Leg room—rear	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8	35.8
Hip room—front	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3
Hip room—rear	55.1	55.7	55.7	55.1	55.1	55.1	55.7	55.7	55.7
Shoulder room—front	64.0	63.7	64.0	64.0	64.0	64.0	63.7	64.0	64.0
Shoulder room—rear	62.4	63.1	63.8	62.4	62.4	62.4	63.1	63.8	63.8

Luggage Compartment

Maximum opening width	62.0	62.0	62.0	62.0	62.0	62.0	62.0	62.0	62.0
Usable luggage space (cu. ft.)	18.1	18.9	18.9	15.9	18.1	18.9	18.9	18.9	18.9

Glass Area

Windshield glass area (sq. in.)	1511.4	1511.4	1542.7	1445.1	1511.4	1511.4	1511.4	1542.7	1542.7
Rear window glass area (sq. in.)	1025.2	1276.5	1359.0	736.1	1025.2	1303.0	1276.5	1359.0	1359.0
Total glass area (sq. in.)	4267.4	4635.4	4452.8	3714.4	4267.4	4430.0	4635.4	4452.8	4452.8

Steering & Tires

Turning circle—curb-to-curb (ft.)	41.7								
Turning circle—wall-to-wall (ft.)	45.3								
Steering ratio—power (overall)	17.2—15.8								
Standard tire size	HR78-158								

Fuel Capacity & Weight

Rated fuel tank capacity (gals.)	26								
Curb weight (lbs.)	4427	4517	4476	4492	4336	4338	4434	4386	4336
Shipping weight (lbs.)	4328	4376	4337	4393	4197	4199	4304	4247	4197

1975 Chevrolet Police Equipment



RPO B07 Chassis Equipment

- Heavy-duty body mounts
- Special front and rear suspension
- More durable front shock absorber upper grommets (standard on wagons)
- Heavy-duty 15 x 6 wheels (standard on wagons)
- Front and rear (except wagon) suspension stabilizer bars tailored to engine size and drive
- Heavy-duty engine and rear axle housings
- High-capacity cooling system including larger radiator, temperature-controlled seven-blade fan
- 43-amp max/38-amp idle Delcotron generator, 61-amp max/35-amp idle Delcotron included with air conditioning or available separately (RPO K70). Special accessory arrangement eliminates the need for dual generator belts
- 4000-watt rating battery
- Radio interference suppression equipment

- 140-mph speedometer with 2-mph increments and certified accuracy plus graphics include kilometer-per-hour markings
- Special firm control power steering

RPO BY2 Body Equipment

- Low-profile, heavy-duty front seat
- Full-width, front/rear black rubber floor mats reinforced in critical wear areas
- Urethane foam between roof liner and outer panels to support roof-mounted police equipment up to 25 pounds
- Four color-coded 12-gauge wires routed from center of roof to below instrument panel. Wires may be combined for higher load requirements.

1975 Chevrolet Police Equipment (continued)

Model Availability

Series	4-Door Sedan	3-Door Sport Coupe	4-Door Wagon	
			2-Seat	3-Seat
Bel Air	18K70	—	18K73	18K45
Impala	18L69	18L67	18L35	18L45

Power Train Combinations

(with Turbo Hydro-matic Transmission)

Engine				
C.I.D.	Curb.	exhaust	SAE Net HP	Rear Axle
350 V8†	2-Bbl.	Single	145	3.08
350 V8†	4-Bbl.	Single	155	3.08
400 V8	4-Bbl.	Single	175	3.08
High-Speed Patrol Package				
454 V8**	4-Bbl.	Dual	215	3.08

High-Speed Patrol Package also includes:

Heavy-duty front and rear brakes (available with other engines)

1075-1158 cubic inches high-speed trim (except wagons)
Metal meshfront hood shield

†Not available on Wagon models.

**Available only for California.

**Not available for California.

Inquiries for additional police equipment

including information required for the formulation of specifications may be forwarded directly to the Chevrolet Special Products Group, Room 180-87, 30001 Van Dyle Avenue, Warren, Michigan 48090.

Special Order Options — Chevrolet Police Cars

- 1K5—Transmission low gear blockout
- 6A1—Front Floor Mat (included in RPO BT2)
- 6A2—Rear Floor Mat (included in RPO BT2)
- 6A4—Single Key Locking—single vehicle
- 6A6—50/50 Reclining Passenger Front Seat
- 6B2—Rear Door Handle Inoperative
- 6B4—Spare Tire Retention
- 6B7—Hole in Roof Panel
- 6C1—Heavy-Duty Front Seat (included in RPO BT2)
- 6C2—Heavy-Duty Rear Seat (Sedans only)
- 6C4—Luggage Compartment Mat (Bel Air Sedan)
- 6C7—Map Light (interior dome light with integral switch between visors)
- 6C8—RCS8AU Antenna Cable (above dome light in trunk)
- 6C9—Conduit (1¼" I.D., routed inside from dash to trunk) (sedans only)
- 6E2—Roof Wiring (included in RPO BT2)
- 6E3—Single Key Locking—fleet keyed alike
- 6F5—Roof Reinforcement (included in RPO BT2)

- 6R3—Remote Trunk Opener (5-unit minimum order)
- 6L8—R.H. Rearview Mirror (standard on wagons)
- 6R9—H.D. Second-Row Vinyl Trim (Bel Air only)
- 6R7—Front Vinyl Trim (Bel Air Sedan only)
- 7E4—80-Amp Delcotron (55-amps/idle)
- 7L1—Radio Interference Suppression (included in RPO BT2)
- 7L4—Locking Hand Throttle
- 7P1—Fuel Transfer Kit
- 7R2—Locking Gas Cap—single vehicle
- 7R3—Locking Gas Cap—fleet keyed alike
- 7W5—L.H. Cool Spotlight (Unity 225 MS; 10-unit min. order)
- 7E4—Luggage Compartment Lamp
- 7T1—Underhood Lamp
- 7T6—Rear Door Light Switches Inoperative
- 7Z6—Ammeter, Oil Pressure, and Water Temperature Gauges
- 7Z7—Dash Mounted Radio Speaker (4 ohm; 42" leads)
- 7Z9—Police Speedometer (included in RPO BT2)

1975 Bel Air Taxi Equipment



RPO B02 Equipment

Available only with 350-2 V8 (350-4 V8 in California). Includes 42-amp generator (61-amp with air conditioning or available separately as RPO K76); temperature-controlled 7-blade fan for models without air conditioning; door opening warning light on instrument panel; inside RH rear door pull handle; heavy-duty rear axle, heavy-duty front and rear seats, heavy-duty black front and rear floor mats, heavy-duty radiator, special front and rear suspension, heavy-duty body mounts plus (4) 12-gauge wires routed from above headlining to below instrument panel.

Special order options (COP0)

- ☐ 1K5 Transmission Low Gear Blockout
- ☐ 6A4 Single-Key Locking System (not fleet-keyed)
- ☐ 6A6 50/50 Reclining Passenger Front Seat
- ☐ 6B7 Prefabricated Roof (10-unit minimum order)
- ☐ 6C4 Luggage Compartment Mat
- ☐ 9C7 Map Light (extra dome light with integral switch between visors)
- ☐ 6C8 8G58AU Antenna Cables (above dome light to trunk)
- ☐ 686 Power Windows

Caprice Estate Wagon

- ☐ Distinctive swept-back look with stepped headlights and front bumper with built-in parking lights
- ☐ Distinctive center grille with bright-accented vertical bars
- ☐ Wood-grain vinyl body side and tailgate panels adhesively attached
- ☐ Bright door window moldings
- ☐ Bright rear quarter window molding
- ☐ Bright roof drip molding
- ☐ Full wheel covers
- ☐ Bright tailgate window reveal moldings
- ☐ Bright tailgate belt molding
- ☐ Single-unit taillights with bright accents in body
- ☐ Color-keyed ash-trim steering wheel with cushioned center
- ☐ Color-keyed steering wheel column and instrument cluster
- ☐ Luxurious all-vinyl or sport cloth interior trim
- ☐ Molded door panels with integral armrests and soft trim upper panel
- ☐ Color-keyed out-gate carpeting
- ☐ Wood-grain vinyl accents on instrument panel, steering wheel and doors
- ☐ Cigarette lighter and illuminated ashtray
- ☐ Glove compartment lock and light
- ☐ Electric clock
- ☐ Instrument panel courtesy lights
- ☐ Center dome light
- ☐ Automatic interior light switches for all doors
- ☐ Molded full foam seat cushions and backrests (also third seat on 3-seat model)
- ☐ Concealed storage compartment trim
- ☐ Dual horns

Appearance features available for Caprice Estate Wagon include: vinyl roof cover; roof luggage carrier; Deluxe front and rear bumpers with resilient impact strips; wire wheel covers; white stripe tires.



Caprice Estate wheel cover



Wire wheel cover (BPO 1985)





Caprice Estate Wagon



Caprice Estate Wagon

Impala Station Wagon

- ❑ Silver-finish grid pattern grille with Chevrolet emblem in molding above and parking lights within headlight frames
- ❑ Adhesively attached body side and tailgate molding with bright insert
- ❑ Bright roof drip molding
- ❑ Bright door window moldings
- ❑ Bright rear quarter window molding
- ❑ Bright body sill molding
- ❑ Bright aluminum hubcaps
- ❑ Single-unit taillight with bright accents in body
- ❑ Bright tailgate window reveal moldings
- ❑ Bright tailgate belt molding
- ❑ Luxurious interior all-vinyl or sport cloth trim
- ❑ Molded door panels with integral armrests and soft trim upper panel
- ❑ Color-keyed cut-pile carpeting
- ❑ Color-keyed steering wheel and column
- ❑ Wood-grain vinyl interior accents on instrument panel, steering wheel and doors with bright trim
- ❑ Cigarette lighter
- ❑ Glove compartment lock and light
- ❑ Center dome light
- ❑ Front door automatic dome light switches
- ❑ Molded full foam seat cushions and backrests (also third seat on 3-seat model)
- ❑ Concealed storage compartment mat

Appearance features available for Impala Wagon include: vinyl roof cover; roof luggage carrier; wide body side and tailgate vinyl molding with bright trim; wheel opening moldings; Deluxe front and rear bumpers with stainless impact strips; full wheel covers; wire wheel covers; white stripe tires.



Full wheel cover
(BPO-P02)



Wire wheel cover
(BPO-N05)



Impala hub cap





Impala Station Wagon



Impala Station Wagon

Bel Air Station Wagon

- ❑ Silver-finish grid pattern grille with Chevrolet emblem in molding above and parking lights within headlight frames
- ❑ Bright body all moldings
- ❑ Bright aluminum hubcaps
- ❑ Single-unit taillights with bright accents in body
- ❑ Bright tailgate belt molding
- ❑ Distinctive all-vinyl interior trim
- ❑ Molded door panels with integral armrests
- ❑ Color-keyed cut-pile carpeting
- ❑ Cigarette lighter
- ❑ Glove compartment lock and light
- ❑ Center dome light
- ❑ Front door automatic dome light switches
- ❑ Molded full foam seat cushion and backrests (also third seat on 3-seat models)
- ❑ Concealed storage compartment mat

Appearance features available for Bel Air Wagon include: vinyl roof cover; roof luggage carrier; reflectively attached body side molding with bright insert; Deluxe front and rear bumpers with resilient impact strips; full wheel covers; wire wheel covers; white stripe tires.



*Full wheel cover
(BPO P11)*



*Wire wheel cover
(BPO P10)*



Bel Air hub cap





Bel Air Station Wagon



Bel Air Station Wagon

Major Features – Standard on 1975 Chevrolet Wagons

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; new carburetor outside air induction system; GM-Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Turbo Hydra-matic transmission
- ❑ 400-4 barrel V8
- ❑ Power disc/drum brake system
- ❑ Disc brake outside wear sensors
- ❑ Variable-ratio power steering
- ❑ Easy-Out spare tire sling
- ❑ Flush-styled side windows
- ❑ Full door glass styling
- ❑ Curved side windows
- ❑ Flush-styled outside door handles
- ❑ Hide-A-Way dual-speed electric windshield wipers
- ❑ Rectangular dual outside rearview mirrors
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Speedometer dial reads to 100 mph in white numbers with metric equivalents in blue
- ❑ Color-keyed steering wheel and column
- ❑ Wide day-night inside rearview mirror
- ❑ Forward-mounted front door lock buttons
- ❑ Inside hood release
- ❑ Flow-through power ventilation system
- ❑ Color-coded control panel for heater or optional air conditioning
- ❑ Bolt-rim steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cut-pile carpet floor covering
- ❑ Forward-facing third seat on 3-seat models
- ❑ Molded full foam seats
- ❑ Built-in blended-air heater and defroster system
- ❑ Sealed side-terminal Energizer battery with flame arrester battery caps
- ❑ Constant recovery system
- ❑ Hydraulic valve lifters
- ❑ Solenoid generator with built-in solid-state regulator
- ❑ Flush-mounted windshield and rear window bonded to body
- ❑ Double-panel roof, door, hood and tailgate lid construction
- ❑ Cushioned body mounting system
- ❑ Separate perimeter-type frame with corrosion-resistant coating
- ❑ Lower headlamps front and rear
- ❑ Wagon-engineered suspension system with computer-selected springs
- ❑ Transmission control cable assembly with anti-friction liner
- ❑ Self-adjusting brakes
- ❑ 15 x 8 wheels with large bolt circle
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



Easy-Out Spare Tire Sling



Slide-A-Way Tailgate



Closest Fold-Down Seats

Chevrolet Wagon Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front and intermediate seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment door latch impact security
- Smooth-contoured door and window regulator handles
- Soft, low-profile window control knobs, coat hooks, dome light
- Automatic locking front, intermediate and third outboard seat belt retractors
- Shoulder belt anchorages for intermediate and third seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength intermediate and third seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual-speed wipers
- Wide-view (inside day/night mirror (rim-ridged, shatter-resistant glass and deflecting support)
- Outside rearview mirror for driver and passenger
- Dual master cylinder brake system with warning light
- Starter Safety Switch
- Dual-action safety hood latches
- Headlight aiming access provision
- Low-glass instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces

- Safety wheel rims
- Uniform shift quadrant
- No winged wheel nuts, discs or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Inside hood latch release
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors and tailgate)
- Visible vehicle identification
- Tamper-resistant odometer with tiltplate feature



Side-Guard Beams



Power Front Brakes with Audible Wear Indicators



Inside Padded Instrument Panel

Chevrolet Wagon Equipment Summary

Exterior

	Caprice Estate	Impala	Bel Air
Bright center grille	S	NA	NA
Silver-link grille	NA	S	S
Wheel covers	S	EC	EC
Wire wheel covers (RPO H95)	EC	EC	EC
Wheel opening moldings	NA	EC	EC
Single-unit taillights	S	S	S
Wood-grain vinyl body side and tailgate panels	S	NA	NA
Body side moldings (RPO B94)	NA	S	EC
Water body side and tailgate molding (RPO BW2)	NA	EC	NA
Bright roof drip moldings	S	S	EC

Interior

Soft-rib steering wheel	S	S	S
Color-keyed steering wheel and column	S	S	S
Cat-pile carpeting	S	S	S
Dual-note horn (instead of single note—RPO U06)	S	EC	EC
Glove compartment light	S	S	S
Electric clock (RPO U35)	S	EC	EC
Cigarette lighter	S	S	S
Day-night rearview mirror—12"	S	S	S
Automatic interior light switches on rear doors	S	NA	NA
Slide-Away tailgate with power-operated rear window	S	S	S
Power-operated tailgate	EC	EC	EC
Concealed storage compartment mat	S	S	S
Lead floor carpeting (RPO B39 on 3-seat models; RPO B44 on 2-seat models)	EC	EC	EC
50/50 reclining passenger seat (RPO A78)	EC	EC	NA
Econosaver Gauge Package (RPO U77)	EC	EC	EC

Chassis

Power steering	S	S	S
Power brakes	S	S	S
Disc front brakes	S	S	S
Extra-large 12" lined rear brake drums	S	S	S
Wide 15 x 6 wheels and LR76-15 GM Specification steel-belted radial-ply tires	S	S	S

S—Standard

EC—Extra Cost

NA—Not Available

Chevrolet Wagon Power Teams

Engine	Power Rating	Engine Usage	Transmission	Rear Axle Ratio (1)		
				Std.	Highway RPO G95	High Alt. RPO G92
400-4 barrel V8	175	Std./1)	Turbo Hydra-matic Std.	3.08	2.73	—
494-4 barrel V8	215	RPO L84(2)	Turbo Hydra-matic Std.	2.73	—	3.08

(1) California Selective Equipment required in California.

(2) Not available in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G95)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G92)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Passenger rear axle (RPO G95) available in all axle ratios.

Engine Specifications

Engine	400-4	494-4
Type	V8	V8
Displacement (cu. in.)	400	494
Bore x Stroke (in.)	4.125 x 3.75	4.25 x 4.00
HP @ RPM	175 @ 3600	215 @ 4000
Torque @ RPM	305 @ 3000	350 @ 3400
Compression ratio	8.5:1	8.15:1
Carburetion	4-barrel	4-barrel
Exhaust system	single	dual

Note: Horsepower and Torque ratings are SAE net as installed.

Transmission

Engine	Transmission gear ratios
Turbo Hydra-matic	Drive—2.48-1.48:1.00
	Low 2—2.48-1.48
	Low 1—2.48
	Reverse—2.00

Selected Options

Description	RPO Number	Caprice Estate	Impala	Bel Air
Air Conditioning. Includes 61-amp generator and increased cooling:				
Four Seasons	C80	•	•	•
Comforton, Automatic temperature-control	C81	•	•	•
Asen				
High Altitude Ratio	G93	•	•	•
Highway Ratio	G95	•	•	•
Performance	G80	•	•	•
Battery, heavy-duty—4000-watt rating. Included with 454-4 engine	UA1	•	•	•
Belts. Custom Deluxe seat and shoulder. Includes brushed metal buckles and colored-keyed belts; included with 50/50 seat:				
2-seat models—8 seat and 2 front shoulder	AE1	•	•	•
3-seat models—8 seat and 2 front shoulder	AE1	•	•	•
Bumper equipment—front and rear:				
Deluxe bumpers including black resilient impact strips	YES	•	•	•
Bumper guards	V30	•	•	•
California emission certification				
Curbs, roof. Upper rails and supports shipped loose for dealer installation	YF5	•	•	•
Check, electric	U15	NA	•	•
Delcoflex, rear window (forced-air)	C90	•	•	•
Door lock system, power	A03	•	•	•
Economizer Groups Package. Includes temperature and fuel economy gauges				
	U17	•	•	•
Floor covering:				
Deluxe load floor carpet (3-seat models only)	E39	•	•	•
Removable load floor carpet (2-seat models only)	E44	•	•	•
Color-keyed floor mats—2 front, 2 rear	E37	•	•	•
Generator, 61-amp Delcotron. Included when air conditioning is ordered				
	K76	•	•	•
Glass, Sub-Ray tinted—all windows	AC1	•	•	•
Horns, dual	U05	NA	•	•
Light, dome reading. Included on Caprice Estate when RPO D29 is ordered				
	C95	NA	•	•
Lighting, auxiliary. Includes:				
Auxiliary light	D19	NA	•	•
Courtesy lights	NA	•	•	•
Dome reading light	•	NA	•	NA
Underhood light	•	•	•	•
Headlight-on reminder buzzer	•	•	•	•
Letter container	D24	•	•	•
Mirrors:				
Remote-control outside rearview, LH	D33	•	•	•
Remote-control outside rearview, RH				
Includes LH remote control (RPO D33)	DF3	•	•	•
Sport, Twin remote	D68	•	•	•
Vision vanity	D34	•	•	•

NA—Not Available

Selected Options (continued)

Description	RPO Number	Caprice Estate	Impala	Bel Air
Moldings:				
Body side, Vinyl with bright insert	B04	NA	(NA)	●
Body side, Deluxe, Wider with bright trim	BW2	NA	●	NA
Door edge guard, With bright accents	B93	NA	●	●
Roof drip, Included when vinyl roof cover is ordered	B80	(NA)	(NA)	●
Wheel opening	B96	NA	●	●
Paints, exterior two-tone, Area between rear side door and rear side window painted upper body color. Includes bright metal outline moldings				
...		●	●	●
Quiet sound group	B81	(NA)	●	●
Radiator, heavy-duty, Includes extra heavy-duty cooling	V01	●	●	●
Radio equipment (all radios include windshield antennas)				
AM radio	U63	●	●	●
AM/FM radio	U69	●	●	●
AM/FM/stereo radio	U58	●	●	●
Rear speaker, (Two rear speakers included with stereo systems)	U80	●	●	●
Stereo tape system with AM radio	UW1	●	●	●
Stereo tape system with AM/FM/stereo radio	UW2	●	●	●
Roof cover, vinyl	...	●	●	●
Seat equipment:				
50/50 reclining passenger seat, Includes Custom Deluxe seat and shoulder belts	...	●	●	NA
Power front seat—6-way control				
Full-width front seat	A42	●	●	NA
50/50 seat, driver's side only	A07	●	●	NA
Speed control, Cruise-Master	EC0	●	●	●
Steering wheel, Comfort	N33	●	●	●
Suspension equipment:				
Superflex rear shock absorbers	G66	●	●	●
Heavy-duty front and rear suspension, Includes increased capacity front and rear springs and matching shock absorbers	F40	●	●	●
Tailgate, power, Includes instrument panel mounted and external tailgate mounted switches	C26	●	●	●
Wheel equipment:				
Full wheel covers	PO1	NA	●	●
Wire wheel covers	M95	●	●	●
Windows, power	A31	●	●	NA
Windshield wiper system, Intermittent	CD4	●	●	●
Tires				
LT175-15C steel-belted radial ply white stripe	QCD	●	●	●
<i>NA—Not Available</i>				

Chevrolet Wagon Interior/Exterior Color Selections

Exterior body colors and interior trim accept a wide selection of interior/exterior combinations for 1973. The 90/90 vinyling passenger seat is available for Caprice Estate and Impala models.

Sport Cloth interior is also available for Caprice Estate and Impala models. Recommended combinations are indicated in the charts by a "■" in the appropriate square.

Doors and Headlining		Black	Blue (Dark)	Green (Dark)	Saddle (Dark)	Sandstone (Dark)
Seat Color		Black	Blue	Green	Saddle	Sandstone
Instrument Panel Pad		Black	Blue	Green	Saddle	Sandstone
Floor Covering		Black	Blue	Green	Saddle	Sandstone
CAPRICE ESTATE & IMPALA	Vinyl Beach seat	■	■	■	■	■
	Vinyl 90/90 seat		■	■	■	■
	Sport Cloth Beach seat				■	
	Sport Cloth 90/90 seat				■	
BEL AIR	Vinyl Beach seat		■			■

Exterior Body Color and Code:	Solid	Two-tone/Upper	Excludes bright metal roof moldings.				
Beige, Cream	90	—	■			■	■
Black	19	—	■	■	■	■	■
Blue, Bright Metallic	26	11	■	■			
Blue, Medium	24	11	■	■			
Blue, Midnight Metallic	29	11	■	■			
Brown, Dark Metallic	69	11	■			■	■
Gray, Light	18	—	■			■	
Green, Dark Metallic	49	11	■		■	■	■
Green, Medium	44	11	■		■		
Orange, Medium Metallic	64	11	■			■	■
Red, Dark Metallic	74	11	■				
Red, Medium	72	—	■				■
Saddle, Light Metallic	63	—	■			■	
Sandstone	88	11	■			■	■
Silver	13	—	■	■			
White, Antique	11	—	■	■	■	■	■

Vinyl Roof Colors

Vinyl roof*	Code	Solid exterior body color availability
Black	BB	All Exterior Colors.
Blue (Dark)	DD	11, 13, 24, 26 or 29 only.
Green (Medium)	GG	11, 44 or 49 only.
Red (Dark)	HH	11, 13, 18, 19 or 74 only.
Sandstone	TT	11, 49, 60, 63 or 69 only.
Silver Metallic	WW	13, 18, 26, 29 or 74 only.
White	AA	All Exterior Colors.

*Excludes bright roof drip molding on Bel Air.

Chevrolet Wagon Specifications

Exterior Dimensions	Caprice Estate		Impala		Bel Air	
	2-Seat	3-Seat	2-Seat	3-Seat	2-Seat	3-Seat
Wheelbase	128.0	128.0	128.0	128.0	128.0	128.0
Length (overall)	228.5	228.5	228.4	228.4	228.4	228.4
Width (overall)	79.5	79.5	79.5	79.5	79.5	79.5
Height (loaded)	58.1	57.4	58.1	57.4	58.1	57.4
Front tread	64.1	64.1	64.1	64.1	64.1	64.1
Rear tread	64.0	64.0	64.0	64.0	64.0	64.0
Minimum ground clearance	6.2	6.2	6.2	6.2	6.2	6.2

Interior Roominess

Head room—front	39.6	39.6	39.6	39.6	39.6	39.6
Head room—2nd seat	39.3	39.4	39.3	39.4	39.3	39.4
Head room—3rd seat	—	37.8	—	37.8	—	37.8
Leg room—front seat	42.5	42.5	42.5	42.5	42.5	42.5
Leg room—2nd seat	39.4	37.4	39.4	37.4	39.4	37.4
Leg room—3rd seat	—	35.6	—	35.6	—	35.6
Hip room—front	59.2	59.2	59.2	59.2	59.2	59.2
Hip room—2nd seat	58.9	58.9	58.9	58.9	58.9	58.9
Hip room—3rd seat	—	44.4	—	44.4	—	44.4
Shoulder room—front	64.0	64.0	64.0	64.0	64.0	64.0
Shoulder room—2nd seat	63.1	63.1	63.1	63.1	63.1	63.1
Shoulder room—3rd seat	—	48.4	—	48.4	—	48.4

Cargo Compartment

Floor length—front seat to tailgate	100.5	100.5	100.5	100.5	100.5	100.5
Floor length—2nd seat to tailgate	58.9	62.7	58.9	62.7	58.9	62.7
Width between wheelhouses	48.8	48.8	48.8	48.8	48.8	48.8
Height—floor to roof (max.)	30.6	30.6	30.6	30.6	30.6	30.6
Tailgate loading height	21.8	21.8	21.8	21.8	21.8	21.8
Tailgate opening height	29.5	29.5	29.5	29.5	29.5	29.5
Tailgate opening width at floor	48.8	48.8	48.8	48.8	48.8	48.8
Tailgate opening width at belt	42.0	42.0	42.0	42.0	42.0	42.0
Total cargo volume (cu. ft.)	106.4	106.4	106.4	106.4	106.4	106.4

Glass Area

Windshield glass area (sq. in.)	1842.7
Rear window glass area (sq. in.)	692.1
Total glass area (sq. in.)	2534.8

Steering & Tires

Turning circle—curb-to-curb (ft.)	42.8
Turning circle—wall-to-wall (ft.)	46.2
Steering ratio—power (overall)	17.3:1 to 15.6:1
Standard tire size	DR76-19C

Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	22	22	22
Curb weight (lbs.)	5090	5149	4993
Shipping weight (lbs.)	4969	5028	4872

1975 Monte Carlo

	Page No.
Standard Equipment.....	2
Monte Carlo Landau 1AH57/Z03—VB.....	3-4
Monte Carlo 1AH57—VB.....	5
Major Features.....	6
Safety and Security Features.....	7
Power Trains.....	8
Selected Options.....	8-9
Color and Trim.....	10-11
Equipment Summary.....	12
Specifications.....	13

Monte Carlo Landau *(illustrated below)*

(In addition to features listed for Monte Carlo)

- ☐ Special Landau vinyl roof cover
- ☐ Roof-cover-color rear window and rear belt moldings
- ☐ Landau rear quarter panel nameplate
- ☐ Accent striping
- ☐ Dual body-color sport mirrors (LH remote control, RH manual)
- ☐ Dual horns
- ☐ Vicer vanity mirror
- ☐ Special Landau door trim panel emblem
- ☐ 15 x 7 Turbine II wheels

Monte Carlo

- ☐ Bright die-cast grid-pattern grille with thin vertical bars
- ☐ Bright grille-outline molding
- ☐ High-mounted single-unit Power-Beam headlights and parking lights built into front fenders
- ☐ Hood rear edge molding
- ☐ Distinctive roof shape with coach windows in each rear quarter
- ☐ Lower body side molding
- ☐ Wheel opening moldings
- ☐ Full wheel covers
- ☐ Double rear end panels extend from each taillight and license plate is located above bumper
- ☐ Wraparound taillights with bright accents
- ☐ Bright rear end panel molding
- ☐ Rear ride stabilizer
- ☐ Color-keyed steering wheel and column, wood-grain vinyl accents on instrument panel and steering wheel
- ☐ Electric clock
- ☐ Vinyl assist grips on doors
- ☐ Color-keyed out-pile carpeting on floor and lower edge of front seat back
- ☐ Liberal application of acoustical insulation materials
- ☐ Molded full beam front and rear seat construction
- ☐ Flow-through power ventilation system
- ☐ Inside hood release
- ☐ Day-night inside rearview mirror
- ☐ Cigarette lighter
- ☐ Glove compartment lock and light
- ☐ Center dome light
- ☐ Front door automatic dome light switches
- ☐ Armrests front and rear
- ☐ Luggage compartment mat



*Full wheel cover
standard on
Monte Carlo Coupe*



*Deluxe wheel cover
(RPO P43)
available for
Coupe only*



*Wire wheel cover
(RPO M02)
available for
both models*



*Rally wheel
(RPO S27)
available for
Coupe only*



*Turbine II wheel
standard on
Monte Carlo Landau*



Monte Carlo Landau Coupe





Monte Carlo Landau Coupe



Monte Carlo Coupe

Major Features Standard on 1975 Monte Carlos

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; new carburetor outside air induction system; GM Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Power disc/drum brake system
- ❑ Disc brake audible wear sensor
- ❑ Variable-ratio power steering
- ❑ Hide-A-Way windshield wipers
- ❑ Flush-styled side windows
- ❑ Frameless full door glass styling
- ❑ Curved side windows
- ❑ Thin-pillar windshield styling
- ❑ Flush-styled outside door handles
- ❑ Hide-A-Way antenna built into windshield glass (with factory-installed radio)
- ❑ Hide-A-Way dual-speed electric windshield wipers
- ❑ Magic-Mirror acrylic loopier finish
- ❑ Speedometer dial reads to 100 mph in white numbers with metric equivalents in blue
- ❑ Color-keyed steering wheel and column
- ❑ Wide day-night inside rearview mirror
- ❑ Forward-mounted front door lock buttons
- ❑ Inside hood release
- ❑ Flow-through power ventilation system
- ❑ Color-coded control panel for heater or optional air conditioning
- ❑ Soft-tim steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cut-pile carpet floor covering
- ❑ Molded full foam seats
- ❑ Built-in blended-air heater and defroster system
- ❑ Sealed side-terminal Energizer battery with flame arrester battery caps
- ❑ Coolant recovery system
- ❑ Hydraulic valve lifters
- ❑ Delco-tron generator with built-in solid-state regulator
- ❑ Double-panel roof, door, hood and deck lid construction
- ❑ Liberal application of acoustical insulation materials
- ❑ Cushioned body mounting system
- ❑ Open body sill design
- ❑ Separate perimeter-type frame with corrosion-resistant coating
- ❑ Inner fenders front and rear
- ❑ Radial-tuned Full Coil suspension system with computer-selected springs
- ❑ Transmission control cable assembly with anti-friction liner
- ❑ Self-adjusting brakes
- ❑ 15 x 7 wheels (15 x 7 Turbine II wheels on London)
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



Built-In Door Pull Straps



High Energy Ignition System



GM-Developed Catalytic Converter



GM-Specification Steel-Belted Radial Ply Tires

Monte Carlo Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Cargo-Guard luggage compartment
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment and console door latch impact security
- Smooth-contoured door and window regulator handles
- Soft, low-profile window control knobs, coast locks, dome light

- Automatic locking front and rear outboard seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges


Accident Prevention

- Side marker lights dual reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual-speed wipers
- Wide-view inside day/night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light
- Starter Safety Switch
- Dual-action safety hood latches

- Headlight aiming access provision
- Low-glare instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rim
- Uniform shift quadrant
- No-wings wheel nuts, discs or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Inside hood latch release
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors and trunk)
- Visible vehicle identification
- Tamper-resistant odometer with telltale feature



Monte Carlo
Padded
Instrument Panel



Inside Hood Latch Release

Monte Carlo Power Teams

Engine	Power Rating	Engine Usage	Transmission		Rear Axle Ratio (:1)		
					Std.	Highway RPO G98	High Alt. RPO G92
350-2 barrel V8	145	Std. (1)	3-Speed manual	Std.	2.73	2.96	—
			Turbo Hydra-matic	RPO M40	2.73	2.96	—
350-4 barrel V8	155	RPO LMI (2)	3-Speed manual	Std.	2.73	2.96	—
			Turbo Hydra-matic	RPO M40	2.73	2.96	—
400-4 barrel V8	175	RPO LIT (3)	Turbo Hydra-matic	RPO M40	2.73	2.96	—
454-4 barrel V8	215	RPO L54 (4)	Turbo Hydra-matic	RPO M40	2.73	—	3.08

(1) Not available in California.

(2) Available only for sale and/or registration in California.

(3) California Emissions Equipment required in California.

Axle Ratio Definitions:

Standard Axle Ratio: General purpose numerical axle ratio selected for total overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G98): Relatively lower numerical ratio axle ratios needed for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G92): Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Positraction rear axle (RPO G80) available in all axle ratios.

Engine Specifications

Engine	350-2	350-4	400-4	454-4
Type	V8	V8	V8	V8
Displacement (cu. in.)	350	350	400	454
Bore x Stroke (in.)	4.00 x 3.48	4.00 x 3.48	4.125 x 3.75	4.25 x 4.00
HP @ RPM	145 @ 3600	155 @ 3600	175 @ 3600	215 @ 4000
Torque @ RPM	250 @ 2200	250 @ 2400	305 @ 2000	350 @ 2400
Compression ratio	8.5:1	8.5:1	8.5:1	8.18:1
Carburetion	3-barrel	4-barrel	4-barrel	4-barrel
Exhaust system	single	single	single	single

horsepower and Torque ratings are SAE net or installed.

Selected Options

Description	RPO Number	Landau Coupe	Coupe
Air conditioning: Four-Season. Includes 61-amp generator and increased cooling	G90	•	•
Axles			
High Altitude ratio	G92	•	•
Highway ratio	G98	•	•
Positraction	G80	•	•
Battery, heavy-duty—4000-watt rating. Included with 454-4 engine	UA1	•	•
Belts, Custom Deluxe seat and shoulder. Includes brushed metal buckles and color-keyed belts; included with Special Custom Interior			
With bench seat—5 seat and 2 front shoulder	AE1	•	•
With bucket seats—5 seat and 2 front shoulder	AE1	•	•
Bumper equipment—front and rear:			
Deluxe bumpers. Includes black resilient impact strips	Y25	•	•
Bumper guards	Y30	•	•
California emission certification	Y75	•	•
Console. Available only when bucket seats and Turbo Hydra-matic are ordered. Includes compartment. Shift lever on console	D55	•	•
Delugger, rear window (forced-air)	C90	•	•
Door lock system, power	AU3	•	•
Generator, 61-amp Delcotron. Included when air conditioning is ordered	K76	•	•
Glass, Soft-Ray tinted—all windows	A01	•	•
Horns, dual	U05	Std.	•
Instrumentation:			
Economizer Gauge Package. Includes temperature, voltmeter and fuel economy gauges in instrument cluster. Not available when special instrumentation is ordered	U77	•	•
Special. Includes tachometer, voltmeter and temperature gauges in instrument cluster. Not available when Economizer Gauge Package is ordered	U14	•	•

Selected Options (continued)

Description	RPO Number	London Coupe	Coupe
Lighting, auxiliary includes:	289		
Ashtray light		●	●
Courtesy light		●	●
Luggage compartment light		●	●
Mirror map light (without Sky Roof)		●	●
Underhood light		●	●
Headlight-on reminder buzzer		●	●
Litter container	D04	●	●
Mat, color-keyed floor—2 front and 2 rear	B37	●	●
Mirrors:			
Remote-control outside rearview, L.H. Not available when sport mirrors are ordered	D33	NA	●
Remote-control outside rearview, R.H. Available only with LH (RPO D33)	DF3	NA	●
Sport LH remote-control and RH manual	D36	NA	●
Twin Sport LH and RH remote-control	D68	●	●
Vizion vanity	D34	NA	●
Moldings:			
Body side, Deluxe. Wide with color-keyed vinyl insert	BW2	●	●
Door edge guard	B40	●	●
Radiator, heavy-duty. Includes extra heavy-duty cooling	V01	●	●
Radio equipment (all radios include windshield antenna):			
AM radio	U63	●	●
AM/FM radio	U69	●	●
AM/FM/stereo radio	U56	●	●
Rear seat speaker. Two rear speakers included with stereo systems	U60	●	●
Stereo tape system with AM radio	U61	●	●
Stereo tape system with AM/FM/stereo radio	U62	●	●
Roof cover, vinyl	...	NA	●
Roof, Sky. Power sliding metal top	CA1	●	●
Seat equipment:			
Sports-bucket, wing-out type	...	●	●
50/50 reclining passenger seat. Available only with Special Custom Interior; includes Custom Deluxe Belts	...	●	●
Power front seat—6-way control			
Full-width front seat	A42	●	●
50/50 seat, driver's side only	AC7	●	●
Speed control, Cruise-Master	K30	●	●
Steering wheel, Comfort	N33	●	●
Suspension equipment:			
Heavy-duty front and rear suspension. Includes front and rear springs and matching shock absorbers	F40	●	●
Trim, Special Custom Interior (see color and trim chart)	...	●	●
Trim, interior (see color and trim chart)	...	●	●
Trunk opener, power	A90	●	●
Wheel equipment:			
Deluxe wheel covers	FA3	NA	●
Rally wheels. Includes special 15" x 7" with special center caps and trim rings	E27	NA	●
Wire wheel covers (15")	N95	●	●
Windows, power	A31	●	●
Windshield wiper system, intermittent	CD4	●	●

Tires

GR70-15B steel-belted radial ply white stripe	QCX	●	●
HR70-15B steel-belted radial ply blackwall	QCP	●	●
HR70-15B steel-belted radial ply white stripe	QCN	●	●

NA—Not Available

Monte Carlo Cloth Interior/Exterior Color Selections

Exterior colors and interior trim permit a wide selection of Interior/Exterior combinations. The 90/90 Reclining Passenger Seat and bucket seats are available in Special Custom Interior luxury cloth plus white all- vinyl for bucket or conventional seats. Dual pin stripes for Monte Carlo London models are keyed to exterior body and vinyl roof colors. Recommended combinations are indicated in the charts by a "●" in the appropriate spaces.

Doors and Headlining		Black	Blue (Dark)	Green (Med.)	Red (Dark)	Sandstone (Med.)
Seat Color		Black	Blue	Green	Red	Sandstone
Instrument Panel Pad		Black	Blue	Green	Red	Sandstone
Floor Covering		Black	Blue	Green	Red	Sandstone
Standard Interior	Bucket seat	●	●		●	●
	Bucket seat	●	●		●	
Luxury Interior	90/90 seat	●	●	●	●	●
	Bucket seat	●	●	●	●	●

Exterior Body Color and Code:

Beige, Cream	50	●				●
Black	19	●	●	●	●	●
Blue, Bright Metallic	26	●	●			
Blue, Medium	24	●	●			
Blue, Midnight Metallic	29	●	●			
Brown, Dark Metallic	59	●				●
Gray, Light	15	●			●	
Green, Dark Metallic	49	●		●		●
Green, Medium	44	●		●		
Orange, Medium Metallic	64	●				●
Red, Dark Metallic	74	●			●	
Red, Medium	72	●				●
Saddle, Light Metallic	63	●				
Sandstone	55	●				●
Silver	13	●	●		●	
White, Antique	11	●	●	●	●	●

Monte Carlo Coupe Vinyl Roof Colors

Vinyl roof*	Code	Solid exterior body color availability
Black	BB	All Exterior Colors.
Blue, Dark	DD	11, 13, 24, 26 or 29 only.
Green, Medium	GG	11, 44 or 49 only.
Red, Dark	HH	11, 13, 15, 19 or 74 only.
Sandstone	TT	11, 49, 55, 59 or 59 only.
Silver Metallic	WW	13, 19, 26, 29 or 74 only.
White	AA	All Exterior Colors.

*Includes outline and roof drip moldings.

Monte Carlo All-Vinyl Interior/Exterior Color Selections

Doors and Headlining		Black	Blue (Dark)	Sandstone (Med)	White			
Seat Color		Black	Blue	Sandstone	White	White	White	White
Instrument Panel Pad		Black	Blue	Sandstone	Black	Blue	Green	Red
Floor Covering		Black	Blue	Sandstone	Black	Blue	Green	Red
Standard Interior	Beach seat	●	●	●	●	●	●	●
	Boat seat	●	●	●	●	●	●	●

Exterior Body Color and Code:

Beige, Cream	50	●		●	●			
Black	19	●	●	●	●			
Blue, Bright Metallic	26	●	●		●			
Blue, Medium	24	●	●		●	●		
Blue, Midnight Metallic	29	●	●			●		
Brown, Dark Metallic	59	●		●	●			
Gray, Light	15	●			●			
Green, Dark Metallic	49	●		●			●	
Green, Medium	44	●			●		●	
Orange, Medium Metallic	64	●		●	●			
Red, Dark Metallic	74	●			●			●
Red, Medium	72	●		●	●			
Saddle, Light Metallic	63	●			●			
Sandstone	55	●		●	●			
Silver	13	●	●		●			
White, Antique	11	●		●	●	●	●	●

Monte Carlo Landau Vinyl Roof and Accent Stripe Colors

Exterior Body Color and Code:	VINYL ROOF COLORS†						
	Black BB	Dark Blue DB	Medium Green MG	Dark Red DR	Sandstone TT	Silver Metallic WW	White AA
Beige, Cream	Black				Black		White
Black	White			Red		Silver	White
Blue, Bright Metallic	Black	Dr. Blue				Silver	White
Blue, Medium	Black	Dr. Blue					White
Blue, Midnight Metallic	White	M. Blue				Silver	White
Brown, Dark Metallic	Sandstone				Sandstone		White
Gray, Light	Black			Red			White
Green, Dark Metallic	M. Green		M. Green		Sandstone		White
Green, Medium	Black		Dr. Green				White
Orange, Medium Metallic	Black						White
Red, Dark Metallic	Black			White		Silver	White
Red, Medium	Black						White
Saddle, Light Metallic	Black						White
Sandstone	Black				Black		White
Silver	Black	Dr. Blue		Red		Black	White
White, Antique	Black	Dr. Blue	M. Green	Red	Sandstone		Black

*Note: Accent stripe color also indicates Vinyl Roof availability for all exterior body colors.
†Includes outline and roof drip moldings.*

Monte Carlo Equipment Summary

Exterior

	Monte Carlo Lenders	Monte Carlo
Deluxe wheel covers (RPO PA3)	NA	EC
Bully wheels (RPO E77)	NA	EC
Turbine II Wheels (RPO PE2)	S	NA
Wheel opening moldings	S	S
Sport mirrors (LH remote-control, RH manual—RPO D35)	S	EC
Sport mirrors (remote-control LH and RH—RPO D68)	EC	EC
Remote-control LH outside rearview mirror (RPO D33)	NA	EC
Remote-control RH outside rearview mirror (RPO DF3)	NA	EC
Color-keyed body side molding (RPO BW2)	EC	EC
Padded vinyl roof cover	NA	EC
Landing roof cover	S	NA
Power Sky Roof (RPO CA1)	EC	EC
Dual color-keyed body side accent striping	S	NA

Interior

View vanity mirror	S	EC
Special Custom Interior (with Strato-bucket seats and 50/50 seat only—RPO Z06)	EC	EC
50/50 reclining passenger seat (RPO A78)	EC	EC
Swing-out Strato-bucket front seats (RPO AN7)	EC	EC
Console (RPO D85—with bucket seats only)	EC	EC
Cut-pile carpeting	S	S
Soft-rib steering wheel	S	S
Color-keyed steering wheel and column	S	S
Special body insulation	S	S
Dual-note horn instead of single note (RPO U06)	S	EC
Glove compartment light	S	S
Electric clock	S	S
Day-night rearview mirror (12")	S	S
Economyrider Gauge Package (RPO UP7)	EC	EC
Intermittent Windshield Wiper System (RPO CD4)	EC	EC
Luggage compartment light	EC	EC

Chassis

Turbo Hydro-matic	EC	EC
Power steering	S	S
Power disc/drum brakes	S	S
GM-Specification steel-belted radial ply blackwall tires	S	S
GM-Specification steel-belted radial ply whitewall tires	EC	EC
Special front and rear suspension (RPO F40)	EC	EC

S—Standard EC—Extra Cost NA—Not Available

Monte Carlo Specifications

Exterior Dimensions

Wheelbase	114.0
Length (overall)	213.3
Width (overall)	77.6
Height (loaded)	53.7
Front fender	61.9
Rear fender	61.1
Minimum ground clearance	4.9

Interior Roominess

Head room—front	37.8
Head room—rear	37.4
Leg room—front	42.4
Leg room—rear	32.9
Hip room—front	54.8
Hip room—rear	53.7
Shoulder room—front	58.8
Shoulder room—rear	56.1

Luggage Compartment

Maximum opening width	48.5
Loading height	29.7
Interior length (max.)	49.0
Interior width (max.)	72.0
Interior height (max.)	18.0
Usable luggage space (cu. ft.)	14.7

Glass Area

Windshield glass area (sq. in.)	1326.6
Rear window glass area (sq. in.)	902.3
Total glass area (sq. in.)	3628.0

Steering & Tires

Turning circle—curb-to-curb (ft.)	38.9
Turning circle—wall-to-wall (ft.)	42.8
Steering ratio—power (overall)	16.5:1 to 14.3:1
Standard tire size	GR70-158

Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	33
Curb weight—(lbs.)	4043
Shipping weight—(lbs.)	3927

1975 Monza 2+2

	Page No.
Standard Equipment.....	2
Monza 2+2 Hatchback Coupe IHR07—Four and V8....	3-5
Major Features.....	6
Safety and Security Features.....	7
Power Trains.....	8
Selected Options.....	9
Color and Trim.....	10
Equipment Summary.....	11
Specifications.....	12

Monza 2+2

- ❑ Bold front styling with twin-unit rectangular headlights and integrated louvers in front panel
- ❑ Parking lights with clear lenses and amber bulbs
- ❑ Bright windshield molding
- ❑ Black-finished dual-speed electric windshield wipers
- ❑ Monza 2+2 nameplate on front fenders
- ❑ Chevrolet nameplate on front panel and rear deck lid
- ❑ Special front and rear bumpers with black resilient impact strips and bumper guards
- ❑ Distinctive rear styling with wraparound taillights, integral back-up lights and bright trim
- ❑ Bright rear window molding
- ❑ Wheel opening moldings
- ❑ Front door, rear quarter window and body sill moldings
- ❑ Special wheel covers
- ❑ Body-color door handle inserts
- ❑ Black finished functional louvers with bright trim in center pillar
- ❑ Rectangular left-hand outside rearview mirror
- ❑ High-back front bucket seats and center console
- ❑ Bucket-styled rear seat cushions
- ❑ Black knit cloth or all-vinyl interior trim
- ❑ Map pockets in doors
- ❑ Door locking knobs on armrests
- ❑ 4-spoke sport steering wheel
- ❑ Color-keyed steering wheel and column
- ❑ Special instrumentation
- ❑ Quiet Sound Group
- ❑ Color-keyed out-pile carpeting
- ❑ Folding rear seat with carpeted load floor
- ❑ Day-night inside rearview mirror
- ❑ Tunnel-mounted parking brake and transmission control
- ❑ Bright-finished parking brake lever knob and shaft
- ❑ Right-hand door light switch
- ❑ Cigarette lighter

Appearance features available for Monza 2+2 include: aluminum wheels; sport mirrors; body side moldings; genuine leather seat trim; white stripe or white lettered tires



Monza 2+2 wheel cover



Forged aluminum wheel
(RPO N77)



Monza 2+2 Hatchback Coupe





Monza 2+2 Hatchback Coupe



Monza 2+2 Hatchback Coupe

Major Features – Standard on 1975 Monza 2+2

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter, High Energy Ignition system, Early Fuel Evaporation system (on V6 engine only), GM-Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ 2.3 litre two-barrel engine
- ❑ Four-speed transmission
- ❑ 18½-gallon fuel tank
- ❑ Sports suspension with coil springs and stabilizer front and rear plus rear torque arm
- ❑ Manual front disc brakes
- ❑ Sweep-back roof and rear deck styling with swing-up rear hatch
- ❑ Retracting front and rear bumpers with black impact strips and bumper guards
- ❑ Special wheel covers with 13 x 6 wheels
- ❑ Functional louvers in center pillar
- ❑ Curved side windows
- ❑ Full door-glass styling
- ❑ Hide-A-Way antenna built into windshield glass (with factory-installed radio)
- ❑ Magic-Mirror acrylic rearview finish
- ❑ Power ventilation system
- ❑ Folding rear seat with carpeted load floor
- ❑ Front seat back latches
- ❑ Suspended accelerator pedal
- ❑ Advanced seat belt system with starter interlock
- ❑ Automatic ignition key alarm
- ❑ Padded instrument panel and sun visors
- ❑ Console-mounted transmission and parking brake controls
- ❑ Bright-finished parking brake lever knob and shaft
- ❑ Right-hand door light switch
- ❑ Delco-Ronson generator with solid state regulator
- ❑ Electric fuel pump in gas tank with cut-off switch to stop fuel flow when engine oil pressure drops below safe limit
- ❑ "Unleaded Fuel Only" on fuel gauge and fuel filler area
- ❑ "Add Coolant" and "Temp/Press" level warning lights on instrument panel and coolant recovery system
- ❑ Sealed side-terminal battery with 2500-watt hour rating and flame arrester battery caps
- ❑ Double-panel roof construction
- ❑ Hydraulic counterbalance for rear lid
- ❑ Flush-and-dry rocker panels
- ❑ Windshield quarter and rear window bonded to body
- ❑ Built-in blended-air heater and defroster system
- ❑ Black-finished dual-speed electric windshield wipers
- ❑ Flush-type outside door handles
- ❑ Rear hinged hood with outside release
- ❑ Unitized design body structure welded from large steel panels
- ❑ Complete body immersion in special primer for corrosion resistance
- ❑ Disc brakes available wear sensors
- ❑ Dual master cylinder brake system with warning light and corrosion-resistant brake lines
- ❑ Self-adjusting brakes
- ❑ Forward-mounted Ball-Joint steering gear and linkage
- ❑ Energy-absorbing steering column



Special Instrumentation



Power Ventilation System with Functional Louvers in Center Pillar



GM Specification Steel-Belted Radial Ply Tires



Dual Rectangular Headlights

Hydropneumatic Counterbalanced Hingeback Rear Lid



Rear Suspension with Torque Arm

Monza 2+2 Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two built-in front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment and console door latch impact security
- Smooth-contoured door and window regulator handles
- Soft, low-profile window control knobs, coat hooks, dome light

- Automatic locking front and rear seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Backup lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual-speed wipers
- Wide-view inside day/night mirror (styl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light

- Starter Safety Switch
- Dual-action safety hood latches
- Headlight aiming device provision
- Low-gloss instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rims
- Uniform shift quadrant
- No winged wheel axle, disc or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-resistant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors, trunk or rear hatch)
- Visible vehicle identification
- Tamper-resistant odometer with tiltable feature



Front Door Bumper with Audible Wear Indicator



Monza 2+2 Padded Instrument Panel

Monza 2+2 Power Teams

Engine	Power Rating	Engine Usage	Transmission	Rear Axle Ratio (1)		
				Std.	Highway RPO G98	High Alt. RPO G92
140-2 barrel Four	87*	Std. (1)	4-Speed manual Turbo Hydro-matic	Std. M40	3.43 3.43	— —
4.3 Liter 2 barrel V8	110	RPO LV1 (3)	4-Speed manual Turbo Hydro-matic	Std. M40	2.96** 2.96**	2.93 2.93

*80 horsepower rating in California.

**2.93 ratio required when air conditioning is ordered.

(2) California Emission Equipment required in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G98)—Relatively lower numerical ratio axle recommended for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G92)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Ratio—Restriction rear axle (RPO G90) available in all axle ratios.

Engine Specifications

Engine	Type	Carburetor	HP @ RPM	Torque @ RPM	Comp. Ratio	Bore	Stroke	Displ.
140-2	4-cyl. OHC	2-barrel	87 @ 4400	122 @ 2800	8.0:1	3.901"	3.625"	140
4.3 Liter	V8	2-barrel	110 @ 3600	200 @ 2000	8.5:1	3.671"	3.10"	262

Note: Horsepower and Torque ratings are SAE net as installed.

Transmissions

Engines	Transmission gear ratios						Shift selector
	Std.	1	2	3	4	5	Console
4-Speed Fully Synchronized (Standard)	Std.	3.11	2.20	1.47	1.00	3.11	●
	LV1 V8	3.11	2.20	1.47	1.00	3.11	●
Turbo Hydro-matic (RPO M40)	Std.	Drives—2.92-1.32-1.00 Low 3—2.92-1.32 Low 1—2.92 Reverse—1.94					●
	LV1 V8	Drives—2.74-1.37-1.00 Low 3—2.74-1.37 Low 1—2.74 Reverse—2.07					●

Clutches for 4-Speed Transmissions

Engine	Disc facing material	Disc facing outside diameter	Disc facing total area (sq. in.)	Spring effective plate load (lbs.)
140-2	woven asbestos	9.12"	71.82	1295-1495
4.3 Liter V8		10.34"	101.34	2100-2300

Selected Options

Description	RPO Number	Hatchback
Air conditioning. Four-Season. Includes 55-amp generator and HD radiator	C60	•
Asles:		
High Altitude ratio	G62	•
Highway ratio	G68	•
Postraction	G60	•
Battery, heavy-duty—3200-watt rating	UA1	•
Belts, Custom Deluxe seat and shoulder. Includes brushed metal buckles and color-keyed belts	AE1	•
Brakes, power	J80	•
California emission certification	YF5	•
Carrier, roof	V98	•
Delogger, rear window (Electro-Clean)	C48	•
Glass, Soft-Ray tinted. All windows	AC1	•
Lighting, auxiliary. Includes	ZD9	
Glove compartment light		•
Underhood light		•
Headlight-on reminder buzzer		•
Mats, color-keyed floor—2 front and 2 rear	B37	•
Mirrors		
Sport mirrors	D08	•
Moldings:		
Body side	B84	•
Door edge guards	B93	•
Radiator, heavy-duty. Includes extra heavy-duty cooling	V01	•
Radio equipment:		
AM radio	U63	•
AM/FM radio	U69	•
AM/FM/stereo radio	U98	•
Rear seat speaker. (Two speakers included with stereo system)	U80	•
Seat back, adjustable. Driver's seat only	AN6	•
Spare tire, Space-Saver	H68	•
Steering, power—variable-ratio	N41	•
Steering wheel, Comfort	N33	•
Trim, Genuine leather seat	Z05	•
Wheels, aluminum. Includes Space-Saver spare tire	N77	•
Tires		
R70-13B steel-belted radial ply white stripe	Q8Y	•
R70-13B steel-belted radial ply white lettered	Q8V	•
R70-13C steel-belted radial ply blackwall (Standard with V8 engine)	Q8E	•
R70-13C steel-belted radial ply white stripe	Q8F	•
R70-13C steel-belted radial ply white lettered	Q8L	•

Monza 2+2 Interior/Exterior Color Selections

Ten exterior body colors and luxury all-vinyl, Custom Leather and rich knit cloth for the special high-back bucket seats and bucket-styled rear seats permit a wide selection of Interior/Exterior combinations. Recommended combinations are indicated in the charts by a "●" in the appropriate square.

		INTERIOR TRIM					
		Black	Blue (Dark)	Graystone (Med.)	Red (Dark)	Seashell (Dark)	Sandstone (Med.)
Cloth Interior	Bucket seat	●	●	●	●	●	●
All-Vinyl Interior	Bucket seat	●	●	●	●	●	●
Custom Leather Interior	Bucket seat	●			●	●	

Exterior Body Color and Code:

Beige, Green	30	●				●	●
Blue, Bright Metallic	26	●	●				
Blue, Silver Metallic	33	●	●				
Burgundy Metallic	79	●		●	●		●
Gray, Medium Metallic	16	●		●	●	●	●
Green, Dark Metallic	49	●		●		●	●
Orange Metallic	80	●				●	●
Red, Light	75	●				●	●
White, Antique	11	●	●	●	●	●	●
Yellow, Bright	51	●		●			

Monza 2+2 Equipment Summary

Exterior

Special wheel covers with 13 x 6 wheels	S
Aluminum wheels—includes Space-Saver tire (RPO N77)	EC
Body-side moldings (RPO B84)	EC
Dual sport mirrors—LH remote, RH manual (RPO D35)	EC
Special bumpers with impact strips and bumper guards	S

Interior

Custom-quality interior	S
Genuine leather seat trim (RPO Z05)	EC
Bucket seats and center console	S
Adjustable driver's seat back (RPO AM8)	EC
Cut-pile carpeting	S
Special instrumentation	S
4-spoke sport steering wheel	S
Comfortilt steering wheel (RPO N33)	EC
Custom Deluxe color-keyed belts (RPO AK1)	EC
Day-night inside rearview mirror	S
Auxiliary Lighting (RPO Z39)	EC
Quiet Sound Group	S
Folding rear seat with carpeted load floor	S
Space-Saver spare tire (RPO N45)	EC
Four-Season air conditioning (RPO C93)	EC
AM/FM/Stereo radio (RPO U58)	EC

Chassis

4-speed transmission	S
Turbo Hydro-matic (RPO M43)	EC
Variable-ratio power steering (RPO N41)	EC
Disc front brakes	S
Power brakes (RPO F53)	EC
Powertrac (RPO G80)	EC
GM-Specification RFG76-138 steel-belted radial ply blackwall tires	S

S—Standard

EC—Extra Cost

Monza 2+2 Specifications

Exterior Dimensions	Range/Road
Wheelbase	97.0
Length (overall)	179.3
Width (overall)	68.4
Height (loaded)	80.3
Tread—Front	54.7
Tread—Rear	53.6
Ground clearance (min.)	4.9

Interior Roominess	
Head room—Front	37.7
Head room—Rear	36.3
Leg room—Front	42.9
Leg room—Rear	29.9
Hip room—Front	47.8
Hip room—Rear	42.0
Shoulder room—Front	51.0
Shoulder room—Rear	51.2

Luggage Compartment	
Maximum opening width	41.9
Loading height	28.8
Interior length (max.)	63.0*
Interior width (max.)	51.4
Interior height (max.)	23.2
Usable luggage space (cu. ft.)	28.9**
	150.2 with Space-Saver space bar.
	*with rear seat folded.

Glass Area	
Windshield glass area (sq. in.)	1229.9
Rear window glass area (sq. in.)	1361.9
Total glass area (sq. in.)	4148.3

Tire Size and Steering	
Standard tire size	R876-13
Turning circle—curb-to-curb (ft.)	33.0
Turning circle—wall-to-wall (ft.)	34.7
Steering ratio—std. (overall)	22.5:1
Steering ratio—power (overall)	16.5:1 to 13.5:1

Capacities and Weights	
Rated fuel tank capacity (gallons)	18½
Curb weight—Four (lbs.)	2763
Curb weight—V8 (lbs.)	3043
Shipping weight—Four (lbs.)	2668
Shipping weight—V8 (lbs.)	2948

1975 Nova

	Page No.
Nova LN	
Standard Equipment.....	2
4-Door Sedan 1XY69/Z11 Six or V8.....	3-4
Coupe 1XY27/Z11 Six or V8.....	5
Nova Custom	
Standard Equipment.....	6
Interiors.....	6-7
Coupe 1XY27—Six or V8.....	7, 9
Hatchback Coupe 1XY17—Six or V8.....	8
4-Door Sedan 1XY69—Six or V8.....	8
Nova and Nova SS	
Standard Equipment.....	10
Coupe 1XX27—Six or V8.....	11, 13
Hatchback Coupe 1XX17—Six or V8.....	12
4-Door Sedan 1XX69—Six or V8.....	12
Major Features	14
Safety and Security Features	15
Equipment Summary	16
Power Trains	17
Selected Options	18-19
Color and Trim	20-22
Specifications	23

Nova LN

- ❑ Silver-finish grille with bright outline and built-in vertical parking lights
- ❑ Bright windshield molding
- ❑ Bright parking light and taillight accents
- ❑ Bright front hood edge, deck lid and rear end panel moldings
- ❑ White "LN" emblems on rear side windows
- ❑ Bright side window and door frame moldings
- ❑ Silver-finish leaves built into center pillar on coupes; body-color built into roof rear quarter panel on sedans (R11 functional on both models)
- ❑ Special wheel covers with "LN" emblem and body-colored accents
- ❑ Metric engine identification on front fenders
- ❑ Deluxe bumpers with black full-width impact strips
- ❑ Front and rear bumper guards
- ❑ Color-keyed dual accent striping along body sides
- ❑ Luxurious cloth interior trim
- ❑ Wide-back reclining front seats
- ❑ Carpeted lower door panels
- ❑ Front door map pockets
- ❑ Smoked instrument cluster lens
- ❑ Front door light switches; also rear doors on sedan models
- ❑ Wide 10" day-night inside rearview mirror
- ❑ Electric clock
- ❑ Auxiliary lighting
- ❑ Special luggage compartment mat
- ❑ Special body insulation
- ❑ 14" x 7" wheels

Appearance features available for Nova LN include: padded vinyl roof cover; sport mirrors; wheel opening moldings; Turbine 1 wheels; white stripe or white lettered tires



Nova LN wheel cover



Nova LN 4-Door Sedan





Nova LN 4-Door Sedan



Nova LN 4-Door Sedan



Nova LN Coupe

Nova Custom

- ❑ Silver-finish grille with bright outline and built-in vertical parking lights
- ❑ Bright windshield molding
- ❑ Bright parking light accents
- ❑ Bright roof drip molding
- ❑ Bright body all and fender molding
- ❑ Front and rear bumper guards
- ❑ Deluxe bumpers (with black full-width front and rear bumper impact strips)
- ❑ Louvers built into center pillars on coupes and roof rear quarter panels on sedans (RH functional)
- ❑ Nova Custom nameplate on grille, front fenders and rear end panel
- ❑ Aluminum hub caps
- ❑ Forward-mounted rectangular outside rearview mirror
- ❑ Rectangular dual-unit taillights
- ❑ Soft-rib steering wheel with cushioned center
- ❑ Glove compartment lock
- ❑ Center dome light with bright bezel
- ❑ Cargo area courtesy light on Hatchback Coupe when hatch lid is raised
- ❑ Front armrests with integral door pull bar
- ❑ Soft vinyl-covered molded headlining
- ❑ Folding rear seat back standard on Hatchback Coupe
- ❑ Deluxe seat and sidewall trim
- ❑ Nova Custom nameplates on front door trim panel
- ❑ Color-keyed out-pile carpet floor covering (including cargo floor on Hatchback Coupe)
- ❑ Bright instrument cluster accents
- ❑ Glove compartment light
- ❑ Cigarette lighter
- ❑ Wide 10" (day-night) rearview mirror
- ❑ Right front door light switch
- ❑ Ashtrays in rear armrests
- ❑ Luggage compartment mat
- ❑ Special floor and hood insulation

Appearance features available for Nova Custom include: exterior decor packages; vinyl roof covers; wheel opening moldings; wheel trim rings; full wheel covers; Turbine I or Rally wheels; white stripe tires



Full wheel cover (RPO P01) — Not available with SS equipment



Rally wheel (RPO Z07) — SS center cap used when SS equipment is ordered



Turbine I wheel (RPO P02) — Not available with SS equipment



Wheel trim ring (RPO P06) available with standard hub cap included with Rally wheel



Nova Custom hub cap



Nova Custom





Nova Custom 4-Door Sedan



Nova Custom Hatchback Coupe



Nova Custom Coupe



Nova Custom SS Coupe

Nova

- Silver-triash grille with built-in vertical parking lights
- Bright windshield molding
- Functional louvers built into center pillar on coupes and roof/rear quarter panel on sedans
- Aluminum hub caps
- Nova nameplate on grille, front fenders and rear end panel
- Forward-mounted rectangular outside rearview mirror
- Rectangular dual-unit taillights
- Soft-rib steering wheel with cushioned center
- Glove compartment lock
- Center dome light with bright bezel
- Coupe area courtesy light on Hatchback Coupe
- Front armrests with integral door pull bar
- Folding rear seat back standard on Hatchback Coupe
- Pattern cloth and vinyl upholstery (all-vinyl seat trim available)
- 8" windshield-mounted inside rearview mirror
- Cut-pile carpeting (including load floor on Hatchback Coupe)

Nova SS

Available for Coupe body styles in Nova Custom or Nova

- Black grille with bright accents and built-in vertical parking lights
- Black-finished headlight bezels with bright accents
- Bright windshield and roof drip moldings
- Black-accented side windows
- Bright parking light accents
- Lower body dual accent striping
- SS emblems on grille, decals on front fenders and rear end panel
- Left-hand black-painted remote control Sport mirror
- Right-hand black-painted manual Sport mirror
- Rectangular dual-unit taillights
- SS emblems on 4-spoke sport steering wheel
- Color-keyed cut-pile carpet floor covering (including coupe floor on Hatchback Coupe)
- Special front and rear suspension
- 14 x 6 Rally-type wheels with special center caps and bright trim rings

Appearance features available for Nova include: exterior decor packages; vinyl roof covers; Deluxe bumpers with black full-width front and rear bumper impact strips; wheel opening moldings; wheel trim rings; full wheel covers; Turbine I or Rally wheels; white stripe tires



Full wheel cover (RPO PC1) — Not available with SS equipment



Rally wheel (RPO Z17) — Special center cap used when SS equipment is ordered



Turbine I wheel (RPO RB1) — Not available with SS equipment



Wheel trim ring (RPO PC8) available with standard hub cap (included with Rally wheel)



Nova hub cap — Not available with SS equipment



Nova Coupe





Nova Hatchback Coupe



Nova 4-Door Sedan




Nova Coupe



Nova SS Coupe

Major Features – Standard on 1975 Novas

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter; High Energy Ignition system; Early Fuel Evaporation system; new distributor outside air induction system on all V8 and most six-cylinder engines; GM-Specification steel-belted radial ply tires; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Manual disc/drum brake system
- ❑ Disc brakes audible wear sensors
- ❑ Flush-styled side windows
- ❑ Full door glass styling
- ❑ Curved side windows
- ❑ Dual-speed electric windshield wipers
- ❑ Magic-Mirror acrylic inquest finish
- ❑ Speedometer dial reads to 100 mph with metric equivalents
- ❑ Forward-mounted front door lock buttons
- ❑ Dual-action outside hood release
- ❑ Flow-through ventilation system
- ❑ Soft-rim steering wheel with cushioned center
- ❑ Foot-operated parking brake
- ❑ Cut-pile carpet floor covering
- ❑ Folding rear seat back on Hatchback Coupe
- ❑ Molded full foam seats
- ❑ Built-in blended-air heater and defroster system
- ❑ 21-gallon fuel tank
- ❑ Sealed side-terminal Energizer battery with flame-arrestor battery caps
- ❑ Coolant recovery system
- ❑ Hydraulic valve lifters
- ❑ Delco-Ronco generator with built-in solid-state regulator
- ❑ Ventilation exhaust louvers built into center pillar on coupes and roof rear quarter panel on sedans
- ❑ Double-panel roof, door, hood and deck lid construction
- ❑ Hydropneumatic counterbalance for Hatchback rear lid
- ❑ Cushioned body mounting system
- ❑ Separate front frame cushions mounted to body
- ❑ Lower leaders front and rear
- ❑ Computer-selected springs
- ❑ Independent coil front suspension; multi-leaf rear springs
- ❑ Self-adjusting brakes
- ❑ Front ride stabilizer standard on all models
- ❑ Forward-mounted steering gear and linkage
- ❑ Ball joint wear indicators on front suspension lower control arms



Flow-Through Ventilation System with Louvers in Center Pillar (Coupe choice); (Sedan louvers in rear quarter panel)



GM-Specification Steel-Belted Radial Ply Tires



Fuel Filler Restrictor for Unleaded Fuel Only



GM-Developed Catalytic Converter



High Energy Ignition System

Nova Safety and Security Features

Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two front seat head restraints (built-in with bucket seats)
- Energy-absorbing steering column
- Passenger-locked door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Cargo-Guard luggage compartment except Hatchback Coupe
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment door latch impact security
- Smooth-contoured door and window regulator handles
- Soft, low-profile window control knobs, coat hooks, dome light
- Automatic locking front and rear outboard seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual-speed wipers
- Wide-view inside day/night mirror* (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light
- Starter Safety Switch
- Dual-action safety hood latches
- Headlight aiming access provision
- Low-gloss instrument panel top, inside windshield moldings, wiper arm and blades, and steering wheel metallic surfaces

- Safety wheel rims
- Uniform shift quadrant
- No winged wheel cuts, dices or caps
- Front disc brakes with audible wear indicators
- Self-adjusting brakes
- Illumination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

*Extra-cost on some Nova models

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors, trunk or rear hatch)
- Visible vehicle identification
- Tamper-resistant odometer with teletile feature



Front Disc Brakes with Audible Wear Indicators



Nova LX Padded Instrument Panel

Nova Equipment Summary

Exterior

	Nova LN	Nova Custom	Nova SS	Nova
Full wheel covers	S	EC	NA	EC
14 x 6 Bully type wheels with special center caps	NA	NA	Incl.	NA
14 x 6 Bully type wheels with bright lug nuts	NA	EC	NA	EC
Wheel Trim Rings (RPO P04)	NA	EC	Incl.	EC
Turbine I Wheels (RPO FE1)	EC	EC	EC	EC
Exterior Decor (RPO Z15)	NA	EC	NA	EC
Sport mirrors (LH remote control—BH manual)	EC	EC	Incl.	EC
Special body side striping	S	NA	Incl.	NA
Vinyl roof covers	EC	EC	EC	EC
Body side molding (RPO B84 included with Exterior Decor)	EC	EC	NA	EC
Wheel opening moldings	EC	EC	EC	EC
Roof Carrier (Coupe only—RPO Y55)	EC	EC	EC	EC
Swing-out rear side windows (Coupe only—RPO A20)	EC	EC	EC	EC

Interior

Wide-back reclining front seats	S	NA	NA	NA
Bucket front seats—NA 4-Door Sedan (RPO A51)	NA	EC	EC	EC
Sport four-spoke steering wheel	NA	EC	Incl.	EC
Special instrumentation (RPO U17)	EC	EC	EC	EC
Console (RPO D55—with bucket seats only)	EC	EC	EC	EC
Interior Decor/Quiet Sound Group (RPO ZH)	S	S	EC	EC
Car-pile carpeting	S	S	S	S
Intermittent Windshield Wiper System (RPO CD4)	EC	EC	EC	EC
Auxiliary Lighting (RPO ZH)	S	EC	EC	EC
Electric clock	S	EC	EC	EC
Power door lock system (RPO A115)	EC	EC	EC	EC

Chassis

Turbo Hydra-matic transmission	EC	EC	EC	EC
Manual front disc brakes	S	S	S	S
Power disc/drum brakes (RPO J50)	EC	EC	EC	EC
Power steering	EC	EC	EC	EC
Front side stabilizer	S	S	S	S
Special front and rear suspension (RPO F40)	EC	EC	Incl.	EC
Sports suspension (RPO F41)	EC	EC	EC	EC
Radial-tuned suspension with rear stabilizer bar (RPO FE8)	EC	EC	EC	EC
GM-Specification steel-belted radial ply blackwall tires	S	S	S	S
GM-Specification steel-belted radial ply white stripe tires	EC	EC	EC	EC
Space-Saver spare tire—std. on Hatchback Coupe (RPO N65)	EC	EC	EC	EC

S—Standard

EC—Extra Cost

NA—Not Available

Incl.—Included

Nova Power Teams

Engine	Power Rating	Engine Design	Transmission	Gear Axle Ratio (G)		
				Std.	Highway RPO G85	High Alt. RPO G82
290-1 barrel Six	105	Std. (1)	3-Speed manual Turbo Hydro-matic	Std. or RPO M40	2.73 —	3.08 3.08
4.3 Liter V8	110	Std. (2)	3-Speed manual Turbo Hydro-matic	Std. RPO M40	2.73 —	3.08 3.08
390-2 barrel V8	145	RPO L68 (2)	3-Speed manual Turbo Hydro-matic	Std. RPO M40	2.73 2.56	— —
390-4 barrel V8	155	RPO LM1 (1)	4-Speed manual Turbo Hydro-matic	RPO M20 (2) RPO M40	3.08 2.56	— —

(1) California Emission Equipment required in California.

(2) Not available in California.

Axle Ratio Definitions:

Standard Axle Ratio—General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

Highway Axle Ratio (RPO G85)—Relatively lower numerical ratio axle chosen for optimum highway cruising economy with good overall performance.

High Altitude Axle Ratio (RPO G82)—Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Four-function rear axle (RPO G80) available in all axle ratios.

Specifications

	290 Six	4.3 Liter V8	390-2 V8	390-4 V8
Bore x Stroke (in.)	3.875 x 3.53	3.671 x 3.10	4.00 x 3.48	4.00 x 3.48
HP @ RPM	105 @ 3600	110 @ 3600	145 @ 3600	155 @ 3600
Torque @ RPM	185 @ 1200	200 @ 2000	290 @ 2200	290 @ 2400
Compression ratio	8.25:1	8.5:1	8.5:1	8.5:1
Carburetion	1-barrel	2-barrel	2-barrel	4-barrel
Exhaust system	single	single*	single*	single*

Note: Horsepower and Torque ratings are SAE net as installed.

*Includes dual tailpipes.

Model Options

Description	RPO Number	Nova LN	Nova Custom	Nova SS	Nova
Exterior decor package. Includes body side moldings with black accents plus bright side window, door frame and headlight bezel moldings.	Z35	NA	●	NA	●
Interior decor/quiet sound group. Includes glove compartment light; cigarette lighter; bright accent on instrument cluster; interior day-night rearview mirror; right front door light switch and special body insulation.	Z34	Std.	Std.	●	●
Nova SS: Hatchback Coupe or Coupe only. Includes black grille; SS identification on grille, hood, rear end panel and sport steering wheel; black LH remote-control and RH manual sport mirrors; black accents around side windows and pillar louvers; 14 x 6 Rally type wheels with special center caps and trim rings; heavy-duty front and rear suspension; bright roof drip moldings and bright parking light accents.					
With white lower body dual stripes	Z26/11A	NA	●	Std.	●
With silver lower body dual stripes	Z26/13A	NA	●	Std.	●
With red lower body dual stripes	Z26/79A	NA	●	Std.	●

Selected Options

Air conditioning: Four-Season. Includes SS-amp generator and increased cooling.	C60	●	●	●	●
Axles:					
High Altitude ratio	G92	●	●	●	●
Highway ratio	G95	●	●	●	●
Protraction	G90	●	●	●	●
Battery, heavy-duty—4000-watt rating	UA1	●	●	●	●
Belt, Custom Deluxe seat and shoulder. Includes color-keyed metal buckles and belts:					
With bench front seat—6 seat and 2 front shoulder	AK1	NA	●	●	●
With bucket seats—5 seat and 2 front shoulder	AK1	●	●	●	●
Bumper, power	J50	●	●	●	●
Bumper equipment: Deluxe bumpers and guards—front and rear. Includes black impact stripe					
	V55	Std.	Std.	●	●
California emission certification	Y75	●	●	●	●
Carrier, roof. Not available on sedan models	V55	●	●	●	●
Clock, electric. Included with special instrumentation	U35	Std.	●	●	●
Console. Available only when bucket seats are ordered. Includes open storage compartments. Shift lever mounted in console					
	D55	●	(1)	●	(1)
Datogger, rear window (forced-air)	C90	●	●	●	●
Door lock system, power	AU3	●	●	●	●
Economy indicator light, Fuel. Not available with special instrumentation					
	UR3	●	●	●	●
Glass, Soft-Ray tinted—all windows	AO1	●	●	●	●
Horns, dual	U05	●	●	●	●
Instrumentation, special. V8 models with bucket seats and console only. Includes tachometer and clock located in instrument panel plus odometer, temperature, oil pressure and fuel gauges on floor console. Not available with fuel economy indicator light					
	U17	●	(1)	●	(1)
Lighting, auxiliary. Includes:					
Antebray light and courtesy lights	Z29	Std.	●	●	●
Glove compartment light		Std.	Std.	●	●
Luggage compartment light and underhood light		Std.	●	●	●
Headlight-on reminder buzzer		Std.	●	●	●

(1) Coupe models only.

Selected Options (continued)

Description	RPO Number	Nova LH	Nova Custom	Nova SS	Nova
Mats, color-keyed floor—2 front and 2 rear	B37	•	•	•	•
Mirrors					
Day-night inside rearview	D31	NA	NA	•	•
Remote-control outside rearview, LH. Not available when sport mirrors are ordered	D33	•	•	NA	•
Sport, LH remote-control and RH manual	D35	•	•	NA	•
Moldings					
Body side, Included with exterior decor package	B84	•	•	NA	•
Door edge guard	B93	•	•	•	•
Wheel opening	B96	•	•	•	•
Paint, exterior two tone. Includes bright outline molding	...	NA	•	•	•
Roll-over, heavy-duty	V01	•	•	•	•
Radio equipment (all radios include windshield antenna)					
AM radio	U83	•	•	•	•
AM/FM radio	U89	•	•	•	•
AM/FM/stereo radio	U98	•	•	•	•
Rear seat speaker. (Two speakers included with stereo system)	U90	•	•	•	•
Stereo tape system with AM radio	U94	•	•	•	•
Stereo tape system with AM/FM/stereo radio	U92	•	•	•	•
Road cover, vinyl	...	•	•	•	•
Seat Equipment:					
Seat-bucket, Coupe only	...	Q	•	•	•
Shift lever, floor-mounted. Available only when standard 3-speed transmission is ordered					
M11	NA	•	•	•	•
Spare tire, Space-Saver. Standard on Hatchback Coupe	M68	•	•	•	•
Steering, power—variable ratio	M41	•	•	•	•
Steering wheel, Comfort. Not available with column-mounted 3-speed transmission	N33	•	•	•	•
Steering wheel, Sport	N31	NA	•	NA	•
Suspension equipment:					
Heavy-duty front and rear suspension. Includes special front and rear springs and matching shock absorbers	F40	•	•	NA	•
Radial tuned. Available only with radial ply tires	F88	•	•	•	•
Sports suspension. Includes rear stabilizer plus special front and rear shock absorbers and 14 x 7 wheels	F41	•	•	•	•
Wheel equipment:					
Full wheel covers	P01	NA	•	NA	•
Rally wheels. Includes special wheels and center caps, bright lug nuts and trim rings	Z17	NA	•	NA	•
Turbine I wheels	PE1	•	•	•	•
Trim rings, Included with rally wheels	P08	NA	•	NA	•
Windows, swing-out rear quarter. Coupe only	A20	•	•	•	•
Windshield wiper system, intermittent	CE4	•	•	•	•

Tires

FR78-148 steel-belted radial ply white stripe	QDW	•	•	•	•
FR78-148 steel-belted radial ply white lettered	QRT	•	•	•	•

(2) White dash inclining front seats standard on Coupe and Sedan.

NA—Not Available

Nova Cloth Interior/Exterior Color Selections

Exterior body colors and interior trim, including Nova LN luxury cloth interior with standard wide-body reclining front seats, permit a wide selection of Interior/Exterior combinations. Nova LN Avenir Stripes and Nova SS Dual Stripes are

limited to interior and exterior combinations. Recommended combinations are indicated in the charts by a "●" in the appropriate spaces.

Doors and Headlining		Black	Blue (Dark)	Greystone (Med.)	Green (Med.)	Red (Dark)	Saddle (Dark)	Sandstone (Med.)
Seat Color		Black	Black	Blue	Greystone	Green	Red	Saddle
Instrument Panel Pad		Black	Black	Blue	Greystone	Green	Red	Saddle
Floor Covering		Black	Red	Blue	Greystone	Green	Red	Saddle
NOVA LN COUPE & SEDAN		Cloth seat		●	●	●		●
		Cloth Beach seat		●	●			●
NOVA CUSTOM COUPE		Sport Cloth Beach seat	●	●			●	
		Sport Cloth Beach seat	●	●				
NOVA CUSTOM SEDAN		Cloth Beach seat		●		●		●
NOVA COUPE & SEDAN		Cloth Beach seat	●	●	●			●

Exterior Body Color Code	LN	SS	Std.	Two-tone† (Upper)	Includes outline moldings. Not available on Nova LN.				
Beige, Cream	50	50	50	—	●		●		●
Blue, Bright Metallic	—	26	26	11	●		●		
Blue, Medium	24	24	24	11	●		●		
Blue, Midnight Metallic	29	29	29	11	●		●		
Gray, Light	15	15	15	—	●				
Green, Dark Metallic	49	49	49	11	●		●		●
Green, Medium	—	44	44	11	●		●		
Orange, Med. Metallic	—	64	64	11	●				●
Red, Dark Metallic	74	74	74	11	●		●		●
Red, Light	—	75	75	11	●	●			
Saddle, Light Metallic	—	63	63	—	●				●
Sandstone	55	55	55	50	●				●
Sandstone, Dk. Metallic	58	58	58	50	●				●
Silver	13	13	13	—	●		●		
White, Antique	11	11	11	—	●	●	●	●	●
Yellow, Bright	—	51	51	—	●				

Vinyl Roof Colors

SOLID EXTERIOR BODY COLOR AVAILABILITY

Vinyl Roof	Code	Nova Custom & Nova models	Nova LN models only
Black	BB	All Exterior Colors.	15 or 74 only.
Blue, Dark	DD	11, 13, 26 or 29 only.	11, 13, 34 or 29 only.
Brown, Dark	FF	11, 63 or 64 only.	Not available.
Green, Medium	GG	11, 44 or 49 only.	Not available.
Red	RR	11 or 75 only.	Not available.
Red, Dark	HH	11, 13, 15 or 74 only.	11, 13, 15 or 74 only.
Sandstone	TT	11, 49, 50, 55 or 58 only.	11, 49, 50, 55 or 58 only.
Silver Metallic	WW	13, 26, 29 or 74 only.	13 or 74 only.
White	AA	All Exterior Colors.	11, 15, 24, 29, 49, 53, 56 or 74 only.

†Includes outline and roof drip moldings where not standard.

Nova All-Vinyl Interior/Exterior Color Selections

Doors and Headlining		Black	Blue (Dark)	Red (Dark)	Dark Blue (Dark)	Dark Green (Dark)	White				
Seat Color		Black	Black	Blue	Red	Dark Blue	Dark Green	White	White	White	White
Instrument Panel Pad		Black	Black	Blue	Red	Dark Blue	Dark Green	Black	Black	Blue	Green
Floor Covering		Black	Red	Blue	Red	Dark Blue	Dark Green	Black	Red	Blue	Green
	Seat type										
Nova Custom Coupe	Bucket	•	•		•	•	•	•	•	•	•
Nova Custom Sedan	Bucket	•	•			•	•	•	•	•	•
Nova Coupe	Bucket	•	•	•		•	•				
Nova Sedan	Bucket	•	•			•	•				

Exterior Body Color Code:	Solid			Two-Tone? (Upper)	Flakelake outline moldings. Not available on Nova LE.									
	LS	SS	Std											
Beige, Cream	90	90	90	—	•			•	•	•				
Blue, Bright Mat.	—	26	26	11	•		•			•		•		
Blue, Medium	24	24	24	11	•		•			•		•		
Blue, Mat. Mat.	20	20	20	11	•		•			•		•		
Green, Light	18	18	18	—	•									
Green, Dark Mat.	49	49	49	11	•		•		•	•			•	
Green, Medium	—	44	44	11	•				•	•			•	
Orange, M. Mat.	—	64	64	11	•			•	•	•				
Red, Dark Metallic	74	74	74	11	•		•		•	•				
Red, Light	—	70	70	11	•	•		•	•	•	•			•
Redline, Light Mat.	—	63	63	—	•			•	•	•				
Redline	66	66	66	80	•			•	•	•				
Redline, D. Mat.	68	68	68	80	•			•	•	•				
Silver	13	13	13	—	•		•		•	•				
White, Antique	11	11	11	—	•	•	•	•	•	•	•	•	•	•
Yellow, Bright	—	81	81	—	•					•				

Nova LN Accent Stripe/Exterior Body Color/Vinyl Roof Color Combinations:

		EXTERIOR BODY COLORS AND CODES																			
Accent Stripe Color G—Gold B—Red W—White		Beige Cream 00		Blue Medium 14		Blue Midnight Metallic 28		Grey Light 35		Green Dark Metallic 48		Red Dark Metallic 74		Sandstone 83		Sandstone Dark Metallic 88		Silver 12		White Antique 11	
		Vinyl Roof Color & Code	TT Sandstone	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White
INTERIOR TRIM		TT Sandstone	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid	SS Blue, Dark	AA White	SS Solid
Blue (Dark)					W	W	W	W	W												G
Greystone (Med.)				W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W
Red (Dark)																					B
Sandstone (Med.)	G, G	G, G								W, G	G, G		W	W	W, G		G, G		G, G	G, G	G, G

Nova SS Dual Accent Striping:

Exterior Body Color and Codes	Vinyl Roof, Two-tone and Solid Color Availability										
	With Vinyl Roof						With Two-tone				
	Black BB	Dark Blue DD	Med. Green GG	Red BB	Dark Red DD	Sand- stone TT	Silver Metallic WW	White AA	Cream Beige SS	Antique White 11	Solid Color
Beige, Cream	40	W				W		W			W
Blue, Bright Metallic	28	S	S				S	W		S/W	S/W
Blue, Medium	24	W	W					W		W	W
Blue, Midnight Metallic	28	S	S				S	W		S/W	S/W
Grey, Light	15	W			W			W			W
Green, Dark Metallic	48	S		S		W		S		S/W	S/W
Green, Medium	44	W	W					W		W	W
Orange, Medium Metallic	64	W			W			W		W	W
Red, Dark Metallic	74	S			S		S	W		S/W	S/W
Red, Light	70	S			S/W			W		W	S/W
Sandstone, Light Metallic	83	W			W			W			W
Sandstone	80	W				W		W	W		W
Sandstone, Dark Metallic	88	S				W		S	W		S/W
Silver	12				S		W	W			S/W
White, Antique	11	S		S	S			S			S/S
Yellow, Bright	50	W						W			W

B—Red S—Silver W—White

Note: Accent striping color also indicates Vinyl Roof availability for all exterior body colors.

Nova Specifications

Exterior Dimensions	Hatchback Coupe	Coupe	4-Door Sedan
Wheelbase	111.0	111.0	111.0
Length (overall)	196.7*	196.7*	196.7*
Width (overall)	72.3	72.3	72.3
Height (loaded)	54.3	54.3	54.3
Front tread	61.3	61.3	61.3
Rear tread	59.0	59.0	59.0
Minimum ground clearance	4.8	4.8	4.8

Interior Roominess

Head room—front	38.5	38.5	38.5
Head room—rear	36.3	36.3	36.5
Leg room—front	41.7	41.7	41.7
Leg room—rear	33.4	33.4	35.3
Hip room—front	53.3	53.3	55.9
Hip room—rear	44.8	47.7	46.4
Shoulder room—front	56.6	56.6	56.6
Shoulder room—rear	55.3	55.3	56.7

Luggage Compartment

Maximum opening width	51.5	53.0	53.0
Loading height	27.4	27.4	27.4
Interior length (max.)	47.0*/76.3*	47.6	47.6
Interior width (max.)	65.8	68.0	68.0
Interior height (max.)	23.3	18.0	18.0
Usable luggage space (cu. ft.)	28.4*	14.2	13.0

Glass Area

Windshield glass area (sq. in.)	1209.3	1209.3	1282.1
Rear window glass area (sq. in.)	1158.6	1392.1	1092.1
Total glass area (sq. in.)	3921.4	4154.9	3947.1

Steering & Tires

Turning circle—curb-to-curb (ft.)	38.1
Turning circle—wall-to-wall (ft.)	39.9
Steering ratio—std. (overall)	26.41:1
Steering ratio—power (overall)	15.07:1 to 11.31:1
Standard tire size	P89B-14B

Fuel Capacity & Weight

Rated fuel tank capacity (approximate gallons)	21	21	21
Curb weight—Six (lbs.)	3501	3386	3416
Curb weight—V8 (lbs.)	3631	3516	3546
Shipping weight—Six (lbs.)	3391	3276	3306
Shipping weight—V8 (lbs.)	3521	3406	3436

*Nova Custom—197.2

*with rear seat up *with rear seat folded

1975 Vega

	Page No.
Standard Equipment.....	2
Hatchback Coupe 1HVT7—Four.....	3-4
Notchback Coupe 1HVT1—Four.....	5
Wagon 1HVT8—Four.....	6
Panel Express 1HVO8—Four.....	7
Major Features.....	8
Safety and Security Features.....	9
Equipment Summary.....	10
Power Trains.....	11
Selected Options.....	12-13
Color and Trim.....	14-15
Specifications.....	16

Vega

- Integrated front styling with grille louvers molded into front panel, recessed headlights and rectangular parking lights
- Roomy 4-passenger interior design with high-back bucket seats up front and bucket-styled rear cushions. Front seats foam-filled for added comfort and feature built-in head restraints
- Hydropneumatic counterbalance for Hatchback rear lid
- Folding rear seat on Hatchback Coupe and Wagon
- Concealed storage area under load floor on both Hatchback Coupe and Wagon
- Wide-view outside rearview mirror
- Flush-mounted outside door handles
- Wide doors for easier rear seat entrance
- Full door-glass styling on all models
- Curved side windows
- Stationary rear quarter windows (swing-out rear side windows optional on Hatchback and Notchback Coupes)
- Bright roof drip molding on Hatchback and Wagon
- Unitized body structure welded from large steel panels
- Double-panel roof structure
- Double-panel door construction with hinges welded in place to maintain proper fit and tighter sealing
- Flush-and-dry rocker panels
- Transmission control is tunnel-mounted with all power levers, and includes a mini-console with automatic transmission
- Tunnel-mounted parking brake with warning light on instrument panel
- Function symbols on headlights, cigarette lighter, and radio control knobs
- Cigarette lighter and center dome light
- Cut-pile carpeting
- Front seat belt and starter interlock system
- Pushbutton dual-speed electric windshield washer
- Door and sidewall trim panels molded of durable oil-resistant plastic
- Recessed pull-type inside door handles
- Convenient map pocket in driver's door, plus glove compartment in instrument panel
- Specifically styled wheels, hub caps, and optional wheel trim rings
- Side marker lights front and rear



Full wheel cover
(GPO, PGO)
available for
all models except
L.E. Estate or
with GT equipment



Vega GT wheel



Wheel rim ring
(GPO, PGO)
available with
standard hub caps
included with
GT wheels



Vega hub cap



Vega GT Hatchback Coupe





**Vega Hatchback Coupe
(with Custom Exterior)**

Custom Exterior (RPO Z12) includes all standard exterior features plus:
Bright hood header panel molding • Bright lower body side molding • Bright wheel
opening moldings • Black-finished body sill • Body-colored door handle accents
• Bright belt molding.



Vega GT Hatchback Coupe

GT RPO (Z19) includes this equipment in addition to or replacing standard equipment:
Black-accented headlight bezels • Bright hood header panel molding • Parking lights
with clear lenses and amber bulbs • Body-colored door handle accents • Left-hand
remote-control and right-hand manual sport mirrors • Bright belt molding • Black-
accented lower body side moldings • Black-finished body sill • Wheel opening moldings
• Special GT-13" x 6" wheels with trim rings and center caps • A70-13R bias belted
ply white lettered tires • GT emblem on front fenders.

GT option also includes higher output engine, sports suspension, ammeter and
temperature gauges, electric clock, 4-spoke sport steering wheel, 2-position
driver's seat back and other interior features.



Vega Notchback Coupe



Vega LX Notchback Coupe

Vega LX exterior features include: Vinyl roof cover • Parking lights with clear lenses and amber bulbs • LX nameplate on front fenders • Bright hood header panel molding • Bright body side molding with black vinyl insert • Bright wheel opening moldings • Bright door and rear quarter window moldings • Body-colored door handle accents • Wheel covers.

Vega LX interior features include: Special contoured seats with deluxe trim • Soft vinyl door trim with bright accents • Map pockets in both doors • Assist handle built into instrument panel pad • Electric clock • Day-night rearview mirror • Automatic dome light switch on right-hand door • 4-spoke sport steering wheel • Bright transmission control trim plate • Rear ashtrays • Special sound insulation including hood insulator.



Vega Wagon



Vega Estate Wagon

Vega Estate features include: Wood-grain vinyl exterior panels, outline moldings and wheel opening moldings • Wheel covers • Estate nameplate on rear fenders plus special contoured seats with Deluxe trim • Soft vinyl door trim with bright accents • Assist handle built into instrument panel pod • 3-position adjustable driver's seat back • 4-spoke sport steering wheel • Rear ashtrays • Day-night inside rearview mirror • Automatic dome light switch on right-hand door • Instrument panel handi box.

Vega Estate with GT equipment (RPO YC6/Z29) also includes: Black-accented headlight bezels • Bright hood header panel molding • Parking lights with clear lenses and amber bulbs • Body-colored door handle accents • Left-hand remote control, right-hand manual spot mirrors • Special GT 13" x 6" wheels and trim rings and center caps • A70-13R bias belted ply white lettered tires • GT emblem on front fenders plus higher output engine • Sports suspension • Tachometer, ammeter and temperature gauges • Electric clock • Wood-grain vinyl accents on instrument cluster • Soft vinyl door trim with bright accents.



Vega Panel Express

- Integrated front styling with grille leaves molded into front panel, recessed headlights and rectangular parking lights ■ Spring-mounted aluminum bumpers both front and rear ■ Entire rear gate swings up for easy access to load compartment
- Weather-tight rear window is permanently sealed to gate ■ Wide right side door that facilitates side loading ■ Full door-glass styling ■ Flush-mounted door handles ■ Large Power-Beam single-unit headlights ■ Side marker lights front and rear ■ Single-unit taillight with back-up light.

Major Features—Standard on 1975 Vegas

- ❑ Chevrolet Efficiency System including new GM-developed catalytic converter, High Energy Ignition system, carburetor outside air induction system; new extended service intervals for oil change, oil filter, spark plugs, automatic transmission fluid and chassis lubrication; and all engines designed to operate on unleaded fuel
- ❑ Power-Beam headlights
- ❑ Side-A-Way antenna built into windshield (with factory-installed radio)
- ❑ Full door glass styling
- ❑ Flush-styled outside door handles
- ❑ Swing-up rear gate for Wagon and Hatchback models
- ❑ Hydro-pneumatic counterbalance for Hatchback rear lid
- ❑ Magic-Mirror acrylic lacquer finish
- ❑ Speedometer dial reads to 100 mph in white numbers with metric equivalents in blue
- ❑ "ADD COOLANT" indicator light on instrument panel
- ❑ Full-type door handles recessed in door panels
- ❑ Inside hood release
- ❑ Power ventilation system
- ❑ Sub-rim steering wheel with cushioned center
- ❑ Tunnel-mounted transmission control and parking brake
- ❑ Molded full foam front bracket seats with built-in head restraints
- ❑ Bucket-styled full foam rear seats
- ❑ Folding rear seat on Hatchback Coupe and Wagon models
- ❑ Built-in blended-air heater and defroster system
- ❑ 18-gallon fuel tank
- ❑ Electric fuel pump in gas tank. Cut-off switch stops fuel flow when engine oil pressure drops below safe limit
- ❑ Sealed side-terminal Energizer battery with flame arrester battery caps
- ❑ Coolant recovery system
- ❑ High-capacity positive displacement oil pump
- ❑ Unleaded fuel filler neck and cap
- ❑ 90,000-mile replaceable carburetor air filter
- ❑ Delco-Ronco generator with built-in solid-state regulator
- ❑ Double-panel roof, door, hood and deck lid or rear hatch construction
- ❑ Self-cleaning rocker panels
- ❑ Corrosion-resistant moldings
- ❑ Headlight aiming access provision
- ❑ Cushioned body mounting system
- ❑ Inner fenders front and rear
- ❑ Retracting bumper system with spring-mounted aluminum bumpers front and rear
- ❑ Full Coil suspension system
- ❑ Permanently lubricated universal joints
- ❑ Counterbalanced crankshaft
- ❑ Advanced cross-flow radiator
- ❑ Forward-mounted steering gear linkage
- ❑ Manual disc/drum brakes
- ❑ Disc brake audible wear sensors
- ❑ Water pump with aluminum housing
- ❑ Ball joint wear indicators on front suspension



Front Bucket Seats with Built-In Head Restraints



Hydro-pneumatic Counterbalanced Hatchback Rear Lid



GM-Developed Catalytic Converter



High Energy Ignition System

Vega Safety and Security Features

Occupant Protection

- Seat belts with positioner buckles for all passenger positions
- Two front combination seat and shoulder belts for driver and right front passenger (with reminder light and buzzer, inertia reel and starter interlock)
- Two built-in front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Cargo-Guard luggage compartment (except Hatchback Coupe)
- Side-Guard beams
- Contoured roof inner panel
- Glove compartment door latch impact security
- Smooth-contoured door and window regulator handles

- Soft, low-profile window control knobs, coat hooks, dome light
- Automatic locking front and rear seat belt retractors
- Shoulder belt anchorages for rear seat outboard occupants
- Pressure lock radiator cap
- High-strength front seat anchorages and construction
- High-strength rear seat retention
- Stamped steel door hinges

Accident Prevention

- Side marker lights and reflectors (front side marker lights flash with directional signal)
- Parking lights that illuminate with headlights
- Four-way beacon warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defrosters, washer and dual speed wipers
- Wide-view inside day/night mirror* (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Dual master cylinder brake system with warning light
- Starter Safety Switch

- Headlight aiming access provision
- Low-gloss instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces
- Safety wheel rims
- Uniform shift quadrant
- No winged wheel nuts, discs or caps
- Front disc brakes with available wear indicators
- Self-adjusting brakes
- Elimination of windshield wiper and washer, heater and defroster controls
- Flame-arresting battery vent caps
- Flame-retardant interior materials
- Pressure relief gas cap

Anti-Theft

- Anti-theft ignition key reminder buzzer
- Anti-theft steering column lock
- Inside hood latch release
- Anti-theft key system (one key for ignition only, other key for glove compartment, doors, trunk or rear hatch)
- Visible vehicle identification
- Tamper-resistant odometer with bellows feature

*Extra cost on some Vega models.



Vega Coupe Interior Padded Instrument Panel



Front Door Buzzer with Available Wear Indicator



Side-Guard Beams

Vega Equipment Summary

Exterior

	GT Coupe	GT Wagon	GT Estate	Custom	Blackhawk	LH	Blackhawk	Wagon
Wheel trim rings (RPO P06)	S	S	S	NA	EC	NA	EC	EC
4-spoke 13 x 6 GT wheels with trim rings	S	S	S	NA	NA	NA	NA	NA
Full wheel covers (RPO P32)	NA	NA	NA	S	EC	S	EC	EC
Sport Stripes	EC	EC	NA	NA	NA	NA	NA	NA
Dual Sport Mirrors, LH remote-control, RH manual	S	S	S	EC	EC	EC	EC	EC
Swing-out rear side windows (RPO A20)	EC	NA	NA	NA	EC	EC	EC	NA
Bright belt molding	S	NA	NA	NA	(3)	NA	NA	NA
Body side molding w/vinyl insert (RPO B04)	EC	EC	NA	NA	EC	S	EC	EC
Black lower body molding	S	S	NA	NA	(3)	NA	(3)	(3)
Body-colored door handle accents	S	S	NA	NA	(3)	S	(3)	(3)
Wood-grained vinyl exterior accents	NA	NA	S	S	NA	NA	NA	NA
Bright wheel opening moldings (RPO B06)	S	S	NA	NA	(3)	S	(3)	(3)
Bright side window moldings	S	S	S	S	S	S	(3,4)	S

Interior

Special instrumentation (RPO U14)	S	S	S	EC	EC	EC	EC	EC
Out-pile carpeting	S	S	S	S	S	S	S	S
Electric clock (RPO U35)	S	S	S	EC	EC	S	EC	EC
Auxiliary lighting (RPO Z08)	EC	EC	EC	EC	EC	EC	EC	EC
Special Custom Interior (RPO Z13)	EC	EC	EC	EC	EC	NA	NA	EC
Custom Interior (RPO Z11)	EC	EC	S	NA	EC	S	EC	EC
Cigarette lighter	S	S	S	S	S	S	S	S
Day-night rearview mirror (RPO D11)	(2)	(2)	S	S	(2)	S	(2)	(2)
Comfortilt steering wheel (RPO N33)	EC	EC	EC	EC	EC	EC	EC	EC
Sport steering wheel (RPO N31)	S	S	S	S	EC	S	EC	EC
Sliding adjustment for passenger seat	S	S	S	S	S	S	(2,4)	S
Adjustable driver's seat back (RPO A06)	S	S	S	S	EC	EC	EC	EC
Assist handle built into instrument panel pad	S	S	S	S	(2)	S	(2)	(2)
Cargo area floor carpeting	(2)	S	S	S	(2)	NA	NA	S

Chassis

4-speed manual transmission (RPO M20)	EC	EC	EC	EC	EC	EC	EC	EC
Turbo Hydra-matic	EC	EC	EC	EC	EC	EC	EC	EC
Positraction (RPO G80)	EC	EC	EC	EC	EC	EC	EC	EC
Mini-console	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Disc front brakes	S	S	S	S	S	S	S	S
Power brakes (RPO H50)	EC	EC	EC	EC	EC	EC	EC	EC
Variable-ratio power steering (RPO N41)	EC	EC	EC	EC	EC	EC	EC	EC
Sports suspension (RPO F41)	S	S	S	EC	EC	EC	EC	EC
A78-138 original equipment blackwall tires	NA	NA	NA	S	S	S	S	S
A78-138 original equipment white stripe tires	NA	NA	NA	EC	EC	EC	EC	EC
A78-138 bias belted ply white stripe tires	NA	NA	NA	EC	EC	EC	EC	EC
A70-138 bias belted ply white lettered tires	S	S	S	EC	EC	EC	EC	EC
RR78-138 steel belted radial ply tires	EC	EC	EC	EC	EC	EC	EC	EC

(1) Incl. when automatic transmission is ordered.

(2) Incl. w/Custom Interior—RPO Z11.

(3) Incl. w/Custom Exterior—RPO Z55.

(4) Incl. w/Door Strips—RPO P34.

S—Standard

EC—Extra Cost

NA—Not Available

Incl.—Included

Vega Power Teams

Engine	Power Rating	Engine Design	Transmission		Rear Axle Ratio (A:1)	
					Std.	High Altitude RPO G82
140-1 barrel Four	78	Std. (1)	3-Speed manual	Std.	2.92	—
			4-Speed manual	RPO M20	2.92	—
			Turbo Hydro-matic	RPO M40	2.92	—
140-2 barrel Four	87*	RPO L11 (2)	3-Speed manual	Std.	2.92	—
			4-Speed manual	RPO M20	2.92	3.42
			Turbo Hydro-matic	RPO M40	2.92	3.42

*90 horsepower rating in California.

(1) Not available in California.

(2) California Emission Equipment required in California.

Axle Ratio Definition:

Standard Axle Ratio — General purpose numerical axle ratio selected for best overall balance of performance and economy under normal driving conditions with each power team.

High Altitude Axle Ratio (RPO G82) — Moderately higher numerical ratio than standard axle for improved overall performance in relatively hilly or high altitude areas.

Note: Performance rear axle (RPO G82) available in all axle ratios.

Engine Specifications

Engine	Type	Carburetor	HP @ RPM	Torque @ RPM	Comp. Ratio	Bore	Stroke	Displ.
140-1	4-cyl. OHC	1-barrel	78 @ 4200	120 @ 2000	8.0:1	3.501"	3.625"	140
140-2	4-cyl. OHC	2-barrel	87 @ 4400	122 @ 2800				

Note: Horsepower and Torque ratings are SAE net as installed.

Transmissions

	Transmission gear ratios					Shift selector locations	
	1	2	3	4	5	Floor	Mini-Console
3-Speed Fully Synchronized (Standard)	3.11	1.84	1.00	—	3.22	●	
4-Speed Fully Synchronized (RPO M20)	3.11	2.20	1.47	1.00	3.11	●	
Turbo Hydro-matic (RPO M40)	Drive—2.83:1.83:1.00						
	Low 3—2.83:1.82						
	Low 1—2.82						
	Reverse—1.84						●

Clutches for 3- and 4-Speed Transmissions

Engine	Disc facing material	Disc facing outside diameter	Disc facing total area (sq. in.)	Spring effective plate load (lbs.)
Vega 140	woven asbestos	8.00"	43.98	1250-1450
Vega 140-2		9.12"	71.82	

Vega Model Options

Description	RPO Number	Notch-back	Hatch-back	Wagon	GT Versions	Panel Express
Custom Exterior. Not available with LX or Katate models. Includes hood header panel bright molding; bright lower body side and wheel opening moldings; black-finished body sill and body-colored door handle accents. Hatchback includes bright belt molding. Notchback includes bright side window moldings.	ZI2	●	●	●	NA	NA
Custom Interior. Included with LX; not available on Vega Katate models. Includes luxury seat and door trim with map pockets in doors, rear ashtrays, special insulation, day-night rearview mirror, RH door automatic light switch, charcoal parking brake and transmission control trim plate and assist handle built into instrument panel pod. Hatchback includes load compartment carpeting. Notchback includes adjustable floor position for passenger front seat.	ZI1	●	●	●	●	NA
Custom Interior, Special. Not available on Notchback. Includes Custom Interior (RPO ZI1) plus luxury knit cloth seat and door trim; color-keyed seat belts, steering wheel and column; and color-keyed instrument panel with wood-grain vinyl accents, extra-thick carpeting for passenger area and soft loom headlining.	ZI9	NA	●	●	●	NA
Decor Group. Not available with LX model or when Custom Interior with Custom Exterior is ordered. Includes bright side window moldings (included with Custom Exterior—RPO ZI2) and adjustable floor position for passenger front seat (included with Custom Interior—RPO ZI1).	TE4	●	NA	NA	NA	NA
GT. Not available on Notchback. Includes Vega 140-2 engine, tachometer, ammeter and temperature gauges; electric clock; assist handle built into instrument panel pod; 4-spoke sport steering wheel; 3-position adjustable driver's seat back; wood-grain vinyl accents on instrument cluster; LH remote-control, RH manual sport mirrors; outside door handle colored insert; black-accented lower body side moldings; black-finished body sill; hood header panel bright molding; black-finished headlight bezels; parking lights with clear lenses and amber bulbs; nameplates on front fenders; sports suspension; wheel opening moldings; special GT 15" x 8" wheels with trim rings and special center caps plus A20-138 bias belted ply white lettered tires. Hatchback includes bright belt molding.	ZZ9	NA	●	●	Incl.	NA

Selected Options

Air conditioning. Four-Season. Includes 55-amp generator and HD radiator.	C80	●	●	●	●	●
Air deflector, rear window	C21	NA	NA	●	(1)	●
Asides:						
High Altitude ratio	G02	●	●	●	●	●
Powertrain	G80	●	●	●	●	●
Battery, heavy duty—3200-watt rating	UA1	●	●	●	●	●
Belts, Custom Deluxe seat and shoulder. Includes brushed metal buckles and color-keyed belts. Not available with black interior.	AK1	●	●	●	●	NA
Breakes, power	PO	●	●	●	●	●
Bumper equipment:						
Deluxe front bumper guards	V31	●	●	●	●	●
Front and rear impact strips	VIS	●	●	●	●	●
California emission certification	YPS	●	●	●	●	●
Carrier, roof	V58	NA	NA	●	(1)	●
Clock, electric. Included with special instrumentation and Notchback LX.	U38	●	●	●	Incl.	●

NA—Not Available.

(1) Available on Vega GT only.

Selected Options (continued)

Description	RPO Number	Notch-back	Hatch-back	Wagon	GT Versions	Panel Express
Convenience equipment, interior. Includes molded quarter trim panel, acoustical package, cargo floor mat, rear compartment hold-open prop	YG28	NA	NA	NA	NA	●
Deluges, rear window (Electro-Clean)	C49	●	●	●	●	●
Glass, Sub-Ray tinted. All windows	A01	●	●	●	●	●
Instrumentation, special. Includes electric clock, tachometer and gauge type instruments	U14	●	●	●	Incl.	NA
Lighting, auxiliary. Includes:						
Glove compartment light	Z19	●	●	●	●	●
Rear compartment light		NA	NA	●	(1)	●
Right front door switch light		●	●	●	●	●
Underhood light		●	●	●	●	●
Headlight-on reminder buzzer		●	●	●	●	●
Mats, color-keyed floor—2 front	R37	●	●	●	●	●
Mirrors:						
Day-night rearview. Included with Custom Interior, Notchback LX and Estate Wagon.	D31	●	●	●	●	●
Sport, LH remote control, RH manual	D35	●	●	●	Incl.	●
Moldings: Not available on Vega Estate.						
Body side. Included on Notchback LX	B84	●	●	●	●	●
Door edge guard. Not available on Vega Estate.	B93	●	●	●	●	●
Wheel opening. Included with Custom Exterior, Notchback LX and Estate Wagon	B96	●	●	●	Incl.	NA
Quiet sound group	B81	●	●	●	●	NA
Radiator, heavy-duty. Included with air conditioning	V01	●	●	●	●	●
Radio equipment: (All radios include windshield antenna)						
AM radio	U03	●	●	●	●	●
AM/FM radio	U09	●	●	●	●	●
AM/FM/stereo radio	U38	●	●	●	●	NA
Rear seat speaker. (Two speakers included with stereo system)	U80	●	●	●	●	●
Rear cover, vinyl. Included on Notchback LX		●	●	NA	(2)	NA
Seat equipment:						
Auxiliary seat, RH passenger. Includes seat belt and sunshade	A57	NA	NA	NA	NA	●
Adjustable seat back. Driver's seat only. Incl on Estate	A96	●	●	●	Incl.	NA
Steering, power—variable-ratio.	N41	●	●	●	●	●
Steering wheel, Comfort	N33	●	●	●	●	●
Steering wheel, Sport (4-spoke). Included on Notchback LX and Estate Wagon	N31	●	●	●	Incl.	NA
Stripes, sport—lower body side and rear panel or liftgate:						
Black—1RA, White—11A		NA	NA	NA	●	NA
Suspension, sports. Includes A70-138 bias belted ply white lettered tires	F41	●	●	●	Incl.	NA
Wheel equipment:						
Trim rings. Not available on LX or Estate	P06	●	●	●	Incl.	●
Wheel covers. Included on LX and Estate	P02	●	●	●	NA	●
Windows, tinting-out. Rear side windows	A20	NA	●	NA	(2)	NA

Tires

A78-138 non-belted white stripe	QAG	EC	EC	EC	NA	EC
A78-138 bias belted ply white stripe	QAD	EC	EC	EC	NA	EC
A70-138 bias belted ply white lettered. Included with sports suspension	QAB	EC	EC	EC	Incl.	EC
B870-138 steel-belted radial ply blackwall	QB8	EC	EC	EC	EC	EC
B870-138 steel-belted radial ply white stripe	QB7	EC	EC	EC	EC	EC
B870-138 steel-belted radial ply white lettered	QB9	EC	EC	EC	EC	EC

NA—Not Available.

(1) Available on Wagon GT only.

(2) Available on Notchback GT only.

Vega Cloth Interior/Exterior Color Selections

Exterior body colors and interior trim, including luxury plaid cloth Special Custom Interior for Hatchback Coupe and Wagons models as well as white off vinyl Custom Interior, permit a wide

selection of Interior/Exterior combinations. Recommended combinations are indicated in the charts by a "■" in the appropriate square.

Doors and Headlining	Black		Blue (Dark)	Red (Dark)	Sandstone (Med.)
Seat Color	Black		Blue	Red	Sandstone
Instrument Panel Feet	Black		Blue	Red	Sandstone
Passenger Area Carpeting	Black	Red	Blue	Red	Sandstone
Special Custom Interior*			■	■	■
Custom Interior	■	■			■
Standard Interior	■	■			■

*Not available on Hatchback models.

Exterior Body Color and Code:

Reds, Cream	80	■			■
Blue, Bright Metallic	28	■			
Bronze Metallic	68	■			○
Green, Dark Metallic	49	■			■
Green, Light Metallic	48	■			○
Orange Metallic	80	■			○
Red, Dark Metallic	74	■		■	
Red, Light	78	■	■		○
Sandstone	58	■			■
White, Antique	11	■	■	■	■
Yellow, Bright	51	■			

○ Not available with Special Custom Interior.

Vinyl Roof Colors (Hatchback or Hatchback Coupes only)

Solid exterior body color availability

Vinyl roof*	Code	With custom or standard interior	With Special Custom Interior
Black	BB	All Exterior Colors.	Not available.
Blue, Dark	DD	11 or 28 only.	11 only.
Brown, Dark	FF	11, 68 or 80 only.	Not available.
Green, Medium	GG	11 or 49 only.	49 only.
Red	RR	11 or 78 only.	Not available.
Red, Dark	HH	11 or 74 only.	74 only.
Sandstone	TT	11, 48, 50, 58 or 68 only.	50 or 58 only.
Silver Metallic	WW	28 or 74 only.	Not available.
White	AA	All Exterior Colors.	11 only.

*Includes outline and roof drip moldings.

Vega All-Vinyl Interior/ Exterior Color Selections

Doors and Headlining	Black		Blue (Dark)	Red (Dark)	Saddle (Dark)	Sandstone (Med.)	White*		
Seat Color	Black		Blue	Red	Saddle	Sandstone	White	White	White
Instrument Panel Pad	Black		Blue	Red	Saddle	Sandstone	Black	Blue	Black
Passenger Area Carpeting	Black		Red	Blue	Red	Saddle	Sandstone	Black	Blue
Custom Interior	●	●		●*	●	●	●	●	●
Standard Interior	●	●	●		●	●			

*Not available on Matchbook.

Exterior Body Color and Code:

Beige, Cream	60	•				•	•	•		
Blue, Bright Metallic	26	•		•				•	•	
Bronze Metallic	66	•				•	•	•		
Green, Dark Metallic	49	•				•	•			
Green, Light Metallic	45	•					•			
Orange Metallic	80	•				•	•	•		
Red, Dark Metallic	74	•			•					
Red, Light	78	•	•			•	•	•		•
Sandstone	55	•				•	•	•		
White, Antique	11	•	•	•	•	•	•	•	•	•
Yellow, Bright	51	•						•		

Vega Specifications

Exterior Dimensions	Notchback	Hatchback	Wagon	Panel Express
Wheelbase	97.0	97.0	97.0	97.0
Length (overall)	175.4	175.4	175.4	175.4
Width (overall)	65.4	65.4	65.4	65.4
Height (loaded)	51.6	50.0	51.6	51.7
Tread—Front	55.2	55.2	55.2	55.2
Tread—Rear	54.1	54.1	54.1	54.1
Ground clearance (min.)	4.9	4.9	4.9	4.9

Interior Roominess

Head room—Front	38.8	37.1	38.9	38.1
Head room—Rear	36.0	35.3	36.3	—
Leg room—Front	43.5	43.5	43.5	43.1
Leg room—Rear	30.0	29.6	30.2	—
Hip room—Front	46.9	47.2	46.9	46.8
Hip room—Rear	42.5	42.5	42.5	—
Shoulder room—Front	51.3	51.3	51.3	51.3
Shoulder room—Rear	49.2	49.2	49.2	—
Luggage space—effective (cu. ft.)	8.7	9.3*	50.2**	50.2†

*10.9 with rear seat folded down. **with rear seat folded; 24.8 with rear seat up. †68.7 including passenger seat floor area.

Wagon and Panel Express Cargo Compartment

Floor length—front seat to liftgate	66.3	67.7
Width between wheelhouses	43.5	43.5
Height—floor to roof (max.)	28.6	28.6
Liftgate loading height	22.8	22.8
Liftgate opening height	25.7	25.7
Liftgate opening width at belt	47.0	47.0

Glass Area

Windshield glass area (sq. in.)	1116.2	1143.9	1116.2	1116.2
Rear window glass area (sq. in.)	973.8	1071.3	662.5	662.5
Total glass area (sq. in.)	2090.4	2049.6	1640.7	1735.1

Tire Size and Steering

Standard tire size	A78-13	A78-13	A78-13	A78-13
Turning circle—curb-to-curb (ft.)	33.0	33.0	33.0	33.0
Turning circle—wall-to-wall (ft.)	34.7	34.7	34.7	34.7
Steering ratio—std. (overall)	22.5:1	22.5:1	22.5:1	22.5:1
Steering ratio—power (overall)	16.5:1	16.5:1	16.5:1	16.5:1
	to 13.5:1	to 13.5:1	to 13.5:1	to 13.5:1

Capacities and Weights

Rated fuel tank capacity (gallons)	16	16	16	16
Crankcase oil change (qts.)	3*	3*	3*	3*
Cooling system (qts.)	6.5**	6.5**	6.5**	6.5**
Curb weight (lbs.)	2495	2558	2611	2481
Shipping weight (lbs.)	2415	2478	2531	2401

*4 with filter change. **7½ with air conditioning.