


Ford Motor Company

2000 Police Interceptor & Special Service Vehicles



**FLEET
2000**

Crown Victoria Police Interceptor

Special Order Options



PRC/PRE — Radio Antenna Cable



PW7 — Wiring Prep (Front)



PRS — Roof Reinforcement

PRC/PRE — *PRC* — Radio Antenna Cable RG-58 A/U (Stranded)
PRE — Radio Antenna Cable RG-58U (Solid)

Does not include hole in the roof. Cable is routed from roof panel to luggage compartment. 18-in. is coiled under headlining 14-/15-in. forward of rear edge of roof panel on centerline and 8 feet coiled in trunk. This is sufficient length for connection on either side of trunk. Not available with Street Appearance Group (60B) unless Removable Headliner (513) is ordered.

(See illustration at left)

PCD — Silicon Hoses with Aircraft-type Clamps Includes Aircraft-type Clamps (PCF). Not available with Natural Gas Engine (999).

PCF — Aircraft-type Clamps for Heater and Radiator Hoses Included with Silicon Hoses (PCD). Not available with Natural Gas Engine (999).

PW7 — *Wiring Prep (Front)*
For connection of grille lamp, siren and speakers. Contains five circuits through the RH dash panel and coiled in engine compartment on RH side. One circuit to alternate flasher with two feeds for flashing lights and four circuits for customer connection — four #16 gauge wires with 6' coiled in both engine compartment and passenger compartment. (See illustration at left)

PW8 — *Power Windows Controlled by Driver and Front Passenger*
Windows not operational from the rear seat.

PR1 — *Radio Delete*
Deletes standard electronic AM/FM stereo radio with clock. Speakers and antenna remain.

PRS — *Roof Reinforcement*
For police signal equipment. Reinforced lateral bow with reinforcement extending to header. Not available with Street Appearance Group (60B) unless Removable Headliner (513) is ordered. (See illustration at left)

PLP — *Rear Door Locks and Handles Inoperative*
Power door locks operation by driver or front passenger only. Rear door lock linkages and control knobs deleted. (See illustration at right)

PWA — *Roof Wiring — No Hole in Roof*
Contains two #10 gauge, two #12 gauge and six #14 gauge wires with 56" looped above headliner and 48" coiled under carpet on passenger side. Routed behind dome lamp (3" to 5") and runs across vehicle from LH side rail to RH side rail above headliner and down RH "B" pillar, forward on RH side and coiled under RH carpet on toeboard. Not available with Street Appearance Group (60B) unless Removable Headliner (513) is ordered.

PW2 — *Roof Wiring — Hole in Roof*
Contains two #10 gauge, two #12 gauge and six #14 gauge wires. Hole is 1-1/8", located approximately 29" from front header on roof centerline; 24" of harness with grommet coiled and taped on roof exterior and 48" coiled on floor at RH kick panel. Not available with Street Appearance Group (60B) unless Removable Headliner (513) is ordered. (See illustration at right)


PWB — *Horn/Siren Wiring*
For customer connection to switch and equipment. Provides wiring for connection to horn button and horn relay, with 5 feet coiled at center of instrument panel. Wiring provided interrupts ground circuit of horn relay. No power provided.

FLG — *Keyed-Alike Lock Sets*
Allows one key to access ignition, doors and trunk. Call the Special Order Department at: 1-800-34-FLEET (U.S.A.) or 1-800-668-5515 (Canada) to cross-reference specific key codes.


PLN — *Auxiliary Fuse Block*
Three circuits direct battery feed and three circuits ignition controlled. Circuits located RH side under instrument panel. These circuits are connected to RPO police accessory feed wires and contain:
— Three fuse holders, direct battery feed from 50-amp. maxi fuse.
— Three fuse holders, ignition controlled from 30-amp maxi fuse. (Fuses are not included.) (See illustration at right)



PLP — Rear Door Locks and Handles Inoperative




PW2 — Roof Wiring — Hole in Roof




PLN — Auxiliary Fuse Block

Crown Victoria Police Interceptor


Regular Production Option Two-Tones



**OPTION
952**



**OPTION
953**



**OPTION
955**




Figure 1 The dark shaded areas in Figures 1-3 represent available police equipment mounting zones for Crown Victoria. These zones are shown for police vehicles equipped with standard bucket seats – the recommended choice for vehicles requiring maximum available space for police equipment mounting.




Figure 2 Crown Victoria available police equipment mounting zone.




Figure 3 Crown Victoria available police equipment mounting zone.





Figure 4 Crown Victoria passenger airbag height at full inflation. The dimensions in Figures 4-6 are somewhat flexible and represent "free form" deployments with empty seats.




Figure 5 Crown Victoria passenger airbag depth.




Figure 6 Crown Victoria airbags.

2000 Ford Explorer Special Service Vehicle



Explorer is not designed or intended to be used as a pursuit vehicle.

Major Standard Features (XL Trim)

- B-pillar blackout treatment
- Platinum front and rear bumpers (w/trailer tow) with rub strip (3500-lb. capacity)
- Solar tinted windshield and front door windows
- Bright grille with painted insert
- One-piece liftgate, hinged at top, with flip-open rear window
- LH/RH sail-mounted mirrors (manual)
- Full-face steel wheels (15-inch) (4)
- Speed-sensitive dual intermittent wipers
- Rear window wiper/washer/defroster
- Second Generation front driver and passenger airbags
- Manual air conditioning
- Full-length color-keyed carpeting
- Illuminated entry
- Load floor tie-down hooks (4)
- Large-bezel electronic AM/FM stereo cassette with clock
- Vinyl front bucket seats, rear split/folding seat with head restraints and console
- Headlamps-on, key-in-ignition and safety belt warning chimes
- 4.0L EFI OHV V6 engine
- 5-speed manual overdrive transmission
- 72-amp./hr. maintenance-free battery
- Power four-wheel disc brakes with anti-lock feature
- 21-gallon (80-liter) fuel tank capacity
- SecuriLock™ passive anti-theft system
- Power rack-and-pinion steering
- Super engine cooling
- P225/70R 15SL BSW A/S tires
- Steel spare wheel and matching road tire

REGULAR PRODUCTION OPTIONS

	Option Code	Option Code
4.0L OHV V6/5-Speed Automatic OD	99X/44D	
4.0L SOHC V6/5-Speed Automatic OD	99E/44D	
Deep-Dish Cast Aluminum Wheels (4)	649	Electronic AM/FM Stereo/Clock/Cassette/CD 58K
Front Side Airbags	21A	Electronic AM/FM Stereo/Clock/Single CD Player 58Z
Cloth 60/40 Split Bench Seat	M	Engine Block Heater 41H
Unique Cloth Captain's Chairs	J	License Plate Bracket 153
Cloth Sport Bucket Seats	G	Running Boards 186
Tires, P235/75R15SL OWL All-Terrain	T7R	Skid Plates 87K
Cargo Cover	655	Speed Control/Tilt Steering Wheel 52N
Privacy Glass	924	Trailer Towing Prep Package 534

DIMENSIONS & CAPACITIES

General (4-Door)	English	Metric
Wheelbase	111.6"	2835 mm
Overall length	190.7"	4844 mm
Overall height (empty)	67.7" a/	1719 mm
Overall width	70.2"	1783 mm
Tread: Front	58.5"	1486 mm
Rear	58.5"	1486 mm
Front Seat: Head room	39.9"	1013 mm
Leg room, maximum	42.4"	1077 mm
Shoulder room	56.7"	1440 mm
Hip room	51.9"	1318 mm
Rear Seat: Head room	39.3"	998 mm
Leg room, minimum	36.8"	935 mm
Shoulder room	56.8"	1443 mm
Hip room	51.9"	1318 mm
Cargo Area	Cubic Feet	Liters
Cargo Volume – rear seat down	79.8	2260
rear seat up	41.4	1172

a/ 4x2; 67.5" (1714 mm) on 4x4

SPECIAL SERVICE PACKAGE

	DSO Order Code
4.0L SOHC V6 engine	RPA
Battery: heavy-duty 78 amp.-hr.	
Radio noise suppression	
Roof wiring prep package	
Severe-duty service manual	
Map lamp (21 CP)	
Courtesy lamp switches inoperative	
Interior Trim – Medium Graphite	

EXPLORER COLOR AND TRIM SELECTIONS

INTERIOR TRIM TYPE AND COLOR SELECTOR		INTERIOR TRIM COLOR	
NOTE: First letter denotes type and second, color.		Medium Graphite	
Vinyl Buckets		A2	
Cloth Sport Buckets		G2	
Cloth Captain's Chairs		J2	
Cloth 60/40 Split Bench with Stowage Bin		M2	
EXTERIOR TRIM COLORS	CODE	AVAILABILITY	
Toreador Red Clearcoat Metallic	FL	•	
Deep Wedgewood Blue Clearcoat Metallic	LL	•	
Tropic Green Clearcoat Metallic	SU	•	
Black Clearcoat	UA	•	
Oxford White Clearcoat	YZ	•	

• = Available.

2000 Ford Expedition Special Service Vehicle



Expedition is not designed or intended to be used as a pursuit vehicle.

Major Standard Features

- Chrome front and rear step bumpers (4,000-lb. towing rating)
- Solar tinted glass
- Fixed glass quarter windows
- Dual power fold-away mirrors
- Color-keyed bodyside moldings with bright insert
- 16" styled steel wheels (4)
- P255/70R16 BSW all-season tires
- Steel spare wheel and matching road tire
- Front speed-sensitive intermittent wipers
- Air conditioning, manual control
- Driver and front passenger airbags, Second Generation
- Color-keyed carpet
- Cargo area tie-downs
- Carpeted front and rear floor mats
- Keyless entry keypad
- Power adjustable pedals
- Power door locks
- Power side windows
- Premium AM/FM stereo radio with cassette
- Remote keyless entry
- 40/60 power driver split bench seat with manual driver lumbar
- Second-row 60/40 cloth split bench seat and third-row cloth bench seat
- SecuriLock™ passive anti-theft system
- Speed control
- Tilt steering wheel
- 72-amp./hr. maintenance-free battery
- Power four-wheel disc brakes with anti-lock feature
- 4.6L SEFI SOHC V8 engine
- 26-gallon (98-liter) fuel tank capacity (4x2); 30-gallon (113-liter) fuel tank capacity (4x4)
- Four-speed automatic overdrive transmission
- Front tow hooks (4x4)

REGULAR PRODUCTION OPTIONS

	Option Code	Option Code
5.4L SOHC V8/4-Speed Auto O/D	99L/44E	Auxiliary Heater/Air Conditioner (Rear)
P255/70R16 OWL All-Terrain Tires	T65	Class III Trailer Towing Group
Wheels, Cast Aluminum (16") (4)	646	AM/FM Stereo Radio with Single Disc CD
Wheels, Cast Aluminum (17") (4x4) (4)	647	Four-Corner Load-Leveling Suspension (4x4)
Captain's Chairs, Cloth w/Floor Console	F	License Plate Bracket
Captain's Chairs, Leather Seating Surfaces w/Floor Console	1	Mirrors, Heated
Axle, Limited-Slip Rear		Power Moonroof
Third-Row Seat Delete	87D	Privacy Glass
Premium Sport Appearance Group	552	Skid Plate Package (4x4)

DIMENSIONS & CAPACITIES

General	English	Metric
Wheelbase	119.1"	3025 mm
Overall length	204.6"	5197 mm
Overall height (empty)	76.5" a/	1943 mm
Overall width	78.6"	1996 mm
Tread: Front	65.4"	1661 mm
Rear	65.5"	1664 mm
First-Row: Head room	39.8"	1011 mm
Shoulder room	63.9"	1623 mm
Hip room	61.5"	1562 mm
Leg room, max.	40.9"	1039 mm
Second-Row: Head room	39.8"	1011 mm
Shoulder room	64.4"	1636 mm
Hip room	62.3"	1582 mm
Leg room, max.	38.9"	988 mm
Third-Row: Head room	35.0"	889 mm
Shoulder room	66.7"	1694 mm
Hip room	59.8"	1519 mm
Leg room, max.	27.0"	686 mm
Cargo Area	Cubic Feet	Liters
Cargo Volume – third-row bench removed; 2nd-row bench folded	110.7	3135.0
Cargo Volume – 3rd-row bench removed	60.9	1724.7

a/ 4x2; 78.4" (1991 mm) on 4x4

FLEET SPECIAL PACKAGE FEATURES (ORDER CODE S2)

- Cloth Bucket Seats in Medium Graphite w/driver manual lumbar
- Second- and Third-Row Vinyl Bench Seats w/o armrest/cupholder
- Vinyl Floor Covering
- Cloth Visors w/o Auxiliary Visors
- Painted Front and Rear Bumpers
- Black Painted Mirrors
- Black Painted Door Handles
- Black Painted Door Moldings
- Deletes Floor Mats, Remote Keyless Entry (Key Fobs), Illuminated Entry, Keyless Entry Keypad, and Power Driver's Seat

EXPEDITION COLOR AND TRIM SELECTIONS

INTERIOR TRIM TYPE AND COLOR SELECTOR		INTERIOR TRIM COLOR
NOTE: First letter denotes type and second, color.		Medium Graphite
Cloth Buckets/Vinyl 2nd/3rd Row Benches		S2
EXTERIOR TRIM COLORS	CODE	AVAILABILITY
Tropic Green Clearcoat Metallic	SU	•
Black Clearcoat	UA	•
Silver Clearcoat Metallic	YN	•
Oxford White Clearcoat	YZ	•

• - Available.

2000 Ford Excursion Special Services Group



Excursion is not designed or intended to be used as a pursuit vehicle.

Major Standard Features

- Chrome front bumper with Medium Platinum valance
- Chrome rear bumper with black step pad
- Privacy glass
- Power mirrors, low-gloss black, heated
- Color-keyed bodyside moldings
- Rear tri-panel doors, top-half liftgate and two lower cargo doors
- Roof rack
- Non-illuminated running boards, black
- Front tow hooks
- Styled steel wheels with full wheel cover (4)
- LT265/75R16 BSW all-season tires
- Steel spare wheel and matching road tire
- Front intermittent wipers
- Rear intermittent wiper/washer/defroster
- Driver and front passenger airbags, Second Generation
- Manual front and rear air conditioning
- Premium AM/FM Audio System with cassette/single CD/80-watt amplifier
- Keyless entry keypad
- Remote keyless entry
- Cargo net with tie-downs
- Color-keyed carpet with 1st- and 2nd-row floor mats
- Overhead console
- Power door locks and side windows
- 40/20/40 split bench cloth seat with driver's-side manual lumbar
- 2nd-row 60/40 split bench seat with center armrest
- 3rd-row removable fold-flat cloth bench seat
- Leather-wrapped steering wheel
- Speed control and tilt steering wheel
- 78-amp./hr. maintenance-free battery
- 5.4L SEFI SOHC V8 engine (4x2); 6.8L SEFI SOHC V10 engine (4x4)
- Power four-wheel disc brakes with anti-lock feature
- 44-gallon (166-liter) fuel tank capacity
- Four-speed automatic overdrive transmission

REGULAR PRODUCTION OPTIONS

	Option Code	Option Code
6.8L SEFI SOHC V10/4-Speed Auto. O/D (4x2)	99S/44E	License Plate Bracket
7.3L V8 Diesel/4-Speed Auto. O/D	99F/449	Axle, Limited Slip Rear
LT265/75Rx16D OWL All-Season Tires	T48	Trailer Tow/Power Heated Mirrors
LT265/75Rx16D OWL All-Terrain Tires	T4T	Transfer Case Skid Plate (4x4)
Third-Row Seat (LPO)	875	Auxiliary Air Conditioning (LPO)
		153
		54Z
		413
		574

DIMENSIONS & CAPACITIES

General	English	Metric
Wheelbase	137.1"	3482 mm
Overall length	226.7"	5758 mm
Overall height	77.4" a/	1966 mm
Overall width	80.0"	2032 mm
Tread: Front	68.4"	1737 mm
Rear	68.1"	1730 mm
First-Row: Head room	41.0"	1041 mm
Shoulder room	68.3"	1735 mm
Hip room	67.5"	1715 mm
Leg room, max.	42.3"	1074 mm
Second-Row: Head room	41.1"	1044 mm
Shoulder room	67.0"	1702 mm
Hip room	66.9"	1699 mm
Leg room, max.	40.5"	1029 mm
Third-Row: Head room	38.6"	980 mm
Shoulder room	64.9"	1648 mm
Hip room	52.5"	1334 mm
Leg room, max.	39.0"	991 mm
Cargo Area	Cubic Feet	Liters
Cargo Volume - Behind Front-Row Seat	146.4	4146.0
Behind Second-Row Seat	100.7	2851.8
Behind Third-Row Seat	48.0	1359.4

a/ 4x2; 80.4" (2042 mm) on 4x4

SPECIAL SERVICES GROUP (ORDER CODE 17K)

- Argent Steel Wheels with Black Center Hub (4)
- Cloth Full Bench Seat
- Front Air Conditioning
- Manual Black Mirrors
- Vinyl Floor Covering
- Standard Electrochromic Mirror Replaced by Non-Electrochromic

The Following Standard Equipment is Deleted:

- Auxiliary Air Conditioning
- Third-Row Seat
- Bodyside Molding
- Cargo Net
- Floor Mat
- Overhead Console
- Roof Rack Cross Members

EXCURSION COLOR AND TRIM SELECTIONS

INTERIOR TRIM TYPE AND COLOR SELECTOR NOTE: First letter denotes type and second, color.	INTERIOR TRIM COLOR		
	Medium Parchment	Medium Graphite	Dark Denim
Cloth Full Bench	CH	C2	CR
EXTERIOR TRIM COLORS	AVAILABILITY		
Toreador Red Clearcoat Metallic	FL	•	•
Dark Green Satin Clearcoat Metallic	FU	•	•
Deep Wedgewood Blue Clearcoat Metallic	LL	•	•
Medium Steel Blue Clearcoat Metallic	SP	•	•
Black Clearcoat	UA	•	•
Silver Clearcoat Metallic	YN	•	•
Oxford White Clearcoat	YZ	•	•
Arizona Beige Clearcoat Metallic	AQ	•	•
Chestnut Clearcoat Metallic	B4	•	•

• = Available.

#134975



North American Fleet, Lease
& Remarketing Operations

"The Ford Fleet Difference"