

Escape specifications and options.



> Escape XLT V6 shown in Ice with Exceed Silver bumpers, and optional tinted bonnet protector, grille guard, headlamp guards and roof luggage cover-framed.




No Boundaries

[Personalise your Escape with these recreational options. The choice is yours.]




> **Roof Luggage Basket.**

Durable polymer-coated wire basket allows you to carry extra loads safely and securely.



> **Skid Plates.** For front or rear, help prevent scratches to the bumper and enhance the sporty look of your Escape.



> **Ski/Snowboard Carrier.** Transport your ski equipment easily and securely.



> **Grille Guard.** When your escape path gets rough, a grille guard offers extra protection.




> **Bike Carrier.** Secure, light weight bike carrier easily fitted to your Escape.



> **Cargo Retention Net.** Attaches to the floor of the cargo area, helping to keep your shopping bags and other loose items secure.

> Every Ford Escape 4WD comes standard with a real taste of freedom. And customising your Escape to enhance that freedom has never been easier. Choose from an exciting and wide range of recreational options to suit your individual needs.

[Personalise your Escape with these urban options. The choice is yours.]




> **Cargo Blind.** Keep your valuables protected and out of sight with a convenient and removable cargo blind (XLS option).



> **Side Steps.** Side steps make it easier for a quick escape – and they look good too.



> **Stainless Steel Scuff Plates.** Add a touch of class with these polished steel scuff plates. Available as a set of four.



> **Spoiler.** Add more style to your Escape with an eye catching spoiler.

> The Ford Escape 4WD also has an extensive range of options designed to help you tackle the concrete jungle. All items are made to meet Ford's exacting standards of quality and durability. Find out more at your Ford Dealer or visit www.ford.com.au

The choice is yours.

STANDARD XLS FEATURES
MECHANICAL
2.3L Inline 4 Cylinder engine or 3.0L Duratec Quad Cam EFI V6
4-speed Automatic Transmission with Overdrive
Power Steering
On-demand 4WD with Auto Torque Proportioning through Rotary Blade Coupling
50/50 Torque Lockup Mode for on-demand Four-Wheel Driving
Ventilated Front Disc Brakes
Rear Drum Brakes
Independent McPherson Strut Front Suspension
Independent Rear Suspension (IRS)
Front Stabiliser Bar
SAFETY & SECURITY
Anti-Lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)
Mechanical Brake Assist mechanism (4 Cylinder models only)
Driver & Front Passenger Airbags
Remote Keyless Entry
Securilock Engine Immobiliser
Seatbelt Pretensioners (front seats only)
Anti-Submarining Front Seats
Solar Tinted Windows
High Mounted Rear Stop Light
Auto Headlights Off
Headlight Warning Chime
Side Intrusion Beam
EXTERIOR
Roof Rack with Cross Bars
Flip-up Rear Glass Window in Tailgate
Front Grille with Black Surround & Mesh Centre
16" x 6.5" Steel Wheels
4 Cylinder: P215/70 R16 Tyres with Full Size Steel Spare Wheel
V6: P235/70 R16 Tyres with Temporary Steel Spare Wheel (P215/70 R16 Tyre) ¹
Interval Rear Wiper
Medium Charcoal Bumpers, Wheel Arches & Bodyside Cladding
Rear Mud Flaps
INTERIOR
CFC Free Air-conditioning
Rear Heating Ducts
Premium 80 Watt 4-Speaker AM/FM Stereo Radio with Single Slot CD
Power Windows with One-Touch Down Driver Window
Power Mirrors
Power Door Locks
Cloth Trim
Sporty White-Faced Instrument Cluster
Centre Console with Storage Bin
Lockable Glove Box
Front Door Bins
Tilt Adjustable Steering Wheel
Remote Fuel Filler Release
60/40 Split Fold-Down Rear Seat Back

INTERIOR (CONTINUED)
Roof Mounted Child Anchorage Points for all Rear Seats
Adjustable Head Restraints (2 front & 2 rear seats)
4 Cup Holders (2 front & 2 rear)
Auxiliary 12V Power Outlets Front & Rear
Covered Passenger Vanity Mirror
Interior Lamp
Coat Hook
Cargo Floor Hooks
Variable Intermittent Front Wipers
Illuminated Entry
Driver & Passenger Sunvisors
Driver's Foot Rest
Childproof Rear Door Locks
Cargo Room Lamp
STANDARD XLT FEATURES All standard XLS features plus/or:
SAFETY & SECURITY
Perimeter Alarm
Cargo Blind
EXTERIOR
Accent Colour Painted Bumpers, Wheel Arches & Bodyside Cladding
Front Fog Lights
Front Grille with Chrome Surround & Black Mesh Centre
16" x 7" 5-spoke Alloy Wheels
Power Antenna
INTERIOR
6-disc in-dash CD Player
Leather Wrapped Steering Wheel
Cruise Control ²
Cargo Swing Net
Covered Driver Vanity Mirror
Adjustable Driver Lumbar Support Seat
Front Seat Back Pockets
Premium Velour Trim
Overhead Console with Sunglass Holder and Map Lights
Tilt & Height Adjustable Driver Seat
STANDARD LIMITED FEATURES All standard XLS and XLT features plus/or:
MECHANICAL
3.0L Duratec Quad Cam EFI V6
SAFETY & SECURITY
Side Airbags ³
EXTERIOR
Body Colour Bumpers, Wheel Arches & Bodyside Cladding
Sunroof
Tinted Rear Privacy Glass
INTERIOR
Leather Seat Trim
OPTIONS
Bike Carrier
Bonnet Protector (clear or tinted)
Cargo Blind

OPTIONS (CONTINUED)				
Cargo Liner				
Cargo Mat				
Cargo Retention Net				
Cargo Swing Net				
Carpet Mats (front & rear)				
Cruise Control (XLS 2.3L only)				
Fire Extinguisher				
First Aid Kit				
Grille Guard				
Headlamp Guards				
Mudflaps (front)				
Pet Guard				
Roof Luggage Cover - Framed				
Roof Luggage Basket				
Roof Luggage Cover - Soft				
Side Steps				
Ski/Snowboard Carrier				
Skid Plates (front & rear)				
Slimline Weathershields (front & rear)				
Spoiler				
Stainless Steel Scuff Plates (Set of 4)				
Towpack				
ENGINE	4 CYLINDER	V6		
	XLS/XLT	XLS/XLT/Limited		
Bore x Stroke (mm)	87.5 x 94.0	89.0 x 79.5		
Cylinder Head	Diecast Aluminium Alloy			
Displacement (cc)	2261	2967		
Compression Ratio	9.7:1	10:1		
Fuel System	Electronic sequential fuel injection			
Fuel (Octane Rating)	91			
Maximum Power (DIN)	108kW@6000rpm	152kW@6000rpm		
Maximum Torque (DIN)	201Nm@4500rpm	276Nm@4750rpm		
Cylinders	Inline 4	V6		
STEERING	4 CYLINDER	V6		
Power Assisted, Rack &				
Pinion (lock-to-lock turns)	2.9	2.8		
Minimum Turning Circle (metres)	10.8	11.2		
Steering Ratio	17.4:1			
DIMENSIONS	4 CYLINDER	V6	V6	V6
EXTERIOR (MM)	XLS/XLT	XLS	XLT	LIMITED
Overall Length	4415	4415	4415	4415
Overall Height (with roof rack)	1775	1775	1775	1775
Overall Width	1825	1825	1825	1825
Wheelbase	2620	2620	2620	2620
Front track	1540	1550	1550	1550
Rear track	1520	1530	1530	1530
Front Overhang	870	870	870	870
Rear Overhang	925	925	925	925
Ground Clearance	205	215	215	215

DIMENSIONS	4 CYLINDER	V6	V6	V6
INTERIOR (MM)	XLS/XLT	XLS	XLT	LIMITED
Front headroom	1026	1026	1026	1026
Front legroom	1057	1057	1057	1057
Front shoulder room	1430	1430	1430	1430
Front hip room	1356	1356	1356	1356
Rear headroom	997	997	997	997
Rear legroom	938	938	938	938
Rear shoulder room	1420	1420	1420	1420
Rear hip room	1244	1244	1244	1244
GENERAL				
Kerb Weight (kg)	1527/1517	1576	1566	1582
Gross Vehicle Mass (GVM)	1997	2089	2089	2089
Approach Angle	28°		30°	
Departure Angle	28 ^(d)		32 ^(d)	
Fuel Tank Capacity (litres)		61		
Luggage Capacity (litres)		935 ^(d)		1792 ^(b)
SUSPENSION	XLS/XLT/LIMITED			
Front	McPherson Struts Stabiliser Bar			
Rear	Independent Rear Suspension			
Brakes	Anti-Lock Brakes Front Ventilated Discs Rear Drum Brakes			
TRANSMISSION/RATIOS	4 CYLINDER	V6		
	XLS/XLT	XLS/XLT/LIMITED		
		4-speed automatic		
1st gear ratio	2.800	2.889		
2nd gear ratio	1.540	1.571		
3rd gear ratio	1.000	1.000		
4th gear ratio	0.700	0.698		
Reverse ratio	2.333	2.310		
Final drive ratio	4.375	3.776		
SELECTED FUEL CONSUMPTION DATA	4 CYLINDER	V6		
Tested to ADR 81/01		4-speed automatic		
Fuel Consumption (L/100km)	10.3	12.2		
CO ₂ Emissions (g/km)	245	293		
These figures are provided to assist you in comparing the fuel consumption and CO ₂ emissions of Escape with other vehicles. Carbon dioxide (CO ₂) is the main greenhouse gas responsible for global warming. Actual fuel consumption and CO ₂ emissions depend on factors including your driving habits, the prevailing conditions and your vehicles equipment, condition and use.				
TOWING CAPACITY	4 CYLINDER	V6		
Maximum towing capacity - (subject to State and Territory Regulations).				
Unbraked	750kg ^(d)	750kg ^(d)		
Braked	1,000kg ^(d)	1,600kg ^(d)		

1. If the spare wheel rim or tyre size differs from the other fitted wheels, the vehicle should be driven with caution and the standard wheel and tyre fitted as soon as possible. 2. Standard on XLT 2.3L model delivered from Factory after 15 November 2004. Please consult your Ford Dealer regarding availability. 3. Driver and front passenger only.

(a) With rear seats upright (b) With rear seats folded down
(c) Measured to exhaust (d) When fitted with a Genuine Ford Towpack

[The Escape of your choice.]



> Escape Limited V6



> Escape XLT V6



> Escape XLT 2.3L 4cyl.



> Escape XLS V6



> Escape XLS 2.3L 4cyl.

About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed December 2004. FMC 1738